View NSN Online: https://aerobasegroup.com/nsn/8030-00-174-2598

## FLAMEMASTER CORP THE CHEM SEAL DIVISION -- CS 3204, PART B -- 8030-00-174-2598

Product ID:CS 3204, PART B

MSDS Date:06/15/1990

FSC:8030

NIIN:00-174-2598

Kit Part:Y

MSDS Number: BRKBP === Responsible Party ===

Company Name: FLAMEMASTER CORP THE CHEM SEAL DIVISION

Address:11120 SHERMAN WAY

City:SUN VALLEY

State:CA ZIP:91352 Country:US

Info Phone Num:818-982-1650

Fm

ergency Phone Num:800-424-9300 CHEMTREC

Preparer's Name: HERBERT MOORE

CAGE:14439

=== Contractor Identification ===

Company Name: FLAMEMASTER CORP THE CHEM SEAL DIV

Address:11120 SHERMAN WAY

Box: City: SUN VALLEY

State:CA

ZIP:91352-4949 Country:US

Phone:818-982-1650

CAGE:14439

======= Composition/Information on Ingredients ========

Ingred Name:MANGANESE DIOXIDE (DUST) (EXPOSURE LIMITS BASED ON DUST PARTICLES. THAT DO NOT EXIST IF WETTED OUT)

CAS:1313-13-9

RTECS #:OP0350000

Fractio

ACGIH TLV:5 MG/M3 Ingred Name: VOC: 1 GRAM/LITER RTECS #:9999999VO Other REC Limits: NONE SPECIFIED =========== Hazards Identification ========================== Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:IMPAIRMENT OF CENTRAL NERVOUS SYSTEM. Effects of Overexposure: SLUGGISHNESS, SLEEPLESSNESS AND/OR WEAKNESS IN THE LEGS, WHEN EXCESSIVE INHALATION EXPOSURE TO DUST OCCURS. TARGET ORGANS: CENTRAL NERVOUS SYSTEM, BLOOD, KIDNEYS. Medical Cond Aggravated by Exposure: NONE KNOWN First Aid:EYES: FLUSH WITH LARGE AMOUNTS OF WATER, CONTACT PHYSICIAN. SKIN: WASH WITH SOAP AND WATER. Flash Point: NOT FLAMMABLE Extinguishing Media: DRY CHEMICAL, CO2, FOAM WATER Fire Fighting Procedure s:IN CONFINED AREAS WEAR SELF-CONTAINED BREATHING APPARATUS. Unusual Fire/Explosion Hazard: EXPLOSION HAZARD IF HEATED WITH OXIDIZABLE MATERIALS. ======== Accidental Release Measures ============ Spill Release Procedures: SCOOP UP AND TRANSFER TO SAFETY CONTAINER, WASH SURFACE WITH SOAP AND WATER. ============ Handling and Storage =========================== Handling and Storage Precautions: STORE IN A COOL, DRY AREA. WASH HANDS BEFORE EATING, DRINKING OR

n by Wt: 65%

OSHA PEL:5 MG/M3

Other REC Limits: NONE SPECIFIED

| ====== Exposure Controls/Personal Protection ========   |
|---|
| Respiratory Protection:NONE NEEDED Protective Gloves:RUBBER Eye Protection:SAFETY GLASSES   |
| Other Protective Equipment: APPROPRIATE TO PREVENT PROLONGED CONTACT WITH SKIN.   |
| Work Hygienic Practices:TRAIN PERSONNEL IN SAFE HANDLING OF THIS PRODUCT.   |
| Supplemental Safety and Health  |
| ========= Physical/Chemical Properties ==========   |
| HCC:B3 Melt/Freeze Pt:M.P/F.P Text:LIQ@ RM TEMP Spec Gravity:2.0 (WATER=1) pH:9.0 Viscosity:1000 POISES Evaporation Rate & Discosity: NEGLIGIBLE Appearance and Odor:BLACK PASTE, OILY ODOR Percent Volatiles by Volume:2.0 |
| ======== Stability and Reactivity Data =========  |
| Stability Indicator/Materials to Avoid:YES REDUCING AGENTS AND COMBUSTIBLE, H2S, POTASSIUM AZIDE Stability Condition to Avoid:NONE Hazardous Decomposition Products:CO2, CO, NO, NO2, DUST                                  |
| ======== Disposal Cons iderations ===============   |
| M. ( B' LIM (L. L. DEACT MITH BACE COMBONENT AND DIODOCE AC CO.   |

SMOKING AFTER HANDLING THIS PRODUCT.

Waste Disposal Methods:REACT WITH BASE COMPONENT AND DISPOSE AS SOLID WASTE ACCORDING TO FEDERAL, STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utiliz

ing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.