

AEROSOL SERVICES CO INC -- SMOKE DETECTOR TESTER,HOMSAO5/L27865A --  
6350-01-169-2535

===== Product Identification =====

Product ID:SMOKE DETECTOR TESTER,HOMSAO5/L27865A

MSDS Date:06/10/1992

FSC:6350

NIIN:01-169-2535

MSDS Number: BRKKM

=== Responsible Party ===

Company Name:AEROSOL SERVICES CO INC

Address:425 S NINTH AVE

Box:2428

City:LA PUENTE (FORMALLY IN CITY OF INDUSTRY)

State:CA

ZIP:91746-331

4

Country:US

Info Phone Num:818-968-8531/FAX 818-330-9464

Emergency Phone Num:818-968-8531

Preparer's Name:K.LIM

CAGE:7K472

=== Contractor Identification ===

Company Name:AEROSOL SERVICES CO INC

Address:425 S NINTH AVE

Box:2428

City:CITY OF INDUSTRY(LA PUENTE)

State:CA

ZIP:91746

Country:US

Phone:(626) 968-8531

CAGE:7K472

Company Name:HOME SAFEGUARD INDUSTRIES INC

Address:29706 BADEN PLACE

Box:6030

City:MALIBU

State:CA

ZIP:90265

Country:US

Phone:310-457-5813; FAX#4862

CAGE:61908

===== C

Composition/Information on Ingredients =====

Ingred Name: PHTHALATE ESTERS, MIXTURE

Fraction by Wt: 2%

Other REC Limits: NONE RECOMMENDED

Ingred Name: NON-HAZARDOUS INGREDIENTS

Fraction by Wt: 98%

Other REC Limits: NONE RECOMMENDED

===== Hazards Identification =====

LD50 LC50 Mixture: NONE SPECIFIED BY MANUFACTURER.

Routes of Entry: Inhalation: YES Skin: NO Ingestion: NO

Reports of Carcinogenicity: NTP: NO IARC: NO OSHA: NO

Health Hazards Acute and Chronic:

NONE WHEN USED AS DIRECTED.

Effects of Overexposure: OVEREXPOSURE BY INHALATION MAY CAUSE DIZZINESS,  
NAUSEA, AND RESPIRATORY TRACT IRRITATION.

Medical Cond Aggravated by Exposure: NONE KNOWN.

===== First Aid Measures =====

First Aid: EYES: FLUSH WITH LARGE AMOUNTS OF WATER. SKIN: WASH AFFECTED  
AREA WITH SOAP AND WATER. INHALATION: MOVE TO FRESH AIR. INGESTION:  
INGESTION IS NOT CONSIDERED A POTENTIAL ROUTE OF EXPOSURE.

===== Fire

Fighting Measures =====

Flash Point Method: TOC

Flash Point: FLAMMABLE AEROSO

Lower Limits: 1.8

Upper Limits: 9.5

Extinguishing Media: DRY CHEMICAL, WATER, CARBON DIOXIDE.

Fire Fighting Procedures: KEEP TEMPERATURE OF CONTAINERS BELOW 130F BY  
SPRAYING WITH WATER UNTIL FIRE HAS BEEN EXTINGUISHED.

Unusual Fire/Explosion Hazard: CONTAINERS MAY RUPTURE AND RELEASE  
FLAMMABLE GAS IF EXPOSED TO HEAT OF FIRE.

===== Accidental Release Measures =====

Spill

Release Procedures:LEAKING CONTAINERS SHOULD BE PLACED OUTDOORS,  
IN AN OPEN CONTAINER, AWAY FROM SOURCE OF IGNITION. ALLOW PRESSURE  
TO DISSIPATE.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

=====  
===== Handling and Storage =====

Handling and Storage Precautions:DO NOT STORE NEAR HEAT SOURCES SUCH AS  
RADIATORS, OPEN FLAMES, STOVES, ETC. STORE IN A COOL, DRY PLACE.

Other Precautions:AVOID EXCESSIVE INHALATION. DO NOT PUNCTURE OR  
INCINERATE CONTAINERS, EVEN WHEN EMPTY.

=====  
===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE REQUIRED WHEN USED AS DIRECTED.

Ventilation:NORMAL VENTILATION IS SUFFICIENT.

Protective Gloves:NONE REQUIRED.

Eye Protection:NONE REQUIRED.

Other Protective Equipment:NONE REQUIRED WHEN USED AS DIRECTED.

Work Hygienic Practices:WASH AFTER HANDLING AND BEFORE EATING,  
DRINKING, OR SMOKING.

Supplemental Safety and Health

=====  
===== Physical/Chemical Properties =  
=====

HCC:V3

Boiling Pt:B.P. Text:-44F,-42C

Vapor Pres:70 PSIG

Vapor Density:1.764

Spec Gravity:0.537

Evaporation Rate & Reference:1 (BUTYL ACETATE=1)

Solubility in Water:0.008% WT

Appearance and Odor:FINE MIST AEROSOL SPRAY. ESSENTIALLY ODORLESS.

=====  
===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS SUCH AS OXYGEN, CHLORINE, OR FLUORINE.

Stability Condition to Avoid:DO NOT EXPOSE TO HEAT OR FLAME

Hazardous Decomposition Products:NORMAL PRODUCTS OF COMBUSTION.  
Conditions to Avoid Polymerization:WILL NOT OCCUR.

===== Disposal Considerations =====

Waste Disposal Methods:EMPTY CONTAINERS MAY BE DISPOSED OF IN REGULAR  
REFUSE.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.