

TRUETECH INC -- AMPOULE ASSEMBLY, HEATER (COMPONENT OF M256 -- 6665-01-133-4964

=====
Product Identification
=====

Product ID:AMPOULE ASSEMBLY, HEATER (COMPONENT OF M256

MSDS Date:02/01/1992

FSC:6665

NIIN:01-133-4964

Kit Part:Y

MSDS Number: BRLZX

=== Responsible Party ===

Company Name:TRUETECH INC

Address:680 ELTON AVE

City:RIVERHEAD

State:NY

ZIP:11901-2555

Country:US

Info Phone Num:516-727-8600

Emergency Phone Num:516-727-8600

CAGE:06421

=== Contractor Identification ===

Company Name:TRUETECH INC

Address:680 ELTON AVE

Box:City:RIVERHEAD

State:NY

ZIP:11901-2555

Country:US

Phone:516-727-8600

CAGE:06421

=====
Composition/Information on Ingredients
=====

Ingred Name:COPPER(II) CHLORIDE (1:2)

CAS:1344-67-8

RTECS #:GL7000000

Other REC Limits:NONE RECOMMENDED

OSHA PEL:2 MG/M3 (CU)

ACGIH TLV:2 MG/M3 (CU)

Ingred Name:ETHYLENE GLYCOL (SARA III)

CAS:107-21-1

RTECS #:KW29750

00
Other REC Limits:NONE RECOMMENDED
OSHA PEL:C 50 PPM
ACGIH TLV:C 50 PPM,VAPOR; 9293
EPA Rpt Qty:1 LB
DOT Rpt Qty:1 LB

===== Hazards Identification =====

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.
Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:ACUTE: ABOVE THE THRESHOLD LIMIT
VALUE- DIZZINESS, DROWSINESS, DISTURBANCE OF VISION. SWALLOWING MAY
RESULT
IN VOMITTING, HEADACHE, SHORTNESS OF BREATH, CONFUSION,
VISUAL DISTURBANCES. CHRONIC: IMPAIR MENT OF VISION.
Explanation of Carcinogenicity:NONE SPECIFIED BY MANUFACTURER.
Effects of Overexposure:ABOVE THE THRESHOLD LIMIT VALUE: DIZZINESS,
HEADACHE, DRUNKEN BEHAVIOR, CYANOSIS (BLUE-GRAY COLORING OF SKIN
AND LIPS).
Medical Cond Aggravated by Exposure:DERMATITIS

===== First Aid Measures =====

First Aid:FLUSH SKIN AND EYES WITH WATER AT LEAST 15 M
INUTES. IF
INHALED, REMOVE TO FRESH AIR. CALL PHYSICIAN IMMEDIATELY IN CASE OF
INGESTION.

===== Fire Fighting Measures =====

Flash Point:NONE
Extinguishing Media:ALL PURPOSE FOAM FOR LARGE FIRES. WATER SPRAY,
CARBON DIOXIDE, OR DRY CHEMICAL FOR SMALL FIRES.
Fire Fighting Procedures:NONE SPECIFIED BY MANUFACTURER.
Unusual Fire/Explosion Hazard:MAY EMIT TOXIC AND CORROSIVE FUMES OF
HYDROGEN CHLORIDE

===== Accidental Release Measure

S =====

Spill Release Procedures:ELIMINATE ALL SOURCES OF IGNITION. WEAR
SUITABLE PROTECTIVE CLOTHING. COLLECT FOR DISPOSAL.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:KEEP AWAY FROM HEAT, SPARKS, AND
FLAME. AVOID BREATHING VAPOR. AVOID CONTACT WITH EYES, SKIN, AND
CLOTHING. USE WITH ADEQUATE VENTILATION.

Other Precautions:REACTION OF METHANOL WITH NITRIC ACID
PRODUCES

METHYLNITRATE, WHICH CAN EXPLODE VIOLENTLY IF SHOCKED MECHANICALLY
OR HEATED.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE SPECIFIED BY MANUFACTURER.

Ventilation:MECHANICAL (GENERAL)

Protective Gloves:RUBBER OR PLASTIC

Eye Protection:SAFETY GLASSES

Other Protective Equipment:EYEBATH, SAFETY SHOWER.

Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING.

Supplemental Safety and Health

KEY 1:C2. THIS ITEM IS PART OF A KIT. THIS

MSDS IS AN UPDATE OF PN IND
L UNDER THIS NSN AND CAGE.

===== Physical/Chemical Properties =====

HCC:F2

Spec Gravity:>1

Solubility in Water:COMPLETE

Appearance and Odor:CLEAR GREEN LIQUID. PRACTICALLY ODORLESS

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

ALKALI METALS, NITRIC AND SULFURIC ACID, ALDEHYDES, ACYLCHLORIDES,
OXIDIZING AGENTS, ACIDS

Stability Condition to Avoid:IGNITION SOURCES

Ha

zardous Decomposition Products:CARBON MONOXIDE, CARBON DIOXIDE,
NITROGEN OXIDES, MERCURY/MERCURY OXIDES, HYDROGEN CYANIDE.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE IN ACCORDANCE WITH LOCAL, STATE AND
FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.