

ROYAL LUBRICANTS CO INC -- ROYCO 49 B -- 9150-00-235-5555

=====
===== Product Identification =====

Product ID:ROYCO 49 B
MSDS Date:09/24/1986
FSC:9150
NIIN:00-235-5555
MSDS Number: BRPCD
=== Responsible Party ===
Company Name:ROYAL LUBRICANTS CO INC
Address:MERRY LANE
Box:518
City:EAST HANOVER
State:NJ
ZIP:07936
Country:US
Info Phone Num:201-887-7410
Emergency Phone Num:201-887-7411/800-424-9300
CAGE:6
V632

==== Contractor Identification ===
Company Name:ROYAL LUBRICANTS CO INC (REPLACED BY CAGE CODE 07950)
Address:MERRY LANE
Box:518
City:EAST HANOVER
State:NJ
ZIP:07936
Country:US
Phone:201-887-7410
CAGE:6V632
Company Name:ROYAL LUBRICANTS COMPANY INC.
Address:215 MERRY LN
Box:518
City:EAST HANOVER
State:NJ
ZIP:07936
Country:US
Phone:973-887-7411/7410
CAGE:07950

=====
===== Composition/Information on Ingredients =====

Ingred Name:RESIDUAL OILS, HYDROTREATED, SOLVENT REFINED
CAS:6

4742-57-0

Fraction by Wt: >76%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:NOT ESTABLISHED.

ACGIH TLV:NOT ESTABLISHED.

Ingred Name:SODIUM NITRITE (SARA III), (INCORPORATED INTO CLAY)

CAS:7632-00-0

RTECS #:RA1225000

Fraction by Wt: 210C

Extinguishing Media:CARBON DIOXIDE, FOAM, OR DRY CHEMICAL. DO NOT USE WATER JET.

Fire Fighting Procedures:WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND A FULL FACED SELF CONTAINED BREATHING APPARATUS. COOL FIRE EXPOSED CONTAINERS WITH WATER SPRAY.

Unusu

al Fire/Explosion Hazard:NOT KNOWN

===== Accidental Release Measures =====

Spill Release Procedures:SCOOP UP EXCESS GREASE. CLEAN AREA WITH APPROPRIATE CLEANER OR USE NON-FLAMMABLE ABSORBENT MATERIAL TO TAKE CARE OF ANY OIL-LIKE RESIDUES.

Neutralizing Agent:NOT RELEVANT

===== Handling and Storage =====

Handling and Storage Precautions:STORE AWAY FROM FLAMES, HIGH HEAT & OXIDIZING MATERIALS.

Other Precautions:MINIMIZE

SKIN CONTACT. WASH WITH SOAP & WATER BEFORE EATING, DRINKING OR USING TOILET FACILITIES. LAUNDRY CONTAMINATED CLOTHING BEFORE REUSE. PROPERLY DISPOSE OF CONTAMINATED LEATHER ARTICLES, INCLUDING SHOES, THAT CANNOT BE CLEANED.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NOT ORDINARY REQUIRED. USE A NIOSH-APPROVED ORGANIC VAPOR RESPIRATOR IF MATERIAL IS HEATED AND VAPORS OR MISTS PRESENT.

Ventilation:MECHANICAL (GENERAL) RECOMMEN

DED

Protective Gloves:WASH HANDS AT MEALTIME & END OF SHIFT

Eye Protection:SAFETY GLASSES AS MINIMUM

Other Protective Equipment:EYE WASH STATION AND SAFETY SHOWER.

INDUSTRIAL-TYPE WORK CLOTHING AND APRON AS REQUIRED.

Work Hygienic Practices:OBSERVE GOOD PERSONAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES. DO NOT WEAR CONTAMINATED CLOTHING OR FOOTWEAR.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:V6

Melt/Freeze Pt:M.P/F.P

Text:NOT KNOWN

Spec Gravity:NOT KNOWN

Evaporation Rate & Reference:NOT RELEVANT

Solubility in Water:INSOLUBLE

Appearance and Odor:BLACK BUTTERY CLAY THICKENED GREASE WITH A SLIGHT PETROLEUM ODOR

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS

Stability Condition to Avoid:EXCESSIVE HEAT, FLAMES

Hazardous Decomposition Products:CARBON MONOXIDE, CARBON DIOXIDE AND UNIDENTIFIED ORGANIC COMPOUNDS MAY BE FORMED.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF IN COMPLIANCE WITH ALL LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. An

y person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.