View NSN Online: https://aerobasegroup.com/nsn/6505-00-655-8366

DIAMOND DRUG INC. DBA DIVINA PRODUCTS -- 70% ISOPROPYL RUBBING ALCOHOL IN WATER -- 6505-00-655-8366

Product ID:70% ISOPROPYL RUBBING ALCOHOL IN WATER MSDS Date:05/13/1992 FSC:6505 NIIN:00-655-8366 MSDS Number: BRPDW === Responsible Party === Company Name: DIAMOND DRUG INC. DBA DIVINA PRODUCTS Address:278 WASHINGTON AVE **City:WEST HAVEN** State:CT ZIP:06516 Country:U S Info Phone Num:203-934-7969 Emergency Phone Num:800-872-7124 CAGE:DIVIN === Contractor Identification === Company Name: DIAMOND DRUG INC, DBA DIVINA PRODUCTS Address:278 WASHINGTON AVE Box:City:WEST HAVEN State:CT ZIP:06516 Country:US Phone:203-934-7969 CAGE:DIVIN Ingred Name: ISOPROPYL ALCOHOL (SARA III) CAS:67-63-0 RTECS #:NT8050000 Fraction by Wt: 70% Other REC Limits:400 PPM OSHA PEL:400 PPM/500 STEL ACGIH TLV:400 PPM/500

STEL;9192

Ingred Name:WATER CAS:7732-18-5 RTECS #:ZC0110000 Fraction by Wt: 30% Other REC Limits:NONE RECOMMENDED

LD50 LC50 Mixture:LD50 OR HMAN 131G ISOPROH RTECS-CHEMINFO Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:SOURCE CHEMINFO(MSDS POOR)INHAL:MILD IRRITATION @400PPM.SKIN:BRIEF EXPOSURE NOT IRRITATING.PROLONGED-DRY ING,CRACKING.EYE:MILDLY IRRITATING @400PPM.DIRECT CONTACT MAY CAUSE SEVERE IRRITATION.INGEST:GI DISTURBANCES. Explanation of Carcinogenicity:THIS PRODUCT IS NOT LISTED BY IARC, NTP OR OSHA AS A CARCINOGEN, MUTAGEN, TERATOGEN OR NEUROTOXIN. Effects of Overexposure:INHAL:HIGH CONCENTRATIONS CAUSE ATAXIA,DROWSINESS,DEEP NARCOSIS.INGEST:GI

PAIN,NAUSEA,CRAMPS,VOMITING,DIARRHEA ... UNCONSCIOUSNESS,DEATH. Medical Cond Aggravated by Exposure:NOT REPORTED.

======== Fi

First Aid:EYES:FLUSH WITH FOR 15 MINUTES WHILE HOLDING EYELIDS OPEN. GET MEDICAL ATTENTION. SKIN:WASH WITH SOAP AND WATER. REMOVE CONTAMINATED CLOTHING. GET MEDICAL ADVICE. INHALATION: REMOVE TO FRESH AIR. GIVE MOUTH-TO-MOUTH RESUSCITATION OR O2 IF NOT BREATHING.GET MEDICAL ATTENTION.INGESTION:DO NOT INDUCE VOMITING.KEEP HEAD BELOW HIPS IF VOMITING OCCURS.IF CONSCIOUS GIVE 1PT OF WARM WATER.CALL DOCTOR.

======= F

Flash Point Method:TOC Flash Point: 70.0F,21.1C Autoignition Temp:Autoignition Temp Text:750F Lower Limits:2.0 Upper Limits:12.0 Extinguishing Media:DRY CHEMICAL OR ALCOHOL TYPE FOAM. WATER SPRAY MAY BE INEFFECTIVE. Fire Fighting Procedures:WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND FULL FACE-PIECE SELF-CONTAINED BREATHING APPARATUS. COOL FIRE EXPOSED CONTAINERS WITH WATER SPRAY. Unusual Fire/Explosion Hazard:RELEASES FLAMMABLE VAPOR WHI

CH MAY BURN AND EXPLODE.
======================================
Spill Release Procedures:USE PROPER PROTECTIVE AND RESPIRATORY EQUIPEMENT.EXTINGUISH IGNITION SOURCES.BLANKET SPILL WITH FOAM(REDUCE VAPORS).ABSORB ONTO A NON-COMBUSTIBLE ABSORBANT;PLACE IN APPROPRIATE CONTAINER FOR DISPOSAL. NOTIFY IN CASE OF SPILL TO WATERWAYS,800-424-9300. Neutralizing Agent:NONE
======================================
 Handling and S torage Precautions:KEEP CONTAINER CLOSED WHEN NOT IN USE. KEEP AWAY FROM HEAT, SPARKS AND OPEN FLAMES. DO NOT STORE OR SHIP IN ALUMINUM CONTAINERS. Other Precautions:THIS MATERIAL WILL ATTACT SOME FORMS OF PLASTIC, RUBBER OR COATINGS. EMPTY CONTAINERS MAY CONTAIN FLAMMABLE VAPORS OR RESIDUES AND MUST BE HANDLED WITH CARE.
======================================
Respiratory Protection: AIR SUPPLIED MASKS IN CONFINED AREAS. NIOSH APPROVED RESPIRATOR S FOR ORGANIC MISTS/VAPORS RECOMMENDED FOR LOW VAPOR LEVELS. Ventilation: LOCAL EXHAUST AS NECESSARY OR MECHANICAL (GENERAL) EXPLOSION- PROOF VENTILATION EQUIPMENT. Protective Gloves: CHEMICALLY RESISTANT Eye Protection: CHEMICAL SPLASH GOGGLES Other Protective Equipment: EYE WASH STATION & SAFETY SHOWER. Work Hygienic Practices: WASH THOROUGHLY AFTER HANDLING AND BEFORE EATING, DRINKING OR SMOKING. LAUNDER CONTAMINATED CLOTHING BEFORE REUSE. Supplemental Safety and Health SINCE THIS MSDS WAS POOR, HMIS INCLUDED INFORMATION FROM RTECS-CHEMINFO AS NEEDED.
======================================
HCC:F3 Boiling Pt:B.P. Text:>180F,>82C Spec Gravity:0.87 Solubility in Water:COMPLETE Appearance and Odor:LIQUID;CLEAR,COLORLESS;MEDICINAL ODOR Corrosion Rate:UNKNOWNN

Stability Indicator/Materials to Avoid:YES STRONG OXIDIZERS,ALUMINUM. Stability Condition to Avoid:EXPOSURE TO AIR,H

IGH HEAT, SOURCES OF IGNITION. Hazardous Decomposition Products: CARBON MONOXIDE AND CARBON DIOXIDE.

Waste Disposal Methods: DISPOSE OF OR RECOVER IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly

or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.