View NSN Online: https://aerobasegroup.com/nsn/7930-00-634-5340

PERMATEX INDUSTRIAL DIV OF LOCTITE CORPORATION -- PLASTIC CLEANER; 80183; 403D -- 7930-00-634-5340

Product ID:PLASTIC CLEANER; 80183; 403D

MSDS Date:10/18/1991

FSC:7930

NIIN:00-634-5340

MSDS Number: BRQDP === Responsible Party ===

Company Name: PERMATEX INDUSTRIAL DIV OF LOCTITE CORPORATION

Address:705 N MOUNTAIN RD

Box:11915

City:NEWINGTON

State:CT

ZIP:06111-141

1

Country:US

Info Phone Num:203-677-7727

Emergency Phone Num:203-677-7727 Preparer's Name:STEPHEN REPETTO

CAGE:62377

=== Contractor Identification ===

Company Name: PERMATEX INDUSTRIAL

Address: HARTFORD SQUARE N 10 COLUMBUS BLVD

Box:City:HARTFORD

State:CT ZIP:06106 Country:US

Phone:877-376-2839

CAGE:62377

======= Composition/Information on Ingredients ========

Ingred Name:WATER

CAS:7732-18-5

RTECS #:ZC0110000 Fraction by Wt: 65-70%

Other REC Limits: NONE SPECIFIED


Ingred Name:BLEND

OF MINERAL SPIRITS (V.M.& P. NAPHTHA) CAS:8030-30-6 RTECS #:DE3030000 Fraction by Wt: 20-25% Other REC Limits: NONE SPECIFIED Ingred Name: CALCIUM CARBONATE CAS:471-34-1 RTECS #:FF9335000 Fraction by Wt: 5-10% Other REC Limits: NONE SPECIFIED Ingred Name: POLY (DIMETHYLSILOXANE) CAS:63148-62-9 Fraction by Wt: < 1% Other REC Limits: NONE SPECIFIED =========== Hazards Identification ========================== Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO Reports of Carcinogenicity:NT P:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:TOXICITY IS MODERATE BY INHALATION OR INGESTION. Explanation of Carcinogenicity: THE PRODUCT CONTAINS NO INGREDIENT AT 0.1% OR GREATER THAT IS LISTED BY IARC, NTP OR OSHA AS A CARCINOGEN. Effects of Overexposure: DIZZINESS, HEADACHE, NAUSEA. LONG TERM EXPOSURE TO LIQUID MAY CAUSE DRYING AND CRACKING OF SKIN. NARCOSIS AT HIGH CONCENTRATION. Medical Cond Aggravated by Exposure: NONE KNOWN ======= First Aid Measures ============ First Aid:INGESTION:DO NOT INDUCE VOMITING. OBTAIN MEDICAL ATTENTION. INHALATION: REMOVE TO FRESH AIR. IF SYMPTOMS PERSIST, OBTAIN MEDICAL ATTENTION. SKIN:FLUSH WITH SOAP AND WATER. EYE:FLUSH WITH WATER AT LEAST 15 MINUTES AND OBTAIN MEDICAL ATTENTION. ============ Fire Fighting Measures ========================= Flash Point Method:TCC

Flash Point:80F/27C Lower Limits:1

Upper Limits:12

Extinguishing Media: CARBON DIOXIDE, FOAM, DRY CHEMICAL



Appearance and Odor:WHITE CREAMY LIQUID, MILD PETROLEUM ODOR Percent Volatiles by Volume:27%
========= Stability and Reactivity Data =========
Stability Indicator/Materials to Avoid:YES STRONG OXIDIZING AGENTS Hazardous Decomposition Products:BY FIRE OR THERMAL DECOMPOSITION; IRRITING ORGANIC VAPORS.
======== Disposal Considerations ============
Waste Disposal Methods:INCINERATE FOLLOWING EPA AND LOCAL REGULATIONS.
Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever,

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.