

EMERSON CUMING INC, SUB OF W R GRACE AND CO -- ECCOBOND SOLDER 57C, PART A --
8040-00-738-1780

=====
===== Product Identification =====

Product ID:ECCOBOND SOLDER 57C, PART A

MSDS Date:07/11/1990

FSC:8040

NIIN:00-738-1780

Kit Part:Y

MSDS Number: BRQDR

=== Responsible Party ===

Company Name:EMERSON CUMING INC, SUB OF W R GRACE AND CO

Address:77 DRAGON CT

City:WOBURN

State:MA

ZIP:01810

Country:US

Info Ph

one Num:617-935-4850

Emergency Phone Num:617-935-4850

Preparer's Name:DAVID HAAS

CAGE:0B514

=== Contractor Identification ===

Company Name:EMERSON CUMING INC

Address:77 DRAGON CT

Box:City:WOBURN

State:MA

ZIP:01888

Country:US

Phone:617-828-3300

CAGE:0B514

Company Name:GRACE W R & CO EMERSON & CUMING DEWEY & ALMY CHEM

Address:869 WASHINGTON ST

City:CANTON

State:MA

ZIP:02021-2513

Country:US

Phone:617-935-4850

CAGE:04552

=====
===== Composition/Information on Ingredients =====

Ingred N

ame:NO INGREDIENT FOR THIS FORMULATION_INGREDIENT

=====
===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:EYE-CONTAINS MATERIALS IRRITATING TO THE EYES. SKIN-CONTAINS MATERIALS WHICH CAUSE MODERATE SKIN IRRITATION. PROLONGED/REPEATED EXPOSURE MAY EXACT A DEFATTING OR DRYING ACTION ON THE SKIN, POSSIBLY RE SULTING IN DERMATITIS.

INGESTION-HARMFUL IF SWALLOWED.

Explanation of Carcinogenicity:NOT CLASSIFIED AS CARCINOGEN.

Effects of Overexposure:EYE-MAY INCLUDE BLURRED VISION, BURNING SENSATION AND TEARING. SKIN-SYMPTOMS INCLUDE RASH, ITCHING, HIVES, SWELLING OF THE EXTREMITIES. INHALATION-HEATING CAN GENERATE VAPORS THAT MAY CAUSE RESPIRATOR Y IRRITATION, NAUSEA, AND HEADACHES.

Medical Cond Aggravated by Exposure:EXPOSURE MAY BE AGGRAVATE PREEXISTING SKIN AND/OR EYE DISORDERS.

=====
===== First Aid Measures =====

First Aid:INHALATION-REMOVE VICTIM TO FRESH AIR. PROVIDE OXYGEN. GIVE ARTIFICIAL RESPIRATION. GET MEDICAL ATTENTION. INGESTION-DO NOT INDUCE VOMITING. IF CONSCIOUS/ALERT GIVE WATER TO DRINK. GET MEDICAL ATTENTI ON.

=====
===== Fire Fighting Measures =====

Flash Point:>200F,>93C

Extinguishing Media:USE CARBON DIOXIDE, DRY CHEMICAL, FOAM, WATER FOG. COOL EXPOSED CONTAINERS WITH WATER TO PREVENT PRESSURE BUI LDUP.

Fire Fighting Procedures:FIREFIGHTERS SHOULD WEAR POSITIVE PRESSURE SELF-CONTAINED BREATHING APPARATUS & FULL PROTECTIVE EQUIPMENT. IF LRAGE AMOUNTS OF MATERIAL IS INVOLVED, LEAVE AREA.

Unusual Fire/Explosion Hazard:DECOMPOSITION & COMBUSTION PRODUCTS MAY BE TOXIC. CLOSED CONTAINERS MAY VIOLENTLY RUPTURE UNDER FIRE CONDITIONS.

=====
===== Accidental Release Measures =====

Spill Release Procedures:ACTIVATE AVAILABLE EXHAUST VENTILATION EQUIPMENT I

CONTAINERS, EXPOSURE

TO OPEN FLAME OR UNCONTROLLED EXPOSURE TO HEAT, MIXING WITH CURING AGENTS.

Hazardous Decomposition Products: CARBON MONOXIDE, CARBON DIOXIDE, ALDEHYDES, SILVER COMPOUNDS, ACIDS & OTHER ORGANIC SUBSTANCES MAY BE FORMED.

Conditions to Avoid Polymerization: IMIDAZOLES MAY CAUSE HAZARDOUS POLYMERIZATION.

===== Disposal Considerations =====

Waste Disposal Methods: DISPOSE OF IN ACCORDANCE WITH CURRENT FEDERAL, STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.