View NSN Online: https://aerobasegroup.com/nsn/6850-00-227-1887

## 

Product ID:OPTICAL LENS CLEANER TYPE I,AK-032

MSDS Date:04/01/1996

FSC:6850

NIIN:00-227-1887

MSDS Number: BRQMW
=== Responsible Party ===
Company Name:ALFA KLEEN
Address:2691 SATURN STREET

City:BREA State:CA ZIP:92621 Country:US

Info Phone Num:714-524-2530/FAX 714-524-1765

Emergency Phone Num:7

14-524-2530/800-424-9300(CHEMTREC)
Preparer's Name: ANTONETTE TRINCHESE

CAGE:62639

=== Contractor Identification ===

Company Name: ALFA KLEEN CHEMICAL LABORATORIES INC

Address:840 CAPITOLIO WAY Box:City:SAN LUIS OBISPO

State:CA ZIP:93401 Country:US

Phone:805-541-3465

CAGE:62639

======= Composition/Information on Ingredients ========

Ingred Name: NONYLPHENOXYPOLYETHOXYETHANOL/DETERGENT MIL D-16791

CAS:68412-54-4 Fraction by Wt: 0.15%

Other REC Limits: NONE RECOMMENDED

Ingred Name:WATE

R CAS:7732-18-5 RTECS #:ZC0110000 Fraction by Wt: 79.9% Other REC Limits: NONE RECOMMENDED Ingred Name: ETHYL ALCOHOL (ETHANOL)/DENATURED NO. 3A CAS:64-17-5 RTECS #:KQ6300000 Fraction by Wt: 20.0% Other REC Limits: NONE RECOMMENDED OSHA PEL:1000 PPM ACGIH TLV:1000 PPM; 9293 LD50 LC50 Mixture:LD50 (ORAL, RAT) IS UNKNOWN. Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Hea Ith Hazards Acute and Chronic: ACUTE- MAY CAUSE EYE IRRITATION. INHALATION OF MIST MAY CAUSE IRRITATION OF UPPER RESPIRATORY TRACT. INGESTION MAY BE HARMFUL. CHRONIC- NOT KNOWN. Effects of Overexposure: EYE, RESPIRATORY TRACT IRRITATION First Aid:CALL A DOCTOR IF SYMPTOMS PERSIST. EYE:IMMEDIATELY FLUSH WITH WATER FOR 15 MINUTES, HOLDING EYELIDS OPEN. SKIN: WASH WITH WATER. INHALED: REMOVE TO FRESH AIR. ORAL: CALL A PHYSICIAN. Flash Point Method: PMCC

Flash Point:>200F,>93C

Extinguishing Media: USE WATER SPRAY.

Fire Fighting Procedures: WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND NIOSH-APPROVED SELF CONTAINED BREATHING APPARATUS. COOL FIRE EXPOSED CONTAINERS WITH WATER SPRAY.

Unusual Fire/Explosion Hazard:NOT KNOWN

------ Accidental Release Measures ------

Spill Release Procedures:FLUSH SPILLS OR RELEASE

Neutralizing Agent:WATER
============ Handling and Storage ===============
Handling and Storage Precautions:STORE AT ROOM TEMPERATURE. AVOID FREEZING.
Other Precautions:AVOID CONTACT WITH EYES. KEEP OUT OF REACH OF CHILDREN.
====== Exposure Controls/Personal Protection ========
Respiratory Protection:NONE REQUIRED. Ventilation:ADEQUATE Protective Gloves:NOT REQUIRED. Eye Protection:SAFETY GOGGLES
RECOMMENDED Other Protective Equipment: EVE WASH STATION
Other Protective Equipment:EYE WASH STATION Work Hygienic Practices:PRACTICE GOOD HYGIENIC PROCEDURE. WASH THOROUGHLY BEFORE EATING OR DRINKING.
Supplemental Safety and Health FORMULA CHANGED. FOR PREVIOUS FORMULATION, SEE PNI A UNDER THE SAME NSN.
========= Physical/Chemical Properties ==========
HCC:N1 NRC/State Lic Num:NOT RELEVANT Boiling Pt:B.P. Text:346F,174C Melt/Freeze Pt:M.P/F.P Text:20.0F,-6.7C Vapor Pres:NONE Vapor Density:0.62 Spec Gravity:0.9 0 pH:5 Viscosity:NOT KNOWN Evaporation Rate & Deference:0.7 (REFERENCE: UNKNOWN) Solubility in Water:COMPLETE Appearance and Odor:WATER WHITE LIQUID WITH ALCOHOL ODOR Percent Volatiles by Volume:NONE Corrosion Rate:NONE
========= Stability and Reactivity Data ==========
Stability Indicator/Materials to Avoid:YES NONE
Stability Condition to Avoid:EXCESSIVE HEAT Hazardous Decomposition Products:NONE
======= Disposal Considerations ===========
Waste

S TO SEWER WITH LARGE

AMOUNT OF WATER IF PERMITTED.

Disposal Methods: STANDARD SEWAGE TREATMENT METHOD.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitabil ity of this information to their particular situation.