

VAN WATERS AND ROGERS -- CALCIUM HYPOCHLORITE TECHNICAL -- 6810-00-255-0471

=====  
Product Identification  
=====

Product ID:CALCIUM HYPOCHLORITE TECHNICAL

MSDS Date:03/01/1993

FSC:6810

NIIN:00-255-0471

MSDS Number: BRQND

=== Responsible Party ===

Company Name:VAN WATERS AND ROGERS

Address:2256 JUNCTION AVE

City:SAN JOSE

State:CA

ZIP:95131

Country:US

Info Phone Num:408-435-8700

Emergency Phone Num:4

08-435-8700/800-424-9300(CHEMTREC)

Preparer's Name:C. A. EISENHARD

CAGE:87664

=== Contractor Identification ===

Company Name:CHEMICAL COMMODITIES AGENCY, INC.

Address:27447 PACIFIC STREET

Box:City:HIGHLAND

State:CA

ZIP:92346-2640

Country:US

Phone:909-864-2310

CAGE:60777

Company Name:VAN WATERS AND ROGERS INC., UNIVAR CORP.

Address:1600 NORTON BLDG. 801 2ND AVENUE

Box:City:SEATTLE

State:WA

ZIP:98104-1564

Country:US

Phone:206-447-5911/800-424-9300(CHEMTREC)

CAGE:87664

=====  
Composition/I

Information on Ingredients =====

Ingred Name:CALCIUM HYPOCHLORITE  
CAS:22464-76-2  
RTECS #:NH3485500  
Fraction by Wt: 65%  
Other REC Limits:NONE SPECIFIED

Ingred Name:INERT INGREDIENTS (INCLUDES 5.5-10% MOISTURE)  
Fraction by Wt: 35%  
Other REC Limits:NONE RECOMMENDED

===== Hazards Identification =====

LD50 LC50 Mixture:ORAL LD50 RAT IS 850 MG/KG  
Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

H

Health Hazards Acute and Chronic:ACUTE-EYES:SEVERE IRRITATION, BURNS,  
CORNEAL DAMAGE. SKIN: SEVERE IRRITATION & BURNS. INHALATION:  
IRRITATION OF NOSE, MOUTH, THROAT, LUNGS. INGESTION:HARMFUL OR  
FATAL, IRRITATION & BURNS TO THE ENTIRE GASTROINTESTINAL TRACT.  
CHRONIC-TISSUEDESTRUCTION, LUNG DAMAGE.

Explanation of Carcinogenicity:DATA PER MGF MSDS.

Effects of Overexposure:INHALATION:SHORTNESS OF BREATH, WHEEZING,  
CHOKING, CHEST PAIN. EYE: REDNESS, TEARING, PAIN, IMPAIRMENT OF

VISION. SKIN: REDNESS, SWELLING. INGESTION: NAUSEA, VOMITING,  
DIARRHEA, ABDOMINAL PAIN, BLEEDING, AND/OR TISSUE ULCERATION.  
Medical Cond Aggravated by Exposure:RESPIRATORY DISEASES.

===== First Aid Measures =====

First Aid:INHALATION:REMOVE TO FRESH AIR, PROVIDE CPR/ OXYGEN IF  
NEEDED. EYE:FLUSH WITH WATER FOR 15 MINUTES. GET MEDICAL HELP.  
SKIN:WASH WITH SOAP AND WATER. GET MED ATTENTION IF SYMPTOMS  
PERSIST. INGESTION:DO NOT INDUCE VOMITING, DRINK 1-2 GLASSES OF  
WATER AND VEGETABLE OIL. GET MEDICAL HELP IMMEDIATELY.

===== Fire Fighting Measures =====

Extinguishing Media:USE WATER

Fire Fighting Procedures:WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND A  
FULL FACED SELF CONTAINED BREATHING APPARATUS. EVACUATE AREA. COOL  
FIRE EXPOSED CONTAINERS WITH WATER SPRAY.

Unusual Fire/Explosion Hazard:COMBUSTION OR HEAT OF FIRE MAY PRODUCE  
HAZARDOUS DECOMPOSITION PRODUCTS AND VAPORS. TIGHTLY

CLOSED

CONTAINERS MAY RUPTURE.

===== Accidental Release Measures =====

Spill Release Procedures:USE PROPER PERSONAL PROTECTION. SWEEP MATERIAL INTO A CONTAINER, SEAL CONTAINER TIGHTLY. WASH RESIDUE WITH LARGE AMOUNTS OF WATER.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN COOL, DRY AND WELL VENTILATED AREA. KEEP CONTAINER TIGHTLY CLOSED.

Other Precautions:DO NOT TAKE INTERNALLY. AVOID CONTACT WITH EYES, SKIN OR CLOTHING. UPON CONTACT, WASH OFF WITH WATER.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE NIOSH/MSHA APPROVED RESPIRATOR FOR DUST/ACID GAS IF ABOVE PEL/TLV OR SCBA IN AN ENCLOSED AREA.

Ventilation:USE LOCAL EXHAUST VENTILATION TO MINIMIZE DUST AND CHLORINE LEVELS.

Protective Gloves:NEOPRENE OR PVC

Eye Protection:SAFETY GLASSES/GOGGLES

Other Protective Equipment:PROTECTIVE CLOTHING, EYE-WASH FACILITIES,

SAFETY SHOWER.

Work Hygienic Practices:WORK IN A WELL VENTILATED AREA.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:D1

Boiling Pt:B.P. Text:DECOMP 180C

Solubility in Water:21.7%

Appearance and Odor:WHITE POWDER, SLIGHT CHLORINE ODOR

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

ACIDS, COMBUSTIBLES, ORGANIC MATERIALS AND REDUCING AGENTS.

Stability Condition to Avoid:TEM

PERATURE ABOVE 177C

Hazardous Decomposition Products:CHLORINE GAS

===== Disposal Considerations =====

Waste Disposal Methods:EPA HAZARDOUS WASTE NUMBER D001. DISPOSAL MUST BE IN ACCORDANCE WITH LOCAL,STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.