View NSN Online: https://aerobasegroup.com/nsn/8030-00-900-2373

## LOCTITE CORPORATION -- LOCQUIC (R) PRIMER N, P/N 76471 -- 8030-00-900-2373

Product ID:LOCQUIC (R) PRIMER N, P/N 76471

MSDS Date:01/04/1993

FSC:8030

NIIN:00-900-2373

MSDS Number: BRQQS === Responsible Party ===

Company Name:LOCTITE CORPORATION Address:705 NORTH MOUNTAIN ROAD

City:NEWINGTON

State:CT

ZIP:06111-1411 Country:US

Info Phone Num:203-278-1280

Emergency P

hone Num:203-278-1280

Preparer's Name: STEPHEN REPETTO

CAGE:05972

=== Contractor Identification ===

Company Name:LOCTITE CORPORATION Address:1001 TROUT BROOK CROSSING

Box:City:ROCKY HILL

State:CT

ZIP:06067-3910 Country:US

Phone:860-571-5100

CAGE:05972

======= Composition/Information on Ingredients ========

Ingred Name: ETHANE, 1,1,1-TRICHLOROEHANE

CAS:71-55-6

RTECS #:KJ2975000 Fraction by Wt: 95-100%

Other REC Limits:NONE SPECIFIED OSHA PEL:350 PPM;STEL 450 PPM

ACGIH TLV:350 PPM;STE

L 450 PPM

EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS Ozone Depleting Chemical:1

Ingred Name: TERT-BUTYL ALCOHOL

CAS:75-65-0

RTECS #:EO1925000 Fraction by Wt: 1-3%

Other REC Limits: NONE SPECIFIED

OSHA PEL:100 PPM

ACGIH TLV:100PPM 9394

Ingred Name: METHANE, DIMETHOXY-

CAS:109-87-5

RTECS #:PA8750000 Fraction by Wt: 1-3%

Other REC Limits:NONE SPECIFIED OSHA PEL:1000 PPM;3100 MG/M3 ACGIH TLV:1000 PPM;3110 MG/M3

Ingred Name:2-ETHYLHEXOIC ACID

CAS:149-57-5

RTECS #:MO7700000 Fraction by Wt: 0.1-1%

Othe

r REC Limits: NONE SPECIFIED

Ingred Name: ORGANO-COPPER COMPOUND

CAS:22221-10-9 RTECS #:MO7708000

Fraction by Wt: 0.1-1%

Other REC Limits: NONE SPECIFIED

OSHA PEL:0.2 MG/M3 ACGIH TLV:0.1 MG/M3

Ingred Name:TRIALKYLAMMONIUM CARBOXYLATE

CAS:58823-74-8

Fraction by Wt: 0.1-1%

Other REC Limits: NONE SPECIFIED


Ingred Name: VOC: 67.98 G/L OF MATERIAL; 1283 G/L LESS EXEMPT COMPOUNDS;

1283 G/L EXEMPT COMPOUNDS

RTECS #:9999999VO

Other REC Limits: NONE SPECIFIED

====== Hazards Identificati



Spill Release Procedures:ALLOW TO EVAPORATE WITH GOOD VENTILATION. SOAK UP RESIDUE IN AN INERT ABSORBENT. STORE IN A CLOSED CONTAINER UNTIL DISPOSAL.

=========== Handling and Storage ===============

Handling and Storage Precautions:STORE BELOW 110 F TO PRESERVE SHELF LIFE. AVOID PROLO

NGED BREATHING OF VAPOR. KEEP AWAY FROM EYES. AVOID PROLONGED SKIN CONTACT. ===== Exposure Controls/Personal Protection ======== Ventilation:PROVIDE ADEQUATE VENTILATION TO MAINTAIN VAPOR CONCENTRATION BELOW TLV. Protective Gloves: RUBBER OR PLASTIC Eye Protection: SAFETY GLASSES OR GOGGLES Supplemental Safety and Health KEY1:T4. ========= Physical/Chemical Properties =========== HCC:T4 Boiling Pt:B.P. Text:170F,77C Vapor Pres:< 100 @70F Vapor Density:4 .5 Spec Gravity: 1.32 AT 70 F Evaporation Rate & Dry Reference: 2.7 Solubility in Water:NIL Appearance and Odor: GREEN LIQUID, SHARP ODOR ======== Stability and Reactivity Data ========== Stability Indicator/Materials to Avoid:YES SOLVENT MAY VIOLENTLY WITH ALUMINUM ON PROLONGED CONTACT.

Hazardous Decomposition Products: TOXIC CHLORIDES FORMED BY FIRE OR THERMAL DECOMP.

======= Disposal Considerations ============

Waste Disposal Methods: FOLLOW EPA AND LOCAL REGULATIONS FOR DISPOSAL OF CHLORINATED HYDROCARBONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility fo

r the suitability of this information to their particular situation.				