

HERNON MANUFACTURING INCORPORATED -- NUTS N' BOLTS NO. 246 -- 8030-00-981-7006
===== Product Identification =====

Product ID:NUTS N' BOLTS NO. 246
MSDS Date:01/21/1991
FSC:8030
NIIN:00-981-7006
MSDS Number: BRQQX
=== Responsible Party ===
Company Name:HERNON MANUFACTURING INCORPORATED
Address:121 TECH DRIVE
City:SANFORD
State:FL
ZIP:32771
Country:US
Info Phone Num:407-322-4000
Emergency Phone Num
:407-322-4000
Preparer's Name:JOSEF ARNON
CAGE:DO346
=== Contractor Identification ===
Company Name:HERNON MANUFACTURING
Address:121 TECH DRIVE
Box:City:SANFORD
State:FL
ZIP:32771
Country:US
Phone:407-322-4000/800-255-3924
CAGE:61603
Company Name:HERNON MANUFACTURING INC.
Address:865 ESSEX STREET
City:BROOKLYN
State:NY
ZIP:11208-5220
Phone:718-649-3000
CAGE:DO346

===== Composition/Information on Ingredients =====

Ingred Name:CATALYST
Fraction by Wt: 2%
Other REC Limits:NONE S

PECIFIED

Ingred Name:AMINE

Fraction by Wt: 1%

Other REC Limits:NONE SPECIFIED

=====
Hazards Identification
=====

Health Hazards Acute and Chronic:MAY CAUSE IRRITATION IN SENSITIVE PEOPLE.

=====
First Aid Measures
=====

First Aid:EYE CONTACT: IRRIGATE IMMEDIATELY AND THOROUGHLY WITH WATER FOR AT LEAST 15 MINUTES AND GET MEDICAL ATTENTION.

=====
Fire Fighting Measures
=====

Flas
h Point Method:CC
Flash Point:>200F,>93C
Extinguishing Media:CO2, FOAM, DRY CHEMICAL
Fire Fighting Procedures:SELF CONTAINED BREATHING APPARATUS AND PROTECTIVE CLOTHING SHOULD BE WORN IN FIGHTING FIRES INVOLVING CHEMICALS.

=====
Accidental Release Measures
=====

Spill Release Procedures:FLUSH SPILL AWAY WITH WATER SPRAY. SMALL SPILLS MAY BE COLLECTED WITH ABSORBENT MATERIAL.

=====
Handling and Storage
=====

Handling a
nd Storage Precautions:AVOID PROLONGED SKIN CONTACT. STORE BELOW 100 F.

=====
Exposure Controls/Personal Protection
=====

Ventilation:PROVIDE ADEQUATE VENTILATION
Protective Gloves:RUBBER OR PLASTIC
Eye Protection:SAFETY GLASSES OR GOGGLES RECOMMENDED
Supplemental Safety and Health

=====
Physical/Chemical Properties
=====

Boiling Pt:B.P. Text:>300F,>149C
Vapor Pres:< 5 @ 80F
Spec Gravity:1.028
Solubility in Water:LOW
Appearance and Odor:BROWN

LIQUID, MILD ODOR

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid: YES

===== Disposal Considerations =====

Waste Disposal Methods: INCINERATION: OBSERVE ALL LOCAL, STATE & FEDERAL REGULATIONS CONCERNING HEALTH AND POLLUTION.

=====

Disclaimer (provided with this information by the compiling agencies):

This information is formulated

for use by elements of the Department

of Defense. The United States of America in no manner whatsoever,

expressly or implied, warrants this information to be accurate and

disclaims all liability for its use. Any person utilizing this

document should seek competent professional advice to verify and

assume responsibility for the suitability of this information to their

particular situation.