

HERNON MANUFACTURING INCORPORATED -- NUTS N' BOLTS NO. 246 -- 8030-00-981-7006
===== Product Identification =====

Product ID:NUTS N' BOLTS NO. 246

MSDS Date:01/21/1991

FSC:8030

NIIN:00-981-7006

MSDS Number: BRQQX

=== Responsible Party ===

Company Name:HERNON MANUFACTURING INCORPORATED

Address:121 TECH DRIVE

City:SANFORD

State:FL

ZIP:32771

Country:US

Info Phone Num:407-322-4000

Emergency Phone Num

:407-322-4000

Preparer's Name:JOSEF ARNON

CAGE:DO346

=== Contractor Identification ===

Company Name:HERNON MANUFACTURING

Address:121 TECH DRIVE

Box:City:SANFORD

State:FL

ZIP:32771

Country:US

Phone:407-322-4000/800-255-3924

CAGE:61603

Company Name:HERNON MANUFACTURING INC.

Address:865 ESSEX STREET

City:BROOKLYN

State:NY

ZIP:11208-5220

Phone:718-649-3000

CAGE:DO346

===== Composition/Information on Ingredients =====

Ingred Name:CATALYST

Fraction by Wt: 2%

Other REC Limits:NONE S

PECIFIED

Ingred Name:AMINE

Fraction by Wt: 1%

Other REC Limits:NONE SPECIFIED

=====
Hazards Identification
=====

Health Hazards Acute and Chronic:MAY CAUSE IRRITATION IN SENSITIVE PEOPLE.

=====
First Aid Measures
=====

First Aid:EYE CONTACT: IRRIGATE IMMEDIATELY AND THOROUGHLY WITH WATER FOR AT LEAST 15 MINUTES AND GET MEDICAL ATTENTION.

=====
Fire Fighting Measures
=====

Flas

h Point Method:CC

Flash Point:>200F,>93C

Extinguishing Media:CO2, FOAM, DRY CHEMICAL

Fire Fighting Procedures:SELF CONTAINED BREATHING APPARATUS AND PROTECTIVE CLOTHING SHOULD BE WORN IN FIGHTING FIRES INVOLVING CHEMICALS.

=====
Accidental Release Measures
=====

Spill Release Procedures:FLUSH SPILL AWAY WITH WATER SPRAY. SMALL SPILLS MAY BE COLLECTED WITH ABSORBENT MATERIAL.

=====
Handling and Storage
=====

Handling a

nd Storage Precautions:AVOID PROLONGED SKIN CONTACT. STORE BELOW 100 F.

=====
Exposure Controls/Personal Protection
=====

Ventilation:PROVIDE ADEQUATE VENTILATION

Protective Gloves:RUBBER OR PLASTIC

Eye Protection:SAFETY GLASSES OR GOGGLES RECOMMENDED

Supplemental Safety and Health

=====
Physical/Chemical Properties
=====

Boiling Pt:B.P. Text:>300F,>149C

Vapor Pres:< 5 @ 80F

Spec Gravity:1.028

Solubility in Water:LOW

Appearance and Odor:BROWN

LIQUID, MILD ODOR

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid: YES

===== Disposal Considerations =====

Waste Disposal Methods: INCINERATION: OBSERVE ALL LOCAL, STATE & FEDERAL REGULATIONS CONCERNING HEALTH AND POLLUTION.

=====

Disclaimer (provided with this information by the compiling agencies):

This information is formulated

for use by elements of the Department

of Defense. The United States of America in no manner whatsoever,

expressly or implied, warrants this information to be accurate and

disclaims all liability for its use. Any person utilizing this

document should seek competent professional advice to verify and

assume responsibility for the suitability of this information to their

particular situation.