View NSN Online: https://aerobasegroup.com/nsn/8030-00-981-7006

HERNON MANUFACTURING INCORPORATED -- NUTS N' BOLTS NO. 246 -- 8030-00-981-7006

Product ID:NUTS N' BOLTS NO. 246

MSDS Date:01/21/1991

FSC:8030

NIIN:00-981-7006

MSDS Number: BRQQX === Responsible Party ===

Company Name: HERNON MANUFACTURING INCORPORATED

Address:121 TECH DRIVE

City:SANFORD

State:FL ZIP:32771 Country:US

Info Phone Num:407-322-4000

Emergency Phone Num

:407-322-4000

Preparer's Name: JOSEF ARNON

CAGE:DO346

=== Contractor Identification ===

Company Name: HERNON MANUFACTURING

Address:121 TECH DRIVE

Box:City:SANFORD

State:FL ZIP:32771 Country:US

Phone: 407-322-4000/800-255-3924

CAGE:61603

Company Name: HERNON MANUFACTURING INC.

Address:865 ESSEX STREET

City:BROOKLYN

State:NY

ZIP:11208-5220 Phone:718-649-3000

CAGE:DO346

====== Composition/Information on Ingredients ========

Ingred Name:CATALYST Fraction by Wt: 2%

Other REC Limits: NONE S

PECIFIED Ingred Name: AMINE Fraction by Wt: 1% Other REC Limits: NONE SPECIFIED ============ Hazards Identification ================= Health Hazards Acute and Chronic: MAY CAUSE IRRITATION IN SENSITIVE PEOPLE. First Aid:EYE CONTACT: IRRIGATE IMMEDIATELY AND THOROUGHLY WITH WATER FOR AT LEAST 15 MINUTES AND GET MEDICAL ATTENTION. Flas h Point Method:CC Flash Point:>200F,>93C Extinguishing Media: CO2, FOAM, DRY CHEMICAL Fire Fighting Procedures: SELF CONTAINED BREATHING APPARATUS AND PROTECTIVE CLOTHING SHOULD BE WORN IN FIGHTING FIRES INVOLVING CHEMICALS. ======== Accidental Release Measures =========== Spill Release Procedures:FLUSH SPILL AWAY WITH WATER SPRAY. SMALL SPILLS MAY BE COLLECTED WITH ABSORBENT MATERIAL. ============= Handling and Storage ==================== Handling a nd Storage Precautions: AVOID PROLONGED SKIN CONTACT. STORE BELOW 100 F. ====== Exposure Controls/Personal Protection ======== Ventilation:PROVIDE ADEQUATE VENTILATION Protective Gloves: RUBBER OR PLASTIC Eye Protection: SAFETY GLASSES OR GOGGLES RECOMMENDED

Supplemental Safety and Health

======== Physical/Chemical Properties =========

Boiling Pt:B.P. Text:>300F,>149C

Vapor Pres:< 5 @ 80F Spec Gravity:1.028 Solubility in Water:LOW

Appearance and Odor:BROWN

LIQUID, MILD ODOR
========= Stability and Reactivity Data ==========
Stability Indicator/Materials to Avoid:YES
======== Disposal Considerations =============
Waste Disposal Methods:INCINERATION: OBSERVE ALL LOCAL, STATE & FEDERAL REGULATIONS CONCERNING HEALTH AND POLLUTION.
Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.