View NSN Online: https://aerobasegroup.com/nsn/6850-01-268-6719

TURCO PRODUCTS INC SUB ELF ATOCHEM NORTH AMERICA -- FLURO-CHEK P-41H1 PENETRANT -- 6850-01-268-6719

Product ID:FLURO-CHEK P-41H1 PENETRANT MSDS Date:10/18/1991 FSC:6850 NIIN:01-268-6719 MSDS Number: BRQSJ === Responsible Party === Company Name: TURCO PRODUCTS INC SUB ELF ATOCHEM NORTH AMERICA Address:7300 BOLSA AVE City:WESTMINSTER State:CA ZIP:92684-3600 Country :US Info Phone Num:714-890-3600 Emergency Phone Num:614-387-6200 Preparer's Name: FRANK FANTOZZI CAGE:61102 === Contractor Identification === Company Name: TURCO PRODUCTS, INC. DIVISON OF ELF ATOCHEM NORTH AMERICA Address:2000 MARKET ST Box:City:PHILADELPHIA State:PA ZIP:19103-3222 Country:US Phone:215-419-7890 CAGE:61102

Ingred Name:HEAVY AROMATIC NAPHTHA CAS:64742-94-5 RTECS #:WF3100000 Fraction by Wt: 25% Other REC Limits:NO

NE RECOMMENDED

Ingred Name:DISTILLATES, ACID-TREATED HEAVY NAPHTHENIC CAS:64742-18-3 RTECS #:PY8032000 Fraction by Wt: 25% Other REC Limits:NONE RECOMMENDED OSHA PEL:300 PPM ACGIH TLV:300 PPM

Ingred Name:DIPROPYLENE GLYCOL DIBENZOATE CAS:94-51-9 RTECS #:UB8787500 Other REC Limits:NONE RECOMMENDED

Ingred Name:SEC-OCTYL EPOXYTALLATE CAS:61789-01-3 RTECS #:LH8020000 Other REC Limits:NONE RECOMMENDED

Ingred Name:EPOXIDIZED SOYBEAN OIL CAS:8013-07-8 RTECS #:LH8010000 Other REC Limits:NONE RECOMME NDED

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ACUTE: INHALATION MAY CAUSE RESPIRATORY IRRITATION AND CENTRAL NERVOUS SYSTEM EFFECTS. CONTACT MAY CAUSE SKIN AND EYE IRRITATION. INGESTION MAY CAUSE GI TRACT IRRITATION. CHRONIC: PROLONGED OR REPEATE D EXPOSURE MAY CAUSE KIDNEY AND LIVER DAMAGE; CENTRAL NERVOUS SY STEM DEPRESSION.

Explanation of Carcinogenicity:NO INGREDIENT OF A CONCENTRATION OF 0.1%
OR GREATER IS LISTED AS A CARCINOGEN OR SUSPECTED CARCINOGEN.
Effects of Overexposure:INHALED: COUGHING, SHORTNESS OF BREATH, NAUSEA, DIZZINESS, HEADACHE. EYES: REDNESS, TEARING, BURNING SENSATION,

BLURRED VISION. SKIN: REDNESS, BURNING SENSATION, DISCOMFORT. INGESTED: NAUSEA, DIARRHEA, VOMITING. Medical Cond Aggravated by Exposure:REPEATED EXPOSURE MAY AGGRAVATE

Medical Cond Aggravated by Exposure:REPEATED EXPOSURE MAY AGGRAVATE PREEXISTING DYSFUNCTION

OF LIVER, KIDNEY AND CENTRAL NERVOUS SYSTEM.

======================================
First Aid:INHALED: REMOVE TO FRESH AIR. GIVE OXYGEN IF BREATHING DIFFICULT. GIVE ARTIFICIAL RESPIRATION IF BREATHING STOPPED. SEE DOCTOR. EYES: FLUSH WITH WATER FOR 15 MINUTES. SEE DOCTOR. SKIN: REMOVE CONTAMIN ATED CLOTHES. WASH WITH SOAP AND WATER.SEE DOCTOR IF BLISTERING DEVELOPS. INGESTED: DO NOT INDUCE VOMITING! IF CONSCIOUS, GIVE LARGE VOLUMS OF WATER OR MILK. GET IMMEDIATE MEDICAL ATTENTION.
======================================
Flash Point Method:PMCC Flash Point:210F,99C Extinguishing Media:FOAM, CARBON DIOXIDE, DRY CHEMICAL Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS. Unusual Fire/Explosion Hazard:NONE
======================================
Spill Release Procedures:CONTAIN SPILLAGE. STOP LEAK AT SOURCE IF CAN BE DONE AT NO RISK. NONESSENTIAL PERSO NNEL SHOULD BE EVACUATED. SALVAGE IF POSSIBLE; ABSORB WHAT CANNOT BE SALVAGED WITH INERT MATERIAL AND PLACE IN A CONT AINER FOR LATER DISPOSAL. KEEP OUT OF WATERWAYS. Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.
======================================
Handling and Storage Precautions:STORE IN A COOL, DRY PROTECTED AREA AWAY FROM STRONG OXIDIZING AGENTS AND STRONG MINERAL ACIDS. Other Precautions:MIXING: AVOID SPLASHING. USE APPROPRIATE PROTECTI VE EQUIPMENT. REPAIR & MAINTENANCE: RELIEVE ANY PRESSURE. COVER OPENINGS. CLEAN EXTERIOR AND INTERIOR. COLLECT FLUSHINGS FOR DISPOSAL. USE PROTECTIVE E QUIPMENT.
======================================
Respiratory Protection: IF ENGINEERING CONTROLS FAIL OR NON-ROUTINE USE OR EMERGENCY OCCURS; USE NIOSH/MSHA APPROVED RESPIRATOR OR SUPPLIED AIR RESPIRATOR OR SCBA, AS REQUIRED. USE IN ACCORDANCE WITH 29 CFR 1910.134.

Ventilation:USE ADEQUATE MEC

HANICAL VENTILATION TO MAINTAIN EXPOSURE BELOW PEL/TLV. Protective Gloves:NEOPRENE, VITON Eye Protection:SAFETY GLASSES Other Protective Equipment:BOOTS, APRON OF NEOPRENE OR VITON IF SPLASHING OCCURS. HMIS: EYE WASH STATION & SAFETY SHOWER AVAILABLE. Work Hygienic Practices:WASH HANDS AFTER USE AND BEFORE EATING, DRINKING, OR SMOKING. LAUNDER CONTAMINATED CLOTHES BEFORE REUSE. Supplemental Safety and Health DISCARD SHOES THAT BECOME CONTAMINATED ON THE INTERIOR. HMIS TECNICIAN U NSURE IF THIS MSDS " CORRECT" MSDS FOR ITEM OF SUPPLY. MSDS WAS PROVIDED BY BY MAUFACTURER FOR A CONTRACT WITH PART A FOR THIS N SN; CTDF/PARTSMASTER DO NOT INDICATE A KIT.

HCC:N1 Boiling Pt:B.P. Text:500F,260C Vapor Pres:1 MM HG Vapor Density:>1 (AIR=1) Spec Gravity:0.98 (WATER=1) Evaporation Rate & amp; Reference: