

WATERBURY COMPANIES INC, COMME -- OZIUM GLYCOL-IZED AIR SANITIZER-ALL SIZE & FR

=====  
MSDS Safety Information  
=====

FSC: 6840  
NIIN: 00-405-8608  
MSDS Date: 08/12/1998  
MSDS Num: BRSSW  
Product ID: OZIUM GLYCOL-IZED AIR SANITIZER-ALL SIZE & FRAGR.,53-015 CWD  
MFN: 02  
Responsible Party  
Cage: 0XTV1  
Name: WATERBURY COMPANIES INC, COMMERCIAL PRODUCTS DIV  
Address: 100 CALHOUN ST  
Box: 640  
City: INDEPENDENCE LA 70443  
Info Phone Number: 504-878-6751/203-597-1812  
Emergency Phone Number: 504-878-6751  
Resp. Party Other MSDS No.: 53010CWD

=====  
Item Description Information  
=====

Item Manager: S9G  
Item Name: DEODORANT,GENERAL PURPOSE  
Specification Number: NONE  
Type/Grade/Class: NONE  
Unit of Issue: CN  
Quantitative Expression: 100000000350  
Z  
UI Container Qty: 0  
Type of Container: CAN, AEROSOL

=====  
Ingredients  
=====

Name: \*\*\* PROPRIETARY \*\*\*  
-----

=====  
Health Hazards Data  
=====

LD50 LC50 Mixture: LD50 (ORAL, RAT) UNKNOWN  
Route Of Entry Inds - Inhalation: YES  
Skin: YES  
Ingestion: YES  
Carcinogenicity Inds - N

TP: NO  
IARC: NO  
OSHA: NO

Effects of Exposure: ACUTE AND CHRONIC - OVEREXPOSURE TO ISOPROPANOL (OR ITS COMPONENTS) HAS APPARENTLY BEEN FOUND TO CAUSE THE FOLLOWING EFFECTS IN LABORATORY ANIMALS: LIVER ABNORMALITIES, KIDNEY DAMAGE AND CENTRAL NERVOUS SYSTEM EFFECTS. DERMATITIS.

Explanation Of Carcinogenicity: NONE

Signs And Symptoms Of Overexposure: CENTRAL NERVOUS SYSTEM EFFECTS OF ISOPROPYL ALCOHOL (OR ITS COMPONENTS) INCLUDES HEADACHE, DIZZINESS, WEAKNESS, FATIGUE, NAUSEA AND HEADACHE.

HE. NASAL AND RESPIRATORY IRRITATION, MILD SKIN IRRITATION, DEFTING, DERMATITIS, EYE IRRITATION. IF SWALLOWED, GASTROINTESTINAL IRRITATION, NAUSEA, VOMITING AND DIARRHEA.

Medical Condition Aggravated By Exposure: PERSONS WITH PRE-EXISTING SKIN DISORDERS, EYE PROBLEMS OR IMPAIRED RESPIRATORY FUNCTION MAY BE MORE SUSCEPTIBLE TO THE EFFECTS OF THIS PRODUCT.

First Aid: IF IN EYE-IRRIGATE WITH PLENTY OF WATER FOR 15 MIN. IF ON SKIN OR CLOTHING-REMOVE CONTAMINATED CLOTHING AND WASH WITH SOAP AND WATER BEFORE REUSE. WASH AFFECTED AREAS WITH SOAP AND WATER FOR 15 MIN. IF INHALED-REMOVE TO FRESH AIR. IF SWALLOWED-CALL A PHYSICIAN OR POISON CONTROL CENTER. DO NOT INDUCE VOMITING. SEEK MEDICAL ATTENTION IF IRRITATION PERSISTS.

=====  
Handling and Disposal

=====  
Spill Release Procedures: IF CONTAINER IS RUPTURED OR BEGINS TO LEAK, PLACE IN A WELL-VENTILATED AREA FREE OF SPARKS AND IGNITION SOURCES. ANY REMAINING LIQUID SHOULD BE COLLECTED WITH ABSORBENT MEDIA. DISPOSE OF UNUSABLE CONCENTRATE AND ABSORBENT MEDIA IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.

Waste Disposal Methods: DO NOT REUSE EMPTY CONTAINER. THIS CONTAINER MAY BE RECYCLED. BEFORE OFFERING FOR RECYCLE, EMPTY THE CAN ACCORDING TO THE LABEL. (DO NOT PUNCTURE!) IF RECYCLING IS NOT AVAILABLE, WRAP THE CONTAINER AND DISCARD IN THE TRASH. ANY REMAINING OR COLLECTED LIQUID FROM PUNCTURED CANS SHOULD BE DISPOSED OF IN A SAFE MANNER AT AN APPROVED FACILITY.

Handling And Storage Precautions: STORE IN A COOL DRY AREA AWAY FROM HEAT OR OPEN FLAMES. EXPOSURE TO TEMPERATURES ABOVE 130 DEG. F MAY CAUSE BURSTING.

Other Precautions: IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING. READ LABEL. DO NOT SPRAY ON PAINT OR LACQUERED SURFACES.

=====  
Fire and Explosion Hazard Information

=====  
=====

Flash Point Text: FLAMMABL AEROSOL  
Extinguishing Media: CARBON DIOXIDE (CO2), DRY CHEMICAL, FOAM.  
Fire Fighting Procedures: SELF CONTAINED AIR SUPPLY SUGGESTED. KEEP CONTAINER COOL TO AVOID BURSTING.  
Unusual Fire/Explosion Hazard: EXPOSURE TO TEMPERATURES ABOVE 130 DEG. F MAY CAUSE BURSTING.

Control Measures

Respiratory Protectio

n: NOT REQUIRED. USE IN WELL-VENTILATED AREA.  
Ventilation: UNDER NORMAL CONDITIONS, ROOM VENTILATION IS GENERALLY ADEQUATE. USE MECHANICAL (EXPLOSION PROOF) WHERE EXCESSIVE AMOUNTS ARE RELEASED.  
Protective Gloves: DISPOSABLE FOR PROLONGED/REPEATED CONTACT.  
Eye Protection: NOT REQUIRED (AVOID EYE CONTACT)  
Other Protective Equipment: NONE APPLICABLE  
Work Hygienic Practices: TO PREVENT ACCIDENTAL SPRAYING KEEP PROTECTIVE CAP IN PLACE WHEN NOT IN USE.  
Supplemental Safety and Health: EPA REGISTR  
ATION NUMBER: 51838-02-9444; EPA EST  
NO. 9444-LA-1

Physical/Chemical Properties

HCC: V3  
Vapor Pres: 5171MMHG  
Spec Gravity: 0.8 (H2O=1)  
Evaporation Rate & Reference: N/A(BUTYL ACETATE=1)  
Solubility in Water: ESSENTIALLY COMPLETE  
Appearance and Odor: GOLEN TO YELLOW AEROSOL SPRAY - PERFUMED AND DISTINCT ODOR

Reactivity Data

Stability Indicator: YES  
Stability Condition To Avoid: EXCESSIVE STORAGE TEMPERATURES.  
Materials To Avoid: STRONG ACIDS SUCH AS SULFURIC, NITRIC, HYDROCHLORIC OR OTHER CHEMICALLY DE-HYDRATING COMPOUNDS  
Hazardous Decomposition Products: CARBON MONOXIDE, CARBON DIOXIDE, OTHER UNIDENTIFIED ORGANIC VAPORS AND MISTS.  
Hazardous Polymerization Indicator: NO  
Conditions To Avoid Polymerization: NONE KNOWN.

=====  
Toxicological Information  
=====

=====  
Ecological Information  
=====

=====  
MSDS Transport Information  
=====

Transport Information: DOT REGULATIONS: REGULATED ONLY WHEN OFFERED FOR TRANSPORTATION OR TRANSPORTED BY AIRCRAFT. PROPER SHIPPING NAME: WHEN

TRANSPORTED BY GROUND VESSEL, THIS PRODUCT IS EXEMPT FROM SHIPPING PAPER REQUIREMENTS OF THE US DOT-USE "DEODERANT OR DISINFECTANTS, N.O.S." AS THE SHIPPING DESCRIPTION. WHEN TRANSPORTED BY AIRCRAFT, PROPER SHIPPING NAME IS "CONSUMER COMMODITY". HAZARD CLASS: ORM-D. NATIONAL MOTOR FREIGHT CLASSIFICATION # AND LTL CLASS: 57100 SUB 3 CLASS 60.

=====  
Regulatory Information  
=====

=====  
Sara Title III Information: THIS PRODUCT CONTAINS THE FOLLOWING TOXIC CHEMICAL SUBJECT TO THE REPORTING REQUIREMENTS OF SECTION 313 OF THE EMERGENCY PLANNING AND COMMUNITY RIGHT-TO-KNOW ACT (EPCRA) OF 1986 AND OF 40 CFR 372: GLYCOL ETHERS 4 %.

=====  
Other Information  
=====

=====  
Transportation Information  
=====

=====  
Responsible Party Code: 0XTV1  
Trans ID NO: 70868  
Product ID: OZIUM GLYCOL-IZED AIR SANITIZER-ALL SIZE & FRAGR.,53-015 CWD  
MSDS Prepared Date: 08/12/1998  
Review Date: 06/15/2000  
MFN: 2  
Tech Entry NOS Shipping Nm: CONTAINS ISOPROPANOL, PROPANE, N-BUTANE.  
Net Unit Weight: 0.23 LB  
Multiple KIT Number: 0  
Review IND: Y  
Unit Of Issue: CN  
Container QTY: 0  
Type Of Container: CAN, AEROSOL  
Additional Data: FLAMMABLE PER FLAME PROJECTION TEST, PER MSDS.  
=====

=====  
Detail DOT Information  
=====

DOT PSN Code: DTJ  
Symbols: D  
DOT Proper Shipping Name: CONSUMER COMMODITY  
Hazard Class: ORM-D  
Label: NONE  
Non Bulk Pack: 156,306  
Bulk Pack: NONE  
Max Qty Pass: 30KGGROSS  
Max Qty Cargo: 30KGGROSS  
Vessel Stow Req: A  
=====

=====  
Detail IMO Information  
=====

IMO PSN Code: AKD  
IMO Proper Shipping Name: AEROSOLS  
IMDG Page Number: 2102  
UN Number: 1950  
UN Hazard Class: 2(T)  
IMO Packaging Group: -  
Subsidiary Risk Label: T  
EMS Number: 2-13  
MED First Aid Guide NUM: 620  
=====

=====  
Detail IATA Information  
=====

IATA PSN Code: ALS  
IATA UN ID Num: 1950  
IATA Proper Shipping Name: AEROSOLS, FLAMMABLE  
IATA PSN Modifier: (EACH NOT EXCEEDING 1 L CAPACITY)  
IATA UN Class: 2.1  
IATA Label: FLAMMABLE GAS  
Packaging Note Passenger: 203  
Max Quant Pass: 75KG  
Max Quant Cargo: 150KG  
Packaging Note Cargo: 203  
=====

=====  
Detail AFI Information  
=====

AFI PSN Code: ALR  
AFI Symbols: \*  
AFI Proper Shipping Name: AEROSOLS, FLAMMABLE, N.O.S.  
AFI PSN Modifier: (EACH NOT EXCEEDING 1L CAPACITY)  
AFI Hazard Class: 2.1  
AFI UN ID NUM: UN1950  
Special Provisions: P4  
Back Pack Reference: A6.3  
=====

=====

HAZCOM Label

=====

Product ID: LABEL COVERED UNDER EPA REGS - HAZCOM LABEL NOT AUTHORIZED

=====

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.