

KAPP ALLOY AND WIRE INC -- TIN-LEAD ALLOY CORE SOLDER -- 3439-00-819-5533

=====  
Product Identification  
=====

Product ID:TIN-LEAD ALLOY CORE SOLDER

MSDS Date:08/01/1993

FSC:3439

NIIN:00-819-5533

MSDS Number: BRSTV

=== Responsible Party ===

Company Name:KAPP ALLOY AND WIRE INC

Address:ONE KLEIN ST

Box:1188

City:OIL CITY

State:PA

ZIP:16301

Country:US

Info Phone Num:814-676-0613

Emergency Phone Num:8

14-676-0613

CAGE:44851

=== Contractor Identification ===

Company Name:COORDINATED WESTERN INC

Address:2968 TEAGARDEN ST

Box:City:SAN LEANDRO

State:CA

ZIP:94977

Country:US

Phone:510-895-8585

CAGE:0U0J2

Company Name:KAPP ALLOY AND WIRE INC

Address:1 KLEIN ST

Box:City:OIL CITY

State:PA

ZIP:16301

Country:US

Phone:814-676-0613

CAGE:44851

=====  
Composition/Information on Ingredients  
=====

Ingred Name:TIN (SN)

CAS:7440-31-5

RTECS #:XP7320000

Other REC Limits:NONE RECOMMENDED

OSHA PE

L:2 MG/M3  
ACGIH TLV:2 MG/M3; 9293

Ingred Name:LEAD (SARA III)  
CAS:7439-92-1  
RTECS #:OF7525000  
Other REC Limits:NONE RECOMMENDED  
OSHA PEL:0.05 MG/M3;1910.1025  
ACGIH TLV:0.15 MG/M3;DUST 9293  
EPA Rpt Qty:1 LB  
DOT Rpt Qty:1 LB

Ingred Name:AZELAIC ACID  
CAS:123-99-9  
RTECS #:CM1980000  
Other REC Limits:NONE RECOMMENDED  
OSHA PEL:NOT ESTABLISHED.  
ACGIH TLV:NOT ESTABLISHED.

Ingred Name:UREA  
CAS:57-13-6  
RTECS #:YR6250000  
Other REC Limits:NONE RECOMMENDED  
OSHA PEL:NOT ESTABLISHED.  
ACGIH TLV:NOT ESTABLISHED.  
ED.

Ingred Name:ETHYLENEDIAMINE DIHYDROCHLORIDE  
CAS:333-18-6  
RTECS #:KV3850000  
Other REC Limits:NONE RECOMMENDED  
OSHA PEL:NOT ESTABLISHED.  
ACGIH TLV:NOT ESTABLISHED.

Ingred Name:ETHYLAMINE HYDROCHLORIDE  
CAS:557-66-4  
Other REC Limits:NONE RECOMMENDED  
OSHA PEL:NOT ESTABLISHED.  
ACGIH TLV:NOT ESTABLISHED.

Ingred Name:SUCCINIMIDE  
CAS:123-56-8  
RTECS #:WN2200000  
Other REC Limits:NONE RECOMMENDED  
OSHA PEL:NOT ESTABLISHED.  
ACGIH TLV:NOT ESTABLISHED.

=====  
===== Hazards Identification =====

=====

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO  
Reports of Carcinogenicity:NTP:NO IARC:YES OSHA:NO  
Health Hazards Acute and Chronic:ACUTE- UNLIKELY. CHRONIC- HIGH LEVELS OF AIRBORNE OR INGESTED LEAD MAY RESULT IN ANEMIA, INSOMNIA, WEAKNESS, CONSTIPATION, KIDNEY, NERVOUS SYSTEM AND REPRODUCTIVE EFFECTS. EXPOSURE TO LEAD MAY RESULT IN INJURY TO A DEVELOPING FETUS.

Explanation of Carcinogenicity:CONTAINS LEAD  
Effects of Overexposure:EYE IRRITATION, ABDOMINAL PAIN, WEAKNESS, CONSTIPATION, NAUSEA

Medical Cond Aggravated by Exposure:DISEASES OF THE BLOOD AND BLOOD FORMING ORGANS, KIDNEYS, NERVOUS SYSTEM AND POSSIBLY REPRODUCTIVE SYSTEMS MAY BE AGGRAVATED BY OVEREXPOSURE TO LEAD.

===== First Aid Measures =====

First Aid:CALL A DOCTOR IF SYMPTOMS PERSIST. EYE:IMMEDIATELY FLUSH WITH WATER FOR 15 MINUTES, HOLDING EYELIDS OPEN. SKIN:WASH WITH SOAP & WATER. INHALED:REMOVE TO FRESH AIR. PROVIDE CPR/OXYGEN IF NEEDED.  
ORAL:IF CONSCIOUS, INDUCE VOMITING. CALL A PHYSICIAN/POISON CONTROL CENTER IMMEDIATELY. NOTE:OCCASIONAL BLOOD TESTING FOR LEAD LEVEL SHOULD BE ROUTINE FOR INDIVIDUALS WHO ARE CHRONICALLY EXPOSED TO LEAD.

===== Fire Fighting Measures =====

Flash Point:NONE  
Extinguishing Media:WATER FOG, FOAM, CARBON DIOXIDE. DO NOT USE WATER ON FIRE WHERE MOLTEN METALS IS PRESENT.  
Fire Fighting Procedures:WEAR FULL PROTECTIVE CLOTHING AND NIOSH-APPROVED SELF-CONTAINED BREATHING APPARATUS WITH FULL FACEPIECE OPERATED IN THE POSITIVE PRESSURE MODE.  
Unusual Fire/Explosion Hazard:MOLTEN METALS PRODUCE FUME OR VAPOR THAT IS TOXIC. REACTS VIOLENTLY WITH OXIDIZING AGENTS.

===== Accidental Release Measures =====

Spill Release Procedures:COLLECT AND USE. IF CONTAMINATED OR IN SMALL PARTICLES, VACUUM OR COLLECT MATERIAL. NEVER USE ANY METHOD WHICH GENERATE DUST. DO NOT USE FORCED AIR

FOR CLEANING. WEAR  
NIOSH-APPROVED DUST MASK IF DUSTY CONDITION.  
Neutralizing Agent:NOT RELEVANT

=====  
===== Handling and Storage =====

Handling and Storage Precautions:KEEP AWAY FROM INCOMPATIBLE MATERIALS.  
AVOID ACCIDENTAL INGESTION. FOOD AND DRINK SHOULD NOT BE CONSUMED  
IN AREAS WHERE METAL EXPOSURES ARE POSSIBLE.  
Other Precautions:READ WARNING LABELS. KEEP OUT OF REACH OF CHILDREN.  
FOR INDUSTRIAL USE ONLY. DO NOT GENERATE DUST. DO NOT BREATHE DU  
ST  
OR FUMES. AVOID CONTACT WITH DUST OR FUMES.

=====  
===== Exposure Controls/Personal Protection =====

Respiratory Protection:REQUIRED IF TLV'S ARE NOT BEING MAINTAINED. USE  
NIOSH APPROVED RESPIRATOR FOR LEAD DUST/FUME (HIGH EFFICIENCY  
FILTERS) IF TLVS ARE EXCEEDED.  
Ventilation:LOCAL DUST PICK UP AND ADEQUATE VENTILATION  
Protective Gloves:HEAT RESISTANT DURING SOLDERING  
Eye Protection:FACE SHIELD/GOGGLES DURING SOLDERING  
Other Protective Equipment:INSTALL EYE WASH STATI  
ON.  
Work Hygienic Practices:OBSERVE GOOD PERSONAL HYGIENE PRACTICES AND  
RECOMMENDED PROCEDURES. WASH THOROUGHLY AFTER HANDLING AND BEFORE  
EATING.  
Supplemental Safety and Health

=====  
===== Physical/Chemical Properties =====

HCC:N1  
NRC/State Lic Num:NOT RELEVANT  
Boiling Pt:B.P. Text:3191F (PB)  
Spec Gravity:8.9 (60SN/40PB)  
Evaporation Rate & Reference:NOT RELEVANT  
Solubility in Water:INSOLUBLE  
Appearance and Odor:SILVERY, METALLIC - NO ODOR

=====  
===== S

Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid: YES

STRONG OXIDIZING AGENTS (E.G. CHLORINE TRIFLUORIDE, HYDROGEN PEROXIDE),  
SODIUM AZIDE, AMMONIA & ACETYLENE

Stability Condition to Avoid: NONE

Hazardous Decomposition Products: LEAD OXIDE FUME AND OR LEAD PARTICULATE  
MAY BE EVOLVED.

===== Disposal Considerations =====

Waste Disposal Methods: NEVER DISPOSE OF IN TRASH. HOLD FOR RECYCLING OR  
DISPOSE OF IN ACCORDANCE WITH ALL APPLICABLE LOCAL, STATE AND  
FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.