

CHEVRON U S A INC -- LS DIESEL 2;CPS270005;CPS271006;CPS272093 -- 9140-00-000-0184
===== Product Identification =====

Product ID:LS DIESEL 2;CPS270005;CPS271006;CPS272093

MSDS Date:09/01/1993

FSC:9140

NIIN:00-000-0184

MSDS Number: BRTDL

=== Responsible Party ===

Company Name:CHEVRON U S A INC

Address:575 MARKET ST

Box:7643

City:SAN FRANCISCO

State:CA

ZIP:94120-2856

Country:US

Info Phone Num:415-8

94-1899

Emergency Phone Num:800-231-0623 800-424-9300(CHEMTREC)

Preparer's Name:MSDS # 0055566

CAGE:81230

=== Contractor Identification ===

Company Name:CHEVRON PRODUCTS COMPANY LUBRICANTS AND SPECIALTY PRODUCTS

Address:6001 BOLLINGER CANYON RD

Box:City:SAN RAMON

State:CA

ZIP:94583

Country:US

Phone:800-414-6737 / 800-582-3835

CAGE:81230

===== Composition/Information on Ingredients =====

Ingred Name:PETROLEUM MID-DISTILLATE (WHICH INCLUDE INGREDIENTS 2 & 3
LISTED IN THIS R
ECORD)

CAS:68476-34-6

Fraction by Wt: 100%

Other REC Limits:NONE RECOMMENDED

Ingred Name:DISTILLATES, HYDRODESULFURIZED MIDDLE

CAS:64742-80-9

Other REC Limits:NONE RECOMMENDED

OSHA PEL:400 PPM PETR. DIST.

ACGIH TLV:400 PPM RUBBER SOLV.

Ingred Name:DISTILLATES, STRAIGHT RUN MIDDLE

CAS:64741-44-2

RTECS #:LX3296000

Other REC Limits:NONE RECOMMENDED

OSHA PEL:400 PPM PETR. DIST.

ACGIH TLV:400 PPM RUBBER SOLV.

===== Hazards Identification =====

LD50 LC50 Mixture:L

D50 ORAL RAT=5MG/L

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:EYES:CAUSES SLIGHT

IRRITATION.SKIN:IRRITANT.MATERIEL IS DERMALLY ABSORBED BUT

PRACTICALLY NON-TOXIC(LD50 DERMAL RABBIT>5ML/KG).INGEST:MAY CAUSE LUNG DAMAGE IF VOMITED AFTER SWALLOWING.INHALCAUSES CNS EFFECTS

Explanation of Carcinogenicity:MIDDLE DISTILLATES HAVE CAUSED POSITIVE REACTION ON MUTAGENICITY TESTS AND SKIN CAN CER.

Effects of Overexposure:INHAL:HEADACHE,DIZZINESS,LOSS OF

APPETITE,WEAKNESS,LOSS OF COORDINATION.SKIN:PAIN,FEELING OF HEAT,DISCOLORATION,SWELLING,BLISTERING.

Medical Cond Aggravated by Exposure:PERSONS WITH PRE-EXISTING

RESPIRATORY AILMENTS MAY BE AT INCREASED RISK FROM EXPOSURE.

=====
===== First Aid Measures =====

First Aid:EYES:REMOVE CONTACT LENSES.FLUSH WITH WATER FOR 15

MINUTES.SKIN:REMOVE CONTAMINATED CLOTHING;WASH WITH SOAP AND WA

TER.INGEST:GIVE MILK OR WATER;DO NOT INDUCE VOMITING;GET PROMPT QUALIFIED MEDICAL ATTE NTION.INHAL:MOVE TO FRESH AIR.

=====
===== Fire Fighting Measures =====

Flash Point Method:PMCC

Flash Point:125F,52C

Lower Limits:0.6

Upper Limits:4.7

Extinguishing Media:CARBON DIOXIDE,DRY CHEMICAL,FOAM AND WATER FOG.

Fire Fighting Procedures:USE A SELF-CONTAINED BREATHING APPARATUS AND FULL PROTECTIVE EQUIPMENT.

Unusual Fire/Explosion Hazard:VAPORS ARE HEAVIER THAN AIR,C AN TRAVEL

DISTANCES ALONG THE GROUND,AND FLASHBACK AT THE SOURCE.

=====
===== Accidental Release Measures =====

Spill Release Procedures:SOAK UP WITH NON-COMBUSTIBLE INERT

ADSORBANT(EG.CLAY);PLACE COLLECTED MATERIEL IN AN APPROPRIATE CONTAINER FOR DISPOSAL;CLEAN SPILL AREA TO REMOVE SLIPPERINESS.

Neutralizing Agent:NONE

=====
===== Handling and Storage =====

Handling and Storage Precautions:USE ONLY IN WELL VENTILATED AREAS.KEEP

CONTAINER CLOSED.

Other Precautions:EMPTY CONTIANERS MAY CONTAIN HAZARDOUS/EXPLOSIVE LIQUID/VAPOR.DO NOT USE AS PORTABLE HEATER OR APPLIANCE FUEL;TOXIC FUMES ACCUMULATE.

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:NOT NORMALLY REQUIRED.MFR SUGGESTS A NIOSH APPROVED RESPIRATOR FOR ORGANIC MISTS/VAPORS.

Ventilation:USE ONLY IN A WELL VENTILATED AREA.

Protective Gloves:IMPERVIOUS

Eye Protection:SPLASH GOGGLES

Other Protective Equipmen

t:CLOTHING TO PREVENT SKIN CONTACT.

Work Hygienic Practices:WASH HANDS.SEPERATE WORK CLOTHES FROM STREET CLOTHES.LAUNDER WORK CLOTHES BEFORE REUSE.KEEP FOOD OUT OF THE WORK AREA.

Supplemental Safety and Health

TIR STATES ITEM NAME IS "USED TO BE 26648".

=====
===== Physical/Chemical Properties =====

HCC:F4

Boiling Pt:B.P. Text:348-698F

Vapor Pres:0.04PSIA

Spec Gravity:0.84

Viscosity:1.9CAT@40C

Solubility in Water:INSOLUBLE

Appearance and Odor:LIQUID;PALE YELLOW;CHARACTERISTIC ODOR

=====
===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS(EG.CHLORATE,NITRATES,PEROXIDES).

Stability Condition to Avoid:NOT REPORTED

Hazardous Decomposition Products:CARBON DIOXIDE,CARBON MONOXIDE(INCOMPLETE COMBUSTION),WATER VAPOR.

=====
===== Disposal Considerations =====

Waste Disposal Methods:RECYCLE WHERE POSSIBLE.CONSIDERED RCRA HAZARDOUS WASTE(IGNITABLE).DIS

POSE OF IN ACCORDANCE WITH FEDERAL, STATE AND
LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility
for the suitability of this information to their
particular situation.