

PRIMARY CARE DIAGNOSTICS/B D AND CO -- 7180 SPRAYCYTE -- 6550-00-056-8029

=====  
Product Identification  
=====

Product ID:7180 SPRAYCYTE

MSDS Date:05/21/1992

FSC:6550

NIIN:00-056-8029

MSDS Number: BRYCY

=== Responsible Party ===

Company Name:PRIMARY CARE DIAGNOSTICS/B D AND CO

Address:7 LOVETON CIR

Box:370

City:SPARKS

State:MD

ZIP:21152-0370

Country:US

Info Phone Num:301-316-4000/800-638-8656

Emerg

ency Phone Num:301-584-7169/800-638-8656

Preparer's Name:DALE M DERN

CAGE:GO372

==== Contractor Identification ====

Company Name:BECTON DICKINSON

Address:7 LOVETON CIRCLE

Box:City:SPARKS

State:MD

ZIP:21152

Country:US

Phone:410-771-0100; 800-638-8663

CAGE:12717

Company Name:PRIMARY CARE DIAGNOSTICS/B D AND CO

Address:7 LOVETON CIR

Box:370

City:SPARKS

State:MD

ZIP:21152-0370

Country:US

Phone:410-584-8987/800-638-8656

CAGE:GO372

=====  
Composition/Information on Ingredients  
=====

I

ingred Name:ISOPROPANOL (ISOPROPYL ALCOHOL), 2-PROPANOL, DIMETHYL  
CARBINOL

CAS:67-63-0

RTECS #:NT8050000

Fraction by Wt: 49.9%

Other REC Limits:400 PPM

OSHA PEL:400 PPM

ACGIH TLV:400 PPM

Ingred Name:PROPANE

CAS:74-98-6

RTECS #:TX2275000

Fraction by Wt: 4.8%

Other REC Limits:1800 MG/CUM

OSHA PEL:1000 PPM

ACGIH TLV:SIMPLE ASPHYXIAN

=====  
===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO

IARC:NO OSHA:NO

Health Hazards Acute and Chronic:EYES/SKIN: IRRITATION. INHALATION:  
RESPIRATORY TRACT IRRITATION. INGESTION: GI TRACT IRRITATION,  
VOMITING. LIQUID MAY CAUSE SEVERE BURNS.

Explanation of Carcinogenicity:NONE

=====  
===== First Aid Measures =====

First Aid:EYES: FLUSH W/WATER FOR AT LEAST 15 MINS. SKIN: FLUSH W/WATER  
FOR 15 MINS. REMOVE ANY CONTAMINATED CLOTHING, WHEN WASH W/SOAP &  
WATER. IHALATION: REMOVE TO FRESH AIR. GIVE OXYGEN

IF NEEDED, ONLY

BY TR AINED PERSONNEL. INGESTION: GIVE WATER TO DILUTE. NEVER GIVE  
ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. OBTAIN MEDICAL  
ATTENTION IN ALL CASES.

=====  
===== Fire Fighting Measures =====

Flash Point: