

VERSATILE MACHINING INC -- 61B25042 LEAD ACETATE 10% -- 6630-00-831-5932

=====  
Product Identification  
=====

Product ID:61B25042 LEAD ACETATE 10%

MSDS Date:09/21/1987

FSC:6630

NIIN:00-831-5932

Kit Part:Y

MSDS Number: BRYDQ

=== Responsible Party ===

Company Name:VERSATILE MACHINING INC

Address:7450 TOWER ST

City:FORT WORTH

State:TX

ZIP:76118-6424

Country:US

CAGE:6S522

=== Contractor Identification

===

Company Name:ANDERSON LABORATORIES INC

Address:5901 FITZHUGH AVE

Box:City:FORT WORTH

State:TX

ZIP:76119

Country:US

Phone:817-547-4474

CAGE:0E6L4

Company Name:VERSATILE MACHINING INC

Address:7450 TOWER ST

Box:City:FORT WORTH

State:TX

ZIP:76118-6424

Country:US

CAGE:6S522

=====  
Composition/Information on Ingredients  
=====

Ingred Name:LEAD ACETATE TRIHYDRATE (SUSPECTED ANIMAL CARCINOGEN BY IARC, NTP)

CAS:6080-56-4

RTECS #:OF8050000

Fraction by Wt: 10%

Ingred Name:WATER

C

AS:7732-18-5  
RTECS #:ZC0110000  
Fraction by Wt: 90%

===== Hazards Identification =====

Routes of Entry: Inhalation:NO Skin:YES Ingestion:YES  
Reports of Carcinogenicity:NTP:YES IARC:YES OSHA:NO  
Health Hazards Acute and Chronic:CAN BE FATAL IF SWALLOWED. HARMFUL IF  
ABSORBED THROUGH SKIN. INGESTION: DAMAGE TO KIDNEYS CAN LEAD TO  
BLOOD DISORDERS. SKIN & EYE IRRITANT. POISONOUS.  
Explanation of Carcinogenicity:SEE INGREDIENTS  
Effects of Overexposure:SKI  
N/EYES: IRRITATION. INGESTION: CONVULSIONS  
MAY OCCUR.

===== First Aid Measures =====

First Aid:INGESTION: INDUCE VOMITING BY GIVING SYRUP OF IPECAC OR BY  
STICKING FINGER DOWN THROAT. EYES: FLUSH W/PLENTY OF WATER FOR AT  
LEAST 15 MINS. SKIN: WASH W/SOAP & PLENTY OF WATER. OBTAIN MEDICAL  
ATTENTION IN ALL CASES.

===== Accidental Release Measures =====

Spill Release Procedures:WEAR PROTECTIVE EQUIPMENT. ABSORB OR  
COVER  
W/INERT ABSORBENT MATERIAL. CAREFULLY PICK UP & PLACE IN CLOSED  
CONTAINER FOR DISPOSAL. FLUSH SPILL AREA W/PLENTY OF WATER.

===== Handling and Storage =====

Handling and Storage Precautions:PRODUCT RESIDUE MAY REMAIN ON OR IN  
EMPTY PACKAGE. USE ALL PRECAUTIONS IN HANDLING THE EMPTY PACKAGE &  
RESIDUE. CLEAN BEFORE REUSING/ALTERING PACKAGE.  
Other Precautions:AVOID CONTACT W/SKIN & EYES. CANNOT BE MADE  
NONPOISONOUS. DON'T HANDLE UNTIL T  
HE MANUFACTURERS SAFETY  
PRECAUTIONS HAVE BEEN READ & UNDERSTOOD.

===== Exposure Controls/Personal Protection =====

Ventilation:MECHANICAL: AT LEAST 10 AIR CHANGES PER HOUR PER ROOM  
Protective Gloves:REQUIRED  
Eye Protection:GLASSES  
Other Protective Equipment:APRON  
Work Hygienic Practices:WASH HANDS THOROUGHLY AFTER HANDLING.  
REMOVE/LAUNDRER CONTAMINATED CLOTHING BEFORE REUSE. DESTROY  
CONTAMINATED SHOES.  
Supplemental Safety and Health

===== Physical/Ch

Chemical Properties =====

Boiling Pt:B.P. Text:100C

Vapor Pres:15

Spec Gravity:>WATER

Evaporation Rate & Reference:SLOWER THAN ETHER

Appearance and Odor:CLEAR, COLORLESS, ODORLESS LIQUID

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

Stability Condition to Avoid:EXTREME HEAT

Hazardous Decomposition Products:CO<sub>2</sub>, CO

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE

OF IN ACCORDANCE W/LOCAL, STATE, &

FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the  
suitability of this information to their  
particular situation.