

TELEDYNE GETZ -- 11460 HOLD ADHESIVE & HOLD SPRAY ON ADHESIVE -- 6520-01-182-7860

===== Product Identification =====

Product ID:11460 HOLD ADHESIVE & HOLD SPRAY ON ADHESIVE

MSDS Date:02/23/1989

FSC:6520

NIIN:01-182-7860

MSDS Number: BRYFZ

=== Responsible Party ===

Company Name:TELEDYNE GETZ

Address:1550 GREENLEAF AVE

City:ELK GROVE VILLAGE

State:IL

ZIP:60007-5525

Country:US

Info Phone Num:708-593

-3334

Emergency Phone Num:708-593-3334/800-424-9300(CHEMTREC)

CAGE:94860

=== Contractor Identification ===

Company Name:TELEDYNE GETZ

Address:1550 GREENLEAF AVE

Box:City:ELK GROVE VILLAGE

State:IL

ZIP:60007-5525

Country:US

Phone:708-593-3334/800-424-9300(CHEMTREC)

CAGE:94860

Company Name:TELEDYNE INC/TELEDYNE GETZ

Address:1500 GREENLEAF AVE

Box:City:ELK GROVE VILLAGE

State:IL

ZIP:60007-5525

Country:US

Phone:800-424-9300

CAGE:8X185

Company Name:TELEDYNE WATER PIK INC

Address:1730 E PROSPECT RD

Bo

x:City:FORT COLLINS
State:CO
ZIP:80553
Country:US
Phone:800-323-6650
CAGE:0B9G6

=====
Composition/Information on Ingredients
=====

Ingred Name:ISOPROPYL ALCOHOL (SARA III)
CAS:67-63-0
RTECS #:NT8050000
Fraction by Wt: 45.7%
Other REC Limits:400 PPM
OSHA PEL:400 PPM
ACGIH TLV:400 PPM/500STEL;9394

Ingred Name:TOLUENE (SARA III)
CAS:108-88-3
RTECS #:XS5250000
Fraction by Wt: 13.0%
Other REC Limits:375 MG/CUM
OSHA PEL:200 PPM; Z-2
ACGIH TLV:S, 50 PPM; 9394
EPA Rpt Qty:1000 LBS

DOT Rpt Qty:1000 LBS

=====
Hazards Identification
=====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:RESPIRATORY PROBLEMS MAY OCCUR IN
SENSATIVE INDIVIDUALS.
Explanation of Carcinogenicity:NONE
Effects of Overexposure:HEADACHE, NAUSEA, LOSS OF COORDINATION,
UNCONSCIOUSNESS.
Medical Cond Aggravated by Exposure:BREATHING DISORDERS.

=====

First Aid Measures =====

First Aid:EYES: FLUSH W/WATER FOR 15 MIN. SKIN: WASH W/SOAP & WATER.
INGESTION: DILUTE BY GIVING WATER, MILK OR EGGWHITE. INDUCE
VOMITING. INHALATION: REMOVE TO FRESH AIR, RESSUSITATE IF NEEDED.
OBTAIN MEDICAL ATTENTION IN ALL CASES.

===== Fire Fighting Measures =====

Flash Point Method:TCC
Flash Point:30.0F,-1.1C
Lower Limits:1.3%
Upper Limits:12%
Extinguishing Media:CO2, FOAM, DRY CHEMICAL.
Fire Fighting Procedures:SAME AS FOR ANY HIGHLY VOLATILE WATER
IMMISCIBLE SOLVENT.
Unusual Fire/Explosion Hazard:VAPORS ARE FLAMMABLE & EXPLOSIVE.

===== Accidental Release Measures =====

Spill Release Procedures:ABSORB MATERIAL & PICK UP W/NONSPARKING TOOLS.
PLACE IN SEALED CONTAINERS. VENTILATE AREA UNTIL FUMES ARE GONE.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN A COOL DRY PLACE. KEEP
TIGHTLY
CLOSED WHEN NOT IN USE. AVOID SOURCES OF IGNITION.

===== Exposure Controls/Personal Protection =====

Ventilation:LOCAL EXHAUST AS NEEDED
Eye Protection:OPTIONAL
Other Protective Equipment:LAB COAT OR APORN.
Work Hygienic Practices:NORMAL HYGIENIC HABITS ARE USUALLY SUFFICIENT
FOR THE AMOUNTS NORMALLY USED.
Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:F3
NRC/State Lic Num:NONE
Spec Gravity:0.864
Evaporation Rate

& Reference:(BU AC = 1): 1
Solubility in Water:INSOLUBLE
Appearance and Odor:VISCOUS BLUE/GREEN LIQUID.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
STRONG OXIDIZERS
Stability Condition to Avoid:SPARKING, OPEN FLAMES OR FIRE.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE W/LOCAL, STATE, &
FEDERAL REGULATIONS. FOR SMALL AMOUNTS NORMAL SCAVENGER SERVICE.
E.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.