

MILITEC CORP -- MILITEC-1 -- 6850-01-378-3058

=====
Product Identification
=====

Product ID:MILITEC-1
MSDS Date:09/07/1993
FSC:6850
NIIN:01-378-3058
MSDS Number: BRYHJ
=== Responsible Party ===
Company Name:MILITEC CORP
Address:1911 N FORT MYER DR #500
City:ARLINGTON
State:VA
ZIP:22209
Country:US
Info Phone Num:703-528-8371
Emergency Phone Num:703-528-8371
CAGE:MILI2

=== Contractor Identification

===
Company Name:MILITEC CORP
Address:1911 N FORT MYER DR #500
Box:City:ARLINGTON
State:VA
ZIP:22209
Country:US
Phone:703-528-8371
CAGE:MILI2

=====
Composition/Information on Ingredients
=====

Ingred Name:NON-HAZARDOUS FOR INGREDIENTS

=====
Hazards Identification
=====

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:EYES: TRANSIENT IRRITATION. SKIN

:
TRANSIENT IRRITATION & DERMATITIS. INHALATION: TRANSIENT IRRITATION TO UPPER RESPIRATORY TRACT.

Explanation of Carcinogenicity:NONE

Effects of Overexposure:EYES: BURNING SENSATION, IRRITATION & REDNESS.
SKIN: BURNING SENSATION & DEFATTING.

=====
First Aid Measures =====

First Aid:EYES: FLUSH IMMEDIATELY W/WATER FOR 15 MINS. SKIN: WASH W/WATER AFTER CONTACT. OBTAIN MEDICAL ATTENTION IF SYMPTOMS PERSIST.

=====
Fire Fighting Measures =====

Flash Point Method:COC

Flash Point:410F

Extinguishing Media:CO2, FOAM, DRY CHEMICALS, WATER FOG

Fire Fighting Procedures:USE STANDARD PRECAUTIONS FOR OIL FIRE.

Unusual Fire/Explosion Hazard:AUTOIGNITION TEMPERATURE: 715F.

=====
Accidental Release Measures =====

Spill Release Procedures:APPLY ABSORBENT MATERIAL SUCH AS SAWDUST & SWEEP UP. PLACE WASTE IN SUITABLE & PROPERLY LABELED CONTAINER FOR DISPOSAL. CONTAIN LIQUID & CONTROL DISCHARGES TO STREAMS OR SEWER SYSTEMS.

=====
Handling and Storage =====

Handling and Storage Precautions:TYPICAL FOR OTHER HYDROCARBON LUBRICANTS. KEEP CONTAINER CLOSED WHEN NOT IN USE. STORE IN ORIGINAL CONTAINER. KEEP OFF FOODSTUFFS.

Other Precautions:AVOID EYE & SKIN CONTACT & BREATHING OIL MIST. KEEP OUT OF REACH OF CHILDREN.

=====
Exposure Controls/Personal Protection =====

Respiratory Protection:USE NIOSH AP

PROVED MIST RESPIRATOR

Ventilation:NONE REQUIRED IN VENTILATED AREAS

Protective Gloves:RUBBER

Eye Protection:SAFETY GLASSES

Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING. GOOD PERSONAL HYGIENE PRACTICES SHOULD ALWAYS BE FOLLOWED.

Supplemental Safety and Health

NEUTRALIZATION NUMBER BY POTENTIOMETRIC TITRATION: TOTAL ACID NUMBER
0.25

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:275C/528F

Melt/Freeze Pt:M.P/F.P Text:-45F

Vapor Densi

ty:NIL

Spec Gravity:1.142

Evaporation Rate & Reference:NEGLIGIBLE

Solubility in Water: