View NSN Online: https://aerobasegroup.com/nsn/6850-00-295-7685

GENERAL ELECTRIC CO., SILICONE PRODUCT DIV. -- DIMETHYL SILOXANE, SILICA FILLED, G 624 -- 6850-00-295-7685

Product ID:DIMETHYL SILOXANE, SILICA FILLED, G 624 MSDS Date:02/12/1993 FSC:6850 NIIN:00-295-7685 MSDS Number: BSCVM === Responsible Party === Company Name: GENERAL ELECTRIC CO., SILICONE PRODUCT DIV. Address:260 HUDSON RIVER ROAD City:WATERFORD State:NY ZIP:121 88 Country:US Info Phone Num:518-237-3330 Emergency Phone Num:518-237-3330 Preparer's Name: DA POLSINELLI CAGE:01139 === Contractor Identification === Company Name: GENERAL ELECTRIC CO, SILICONE PRODUCTS BUSINESS DEPT Address:260 HUDSON RIVER RD Box:City:WATERFORD State:NY ZIP:12188 Country:US Phone:518-237-3330/800-332-3390 CAGE:01139 Company Name: R.H.CARLSON COMPANY, INC. Address:41-CHESTNUT STREET Box:1687 City:GREENWICH State:CT ZIP:06830-5921 Country:US Phone:203-531-5500 CAGE:33530 Company Na

me:THE SMITH GROUP INC. Address:811 E. CAYUGA STREET Box:City:PHILADELPHIA State:PA ZIP:19124-3893 Country:US Phone:215-743-8200 CAGE:2B613

Ingred Name:TRADE SECRET COMPONENT Fraction by Wt: 1 - 5% Other REC Limits:NONE RECOMMENDED

Ingred Name:SILICA GEL CAS:112945-52-5 RTECS #:VV7310000 Fraction by Wt: 5 - 10% Other REC Limits:NONE RECOMMENDED OSHA PEL:6 MG/M3 ACGIH TLV:10 MG/M3

Ingred Name:POLY (DIMETHYLSILOXANE) CAS:6314 8-62-9 RTECS #:JJ6484500 Fraction by Wt: 80 - 93% Other REC Limits:NONE RECOMMENDED

LD50 LC50 Mixture:LD50 (ORAL RAT) IS UNKNOWN. Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:TARGET ORGANS:EYES, SKIN, RESPIRATORY TRACT. ACUTE- MAY CAUSE MILD SKIN IRRITATION. MAY CAUSE EYE IRRITATION. INGESTION UNKNOWN. A DUST HAZARD MAY BE CREATED IF, UNDER CONDITIONS OF USE, SOLID PARTICL ES ARE SEPARATED FROM THE POLYMERIC MATRIX CAUSING RESPIRATORY TRACT IRRITATION, IF INHALED. CHRONIC- UNKNOWN.

Explanation of Carcinogenicity:CAN GENERATE FORMALDEHYDE AT HIGH TEMPERATURES WHICH IS AN IRRITANT AND POTENTIAL CANCER HAZARD. Effects of Overexposure:IRRITATION

First Aid:GET MEDICAL HELP IF SYMPTOMS PERSIST. INHALED:REMOVE TO FRESH AIR. EYES:FL

USH WITH WATER FOR 15 MINUTES, HOLDING EYELIDS OPEN. SKIN:WASH WITH SOAP & WATER. ORAL:RINSE MOUTH WITH WATER SEVERAL TIMES.
======================================
Flash Point Method:COC Flash Point:>500F,>260C Extinguishing Media:WATER SPRAY, CARBON DIOXIDE, SAND, FOAM/DRY CHEMICAL. WATER SPRAY MAY BE USED TO KEEP FIRE EXPOSED CONTAINERS COOL. Fire Fighting Procedures:WEAR PROTECTIVE CLOTHING AND NIOSH-APPROVED SELF-CONTAINED BREATHING APPARAT US.
======================================
Spill Release Procedures:WIPE, SCRAPE OR SOAK UP IN AN INERT MATERIAL AND PUT IN A CONTAINER FOR DISPOSAL. WASH SPILL AREA WITH DETERGENT AND WATER TO REDUCE SLIPPING HAZARD. Neutralizing Agent:NOT RELEVANT
======================================
<ul> <li>Handling and Storage Precautions:STORE IN DRY PLACE AWAY FROM EXCESSIVE HEAT AND FLAMES.</li> <li>Other Precautions:DO NOT RAISE DUST. AVOID CONTA CT WITH EYES, SKIN OR</li> <li>CLOTHING. AVOID INHALATION OF DUST. WASH THOROUGHLY AFTER HANDLING MATERIAL. KEEP OUT OF REACH OF SMALL CHILDREN.</li> </ul>
========= Exposure Controls/Personal Protection ====================================
Respiratory Protection:NONE NORMALLY REQUIRED. IF AIRBORNE CONCENTRATION IS HIGH, WEAR A NIOSH-APPROVED DUST RESPIRATOR OR DUST MASK. Ventilation:ADEQUATE Protective Gloves:CLOTH Eye Protection:SAFETY GOGGLES/GLASSES

Other Protective Equipment:EYE WASH STATION, SAFETY SHOWER, P

ROTECTIVE CLOTHING AND/OR UNIFORM Work Hygienic Practices:OBSERVE GOOD PERSONAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES. Supplemental Safety and Health FORMULA CHANGED. FOR PREVIOUS FORMULATIONS, SEE PNI A AND B, SAME NSN.

HCC:V7 NRC/State Lic Num:NOT RELEVANT Spec Gravity:1.035 Viscosity:NOT RELEVANT Evaporation Rate & amp; Reference:>1 (N-BUTYL ACETATE=1) Solubility in Water:INSOLUBLE Appearance and Odor:OFF WHI TE SOLID - SLIGHT ODOR Percent Volatiles by Volume: