

CONCORDE BATTERY CORP -- RG-5-2,BATTERY,ELECTRIC STORAGE,ABSORBED ELECTEROLYTE
-- 6140-01-266-1634

===== Product Identification =====

Product ID:RG-5-2,BATTERY,ELECTRIC STORAGE,ABSORBED ELECTEROLYTE

MSDS Date:06/10/1993

FSC:6140

NIIN:01-266-1634

MSDS Number: BSDBB

=== Responsible Party ===

Company Name:CONCORDE BATTERY CORP

Address:2009 SAN BERNARDINO RD

City:WEST COVINA

State:CA

ZIP:91790-1006

C

Country:US

Info Phone Num:818-962-4006/FAX 818-338-3549

Emergency Phone Num:800-255-3924/818-813-1234

CAGE:63017

=== Contractor Identification ===

Company Name:CONCORDE BATTERY CORP

Address:2009 SAN BERNARDINO RD

Box:City:WEST COVINA

State:CA

ZIP:91790-1006

Country:US

Phone:800-255-3924/818-813-1234

CAGE:63017

===== Composition/Information on Ingredients =====

Ingred Name:LEAD (SARA III)

CAS:7439-92-1

RTECS #:OF7525000

Fraction by Wt: 38.0%

Other REC Limits:NONE RECOMMENDED

O

SHA PEL:0.05 MG/M3;1910.1025
ACGIH TLV:0.15 MG/M3;DUST 9293
EPA Rpt Qty:1 LB
DOT Rpt Qty:1 LB

Ingred Name:SULFURIC ACID (SARA III)
CAS:7664-93-9
RTECS #:WS5600000
Fraction by Wt: 0.006%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:1 MG/M3
ACGIH TLV:1 MG/M3; 9293
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS

Ingred Name:LEAD OXIDE RED (PB3O4), TOTAL PERCENTAGE OF INGREDIENTS 3
AND 4 IS 60.0.
CAS:1314-41-6
RTECS #:OG5425000
Other REC Limits:NONE RECOMMENDED
OSHA PEL:0.05 MG/M3 AS PB
ACGIH TLV:0.1
5 MG/M3 AS PB

Ingred Name:LEAD OXIDE/LITHARGE
CAS:1317-36-8
RTECS #:OG1750000
Fraction by Wt: SEE # 3%
Other REC Limits:NONE RECOMMENDED

=====
===== Hazards Identification =====

LD50 LC50 Mixture:NONE WHILE DRY.
Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:YES OSHA:NO
Health Hazards Acute and Chronic:ACUTE AND CHRONIC- NOT TOXIC.
Explanation of Carcinogenicity:CONTAINS LEAD.
Effects of Overexposure:NONE
Medical Con
d Aggravated by Exposure:NOT RELEVANT

=====
===== First Aid Measures =====

First Aid:NONE.

=====
===== Fire Fighting Measures =====

Flash Point:NOT RELEVANT
Extinguishing Media:BATTERY CASE WILL BURN. USE DRY CHEMICAL
EXTINGUISHER. WATER MAY CAUSE SPATTERING OF THE MOLTEN LEAD.
Fire Fighting Procedures:WEAR PROTECTIVE CLOTHING AND NIOSH-APPROVED
SELF-CONTAINED BREATHING APPARATUS.
Unusual Fire/Explosion Hazard:BATTERY MAY EX

EXPLODE IF HYDROGEN GAS
TRAPPED INSIDE THE BATTERY CASE.

===== Accidental Release Measures =====

Spill Release Procedures:IF BROKEN, LEAD SHOULD BE VACUUMED. DO NOT DRY
SWEEP OR USE FORCED AIR.
Neutralizing Agent:SODA ASH

===== Handling and Storage =====

Handling and Storage Precautions:HANDLE WITH CARE.
Other Precautions:WASH HANDS BEFORE EATING OR DRINKING. KEEP OUT OF
REACH OF CHILDREN.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE REQUIRED. FOR DUST, FUME OR MIST, WEAR
NIOSH-APPROVED RESPIRATOR OR SELF-CONTAINED BREATHING APPARATUS.
Ventilation:ADEQUATE
Protective Gloves:RUBBER GLOVES IF BATTERY IS BROKEN.
Eye Protection:CHEMICAL GOGGLES
Other Protective Equipment:EYE WASH STATION, EMERGENCY SHOWER
Work Hygienic Practices:OBSERVE GOOD PERSONAL HYGIENE PRACTICES AND
RECOMMENDED PROCEDURES.
Supplemental Safety and Health
THE PRODUCT IS A SEALED, VALVE REGULATED, ABSORBED ELECTROLYTE BATTERY.

===== Physical/Chemical Properties =====

HCC:Z4
NRC/State Lic Num:NOT RELEVANT
Spec Gravity:NOT RELEVANT
Evaporation Rate & Reference:NOT RELEVANT
Solubility in Water:NOT RELEVANT
Appearance and Odor:BATTERY WITH ABSORBED ELECTROLYTE (SEALED VALVE
REGULATED)

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
Stability Condition to Avoid:EXCESSIVE HEAT

=

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH ALL LOCAL, STATE AND FEDERAL REGULATIONS. BOTH ELECTROLYTE AND SCRAP BATTERIES ARE REGULATED HAZARDOUS WASTE.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and

disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.