View NSN Online: https://aerobasegroup.com/nsn/9150-00-265-9405

Product ID: VV-C-846A TYPE I

MSDS Date:09/02/1991

FSC:9150

NIIN:00-265-9405

MSDS Number: BSDFC === Responsible Party ===

Company Name: UNI-KEM INTERNATIONAL CORPORATION/MFR OXYCHEM

Address:513 HICKORY AVENUE

City:HARAHAN

State:LA ZIP:70123 Country:US

Info Phone Num:504-738-1623/7

13-623-2246

Emergency Phone Num:504-738-1623/800-533-2246

CAGE:4S446

=== Contractor Identification ===

Company Name: UNI-KEM INTERNATIONAL Address: 1001 HARIMAW COURT EAST

Box:City:METAIRIE

State:LA ZIP:70001 Country:US

Phone:504-835-7600/FAX:504-835-7608

CAGE:4S446

======= Composition/Information on Ingredients ========

Ingred Name: THE MANUFACTURER STATES THAT NO HAZARDOUS INGREDIENTS ARE PRESENT IN THIS PRODUCT.

RTECS #:9999999ZZ Fraction by Wt: 100%

Other REC Limits: NONE SPEC

IFIED

========= Hazards Identification =============

LD50 LC50 Mixture:LD50 (ORAL RAT) IS >5000 MG/KG Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic: EYE: NOT EXPECTED TO CAUSE EYE

IRRITATION. BASED ON DATA FROM COMPONENT. SKIN: NOT EXPECTED TO CAUSE SKIN IRRITATION. BASED ON DATA FROM COMPONENT. OTHER:

UNKNOWN.

Explanation of Carcinogenicity: THIS COMPOUND CONTAINS NO IN

GREDIENTS AT CONCENTRATIONS OF 0.1% OR GREATER THAT ARE CARCINOGENS OR SUSPECT CARCINOGENS. Effects of Overexposure: NONE SPECIFIED BY MANUFACTURER. Medical Cond Aggravated by Exposure: NONE SPECIFIED BY MANUFACTURER. First Aid:SKIN: WASH WITH SOAP AND WATER. EYE: FLUSH WITH WATER FOR 15 MINUTES. INHALATION: REMOVE TO FRESH AIR. SEE PHYSICIAN IF IRRITATION PERSISTS. ORAL: CALL A PHYSICIAN. DO NOT INDUCE VOMI TING. Flash Point Method: PMCC Flash Point:212F,100C Extinguishing Media: CARBON DIOXIDE, DRY CHEMICAL, FOAM, WATER SPRAY, WATER FOG. Fire Fighting Procedures: WEAR SELF-CONTAINED BREATHING APPARATUS WITH FACE PIECE. Unusual Fire/Explosion Hazard: TOXIC FUMES MAY BE EVOLVED ON BURNING OR EXPOSURE TO HEAT. ======== Accidental Release Measures ============ Spill Release Procedures:TRANSFER BULK OF MI XTURE INTO ANOTHER CONTAINER. ABSORB RESIDUE WITH AN INERT MATERIAL SUCH AS EARTH, SAND OR VERMICULITE. SWEEP UP AND DISPOSE AS SOLID WASTE IN ACCORDANCE WITH LOCAL, STATE AND FEDER AL REGULATIONS. Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER.

============= Handling and Storage ==========================

Handling and Storage Precautions: DO NOT HANDLE OR STORE AT TEMPERATURES OVER MAXIMUM STORAGE TEMPERATURE: 38 DEGREES C (100 DEGREES F). Other Precautions: NONE

===== Exposure Controls/Personal Protection =======
Respiratory Protection:USE NIOSH/MSHA SERTIFIED RESPIRATOR WITH ORGANIC VAPOR CARTRIDGE.
Ventilation:IF USED IN APPICABLE WHERE A MIST MAY BE GENERATED, OBSERVE A TWA/PEL OF 5 MG/ME FOR MINERAL OIL MIST.
Protective Gloves:NEOPRENE TYPE. Eye Protection:CHEMICAL SAFETY GOGGLES.
Other Protective Equipment:NONE. Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING AND BEFORE
EATING, DRINKING RO SMOKING. Supplemental Safety
and Health NONE.
======== Physical/Chemical Properties =========
HCC:V6
======== Stability and Reactivity Data =========
Stability Indicator/Materials to Avoid:YES NONE SPECIFIED BY MANUFACTURER. Stability Condition to Avoid:HEAT AND HIGH TEMPERATURE. Hazardous Decomposition Products:NONE SPECIFIED BY MANUFACTURER.

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH ALL APPLICABLE

========= Disposal Considerations =================

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of th is information to their particular situation.

LOCAL, STATE AND FEDERAL REGULATIONS.