View NSN Online: https://aerobasegroup.com/nsn/6810-00-849-7812

SYBRON CHEMICALS INC -- IONAC NC-10 ION EXCHANGE COMPOUND -- 6810-00-849-7812

Product ID:IONAC NC-10 ION EXCHANGE COMPOUND

MSDS Date: 10/29/1988

FSC:6810

NIIN:00-849-7812

MSDS Number: BSDRJ === Responsible Party ===

Company Name: SYBRON CHEMICALS INC

Address:BIRMINGHAM RD

City:BIRMINGHAM

State:NJ ZIP:08011 Country:US

Info Phone Num:609-893-1100

Emergency Phone Num

:609-893-1100

Preparer's Name: MARKETING DEPT

CAGE:76465

=== Contractor Identification ===

Company Name: SYBRON CHEMICALS INC, SUB OF SYBRON CORP

Address:BIRMINGHAM RD

Box:66

City:BIRMINGHAM

State:NJ ZIP:08011 Country:US

Phone:609-893-1100

CAGE:76465

======= Composition/Information on Ingredients ========

Ingred Name: SULFONATED COPOLYMER OF STYRENE AND DIVINYLBENZENE IN

HYDROGEN FORM

CAS:69011-20-7

Fraction by Wt: 50-60%

Other REC Limits: NONE SPECIFIED

Ingred Name:WATER

CAS:7732

-18-5 RTECS #:ZC0110000 Fraction by Wt: 40-50% Other REC Limits: NONE SPECIFIED LD50 LC50 Mixture: NOT SPECIFIED BY MANUFACTURER. Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:ACUTE/CHRONIC:CAN PRODUCE MECHANICAL IRRITATION TO THE EYE. MAY CAUSE SKIN IRRITATION OF HYPERSENSITIVE PERSONNEL. Explanation of Carcinogenicity:THIS C OMPOUND CONTAINS NO INGREDIENTS AT CONCENTRATIONS OF 0.1% OR GREATER THAT ARE CARCINOGENS OR SUSPECT CARCINOGENS. Effects of Overexposure: RED, IRRITATED EYES, ITCHING & FEELING THAT A PARTICLE EXISTS BETWEEN THE EYELID & EYE. Medical Cond Aggravated by Exposure: NONE SPECIFIED BY MANUFACTURER. First Aid:SKIN: WASH AFFECTED AREA THOROUGHLY WITH SOAP AND WATER. IF IRRITATION PERSISTS, GET MEDICAL ATTENTION. EYES: FLUSH WITH LARGE AMOUNTS OF WATER FOR 15 MINUTES. GET MEDICAL ATTENTION. Flash Point: NONFLAMMABLE Lower Limits: NOT GIVEN Upper Limits:NOT GIVEN Extinguishing Media: DRY CHEMICAL, CARBON DIOXIDE OR WATER FOG. Fire Fighting Procedures: WEAR NIOSH/MSHA APPROVED SCBA & FULL PROTECTIVE EQUIPMENT. GUARD AGAINST CONTACT OF PRODUCT WITH EYE DURING SALVAGE OPERATION. Unusual Fire/Explosion Hazard: NONE SPECIFIED BY MANUFACTU RER. ======== Accidental Release Measures ============ Spill Release Procedures: SWEEP AREA OF PRODUCT, COLLECTING IN A

Spill Release Procedures:SWEEP AREA OF PRODUCT, COLLECTING IN A CONTAINER FOR DISPOSAL. AREAS OF SPILL CAN BECOME EXTREMELY SLIPPERY. ALL NORMAL SAFETY PRECAUTIONS SHOULD BE OBSERVED. Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

============ Handling and Storage ===========================

Handling and Storage Precautions: AVOID FREEZING/PROLONGED STORAGE >50C; PRODUCT CONTAINS WATER WHICH WILL FR

EEZE & DAMAGE PRODUCT. DRY-OUT ALSO DAMAGING TO PRODUCT. AVOID FREEZING.

Other Precautions:AVOID PACKING PRODUCT IN UNPROTECTED GLASS COLUMN. EXPANSION OF PRODUCT CAN CAUSE GLASS COLUMN TO SHATTER.

===== Exposure Controls/Personal Protection ========

Respiratory Protection:IF VENTILATION DOES NOT MAINTAIN INHALATION EXOSURES BELOW PEL (TLV), USE NIOSH/MSHA APPROVED RESPIRATOR AS PER CURRENT 29 CFR 1910.134, INSTRUCTIONS/WARNINGS AND NIOSH RESPIRATOR SELECTION

•

Ventilation: NONE SPECIFIED BY MANUFACTURER.

Protective Gloves: IMPERVIOUS GLOVES.

Eye Protection: CHEMICAL WORKERS GOGGLES

Other Protective Equipment:LONG SLEEVE SHIRTS & LONG TROUSERS IS RECOMMENDED TO PREVENT SKIN CONTACT.

Work Hygienic Practices:WASH WITH SOAP AND WATER AFTER HANDLING PRODUCT AND BEFORE EATING DRINKING OR SMOKING.

Supplemental Safety and Health

PRODUCT HAS TENDENCY TO CLING TO SKIN DUE TO STATIC CHARGE. CARE MUST BE EXERCISED TO REMOVE ALL PRODUCT FROM SKIN. WHEN

TRANSFERRING

PRODUCT TO OTHER CONTAINERS VIA HYDRAULIC (WATER) SLURRY ALL SAFET Y PRACTICES ESTABLISHED FOR USE OF WATER IN THE WORK SPACE MUST BE OBSERVED.

========= Physical/Chemical Properties =============

HCC:N1

Boiling Pt:B.P. Text:NOT GIVEN Melt/Freeze Pt:M.P/F.P Text:32F,0C

Vapor Pres:17 Vapor Density:0.62 Spec Gravity:1.3

pH:6-9

Evaporation Rate & Reference:1 (H2O=1)

Solubility in Water: INSOLUBLE

Appearance and Odor: SOLID SPHERICAL BEADS; ODORLESS.

===

Stability Indicator/Materials to Avoid:YES	
STRONG OXIDIZING AGENTS SUCH AS NITRIC ACID.	
Stability Condition to Avoid:AT TEMPERATURES > 204C DECOMPOSITION	
OCCURS. EXPLOSIVE REACTIONS CAN OCCUR IN THE PRESENCE OF	F STRONG
OXIDIZING AGENTS.	

Hazardous Decomposition Products: CARBON MONOXIDE, CARBON DIOXIDE, STYRENE, DIVINYLBENZENE.

======= Stability and Reactivity Data ==========

======= Disposal Considerations ===========

Waste Disposal Methods:PRE

VENT WASTE FROM CONTAMINATING SURROUNDING ENVIRONMENT. DISCARD ANY PRODUCT, RESIDUE, DISPOSAL CONTAINER OR LINER IN ACCORDANCE WITH ALL FEDERAL, STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use.

Any person utilizing this

document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.