View NSN Online: https://aerobasegroup.com/nsn/6850-01-237-7482

MCGEAN-ROHCO INC,CEE-BEE CHEMICAL DIV -- CEE-BEE CLEANER R-681 -- 6850-01-237-7482

Product ID:CEE-BEE CLEANER R-681

MSDS Date:06/01/1992

FSC:6850

NIIN:01-237-7482

MSDS Number: BSFLK === Responsible Party ===

Company Name: MCGEAN-ROHCO INC, CEE-BEE CHEMICAL DIV

Address:9520 E CEE BEE DR

City:DOWNEY

State:CA

ZIP:90241-5501 Country:US

Info Phone Num:216-441-4900

Emer

gency Phone Num:216-441-4900 800-424-9300(CHEMTREC)

Preparer's Name: TSCA COORDINATOR

CAGE:71361

=== Contractor Identification ===

Company Name: MCGEAN-ROHCO INC

Address:9520 E CEE BEE DR

Box:City:DOWNEY

State:CA

ZIP:90241-5501

Country:US

Phone: 562-803-4311/FAX: 562-803-6701

CAGE:71361

======= Composition/Information on Ingredients ========

Ingred Name: NAPHTHA (PETROLEUM SPIRITS OR BENZIN)

CAS:8030-30-6

RTECS #:DE3030000 Fraction by Wt: 10-15%

Other REC Limits: NONE RECOMMENDED

OSHA

PEL:100 PPM ACGIH TLV:300 PPM Ingred Name:2-BUTOXYETHANOL CAS:111-76-2 RTECS #:KJ8575000 Fraction by Wt: 5-10% Other REC Limits: NONE RECOMMENDED OSHA PEL:S, 50 PPM ACGIH TLV:S, 25 PPM; 9293 ============ Hazards Identification ================== LD50 LC50 Mixture:LD50 ORAL RAT=470MG/KG BUTOXYETHANOL Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic: INHAL: PRIMARY ROUTE OF **ENTRY:IRRITAN** T.SKIN:IRRITANT.EYES:IRRITANT.INGEST:MAY CAUSE LUNG DAMAGE IF VOMITED AFTER SWALLOWING.MODERATELY TOXIC(BUTOXYETHANOL). Explanation of Carcinogenicity: ETHYLENE GLYCOL MONOBUTYL ETHER HAS BEEN INVESTIGATED BY RTECS AS A TUMORIGEN AND REPRODUCTIVE EFFECTOR. Effects of Overexposure: INHAL: DIZZINESS. Medical Cond Aggravated by Exposure: PERSONS WITH PRE-EXISTING RESPIRATORY AILMENTS MAY BE AT INCREASED RISK FROM EXPOSURE. First Aid: IN ALL CASES, IF SYMPTOMS PERSIST, SEEK MEDICAL ASSISTANCE.EYES:FLUSH WITH WATER FOR 15 MINUTES.SKIN:REMOVE CONTAMINATED CLOTHING; WASH WITH WATER. INHAL: REMOVE FROM

EXPOSURE.INGEST:DO NOT INDUCE VOMITING .GET PROMPT QUALIFIED MEDICAL ASSISTANCE.

Flash Point Method:TCC Flash Point:>150F.66C

Extinguishing Media:WATER FOG, CARBON DIOXIDE, FOAM.

Fire Fighting Procedures: WEAR FIRE FIGHTING PROTECTIVE EQUI

PMENT AND A FULL FACED SELF CONTAINED BREATHING APPARATUS. EVACUATE AREA. COOL FIRE EXPOSED CONTAINERS WITH WATER SPRAY. Unusual Fire/Explosion Hazard: COMBUSTION OR HEAT OF FIRE MAY PRODUCE HAZARDOUS DECOMPOSITION PRODUCTS AND VAPORS.CONTAINERS MAY RUPTURE FROM HEAT OF FIRE. ======== Accidental Release Measures ============ Spill Release Procedures: USE PROPER PROTECTIVE EQUIPMENT. SOAK UP WITH INERT ABSORBANT(EG.CLAY).PUT IN A DOT APPROVED CONTAINER FOR DISPOSAL.WASH SPILL AREA TO AVOID SLIPPERINESS. Neutralizing Agent:NONE ============= Handling and Storage ========================== Handling and Storage Precautions: STORE IN COOL, DRY AND WELL VENTILATED AREA. KEEP CONTAINER CLOSED WHEN NOT IN USE. Other Precautions: DO NOT BREATHE VAPORS. WASH THOROUGHLY AFTER EACH USE. ===== Exposure Controls/Personal Protection ======== Respiratory Protection: WHERE ENVIRONMENTAL CONTROLS ARE LACKING OR IN **ENCLOSED SPACES USE A** NIOSH APPROVED RESPIRATOR(VAPOR/MIST). Ventilation:LOCAL VENTILATION AT THE WORKSITE;MECHANICAL(GENERAL) VENTILATION TO MAINTAIN TLV/PEL. Protective Gloves: RUBBER. Eye Protection: CHEMICAL GOGGLES. Other Protective Equipment: CLOTHING AS NEED TO PREVENT SKIN CONTACT. Work Hygienic Practices: WASH HANDS. SEPERATE WORK CLOTHES FROM STREET CLOTHES.LAUNDER WORK CLOTHES BEFORE REUSE.KEEP FOOD OUT OF THE WORK AREA. Supplemental Safety and Health NONE ======== Physical/Chemical Pro

perties =========

Boiling Pt:B.P. Text:208F,98C

Evaporation Rate & Deference:

HCC:V4

pH:9-10

Spec Gravity: 1.0