

KENYON CONSUMER PRODUCTS -- SEAM SEALANT 2,K-KOTE SEAM SEALER,83-234 C --
8030-01-350-4984

=====
===== Product Identification =====

Product ID:SEAM SEALANT 2,K-KOTE SEAM SEALER,83-234 C

MSDS Date:07/01/1984

FSC:8030

NIIN:01-350-4984

MSDS Number: BSFMN

=== Responsible Party ===

Company Name:KENYON CONSUMER PRODUCTS

Box:3715

City:PEACE DALE

State:RI

ZIP:02883

Country:US

Info Phone Num:401-792-3704

Emerge

ncy Phone Num:401-792-3704

CAGE:0R6N1

=== Contractor Identification ===

Company Name:KENYON CONSUMER PRODUCTS

Box:City:PEACE DALE

State:RI

ZIP:02883

Country:US

Phone:401-792-3704

CAGE:0R6N1

=====
===== Composition/Information on Ingredients =====

Ingred Name:TOLUENE (SARA III)

CAS:108-88-3

RTECS #:XS5250000

Other REC Limits:NONE RECOMMENDED

OSHA PEL:200 PPM/150 STEL

ACGIH TLV:50 PPM; 9293

EPA Rpt Qty:1000 LBS

DOT Rpt Qty:1000 LBS

Ingred Name:ISOPROPYL ALCOHOL (SARA III)

CAS:67-6

3-0
RTECS #:NT8050000
Other REC Limits:NONE RECOMMENDED
OSHA PEL:400 PPM/500 STEL
ACGIH TLV:400 PPM/500STEL;9293

Ingred Name:METHYL ETHYL KETONE (2-BUTANONE) (MEK) (SARA III)
CAS:78-93-3
RTECS #:EL6475000
Other REC Limits:NONE RECOMMENDED
OSHA PEL:200 PPM/300 STEL
ACGIH TLV:200 PPM/300STEL 9293
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO
Reports of Carcinogenicity:NTP:NO
IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ACUTE- EXCESSIVE INHALATION MAY CAUSE
RESPIRATORY TRACT IRRITATION & CNS EFFECTS. PROLONGED/REPEATED SKIN
CONTACT MAY CAUSE DEFATTING. EYE CONTACT MAY CAUSE IRRITATION.
HARMFUL IF INGESTED. CHRONIC- S KIN DEFATTING. TARGET ORGANS:LUNGS,
SKIN, EYES.

Explanation of Carcinogenicity:NONE

Effects of Overexposure:EYES, SKIN, RESPIRATORY AND GASTROINTESTINAL
TRACT IRRITATION, DIZZINESS, HEADACHE, NAUSEA, SKIN DEFATTING,
REDNESS
OF EYES

Medical Cond Aggravated by Exposure:PERSONS WITH CHRONIC RESPIRATORY OR
SKIN DISEASES MAY BE AT AN INCREASED RISK FROM EXPOSURE.

===== First Aid Measures =====

First Aid:GET MEDICAL HELP IF SYMPTOMS PERSIST. INHALATION:REMOVE TO
FRESH AIR. PROVIDE CPR IF NEEDED. EYES:FLUSH WITH WATER FOR 15
MINUTES, HOLDING EYELIDS OPEN. SKIN:WASH WITH SOAP & WATER.
INGESTION:DO NOT I NDUCE VOMITING. GET MEDICAL ATTENTION.

===== F

Fire Fighting Measures =====

Flash Point Method:CC

Flash Point:45.0F,7.2C

Extinguishing Media:CARBON DIOXIDE, FOAM OR DRY CHEMICAL. WATER SPRAY MAY BE USED TO KEEP FIRE EXPOSED CONTAINERS COOL & FLUSH SPILLS AWAY.

Fire Fighting Procedures:WEAR FULL PROTECTIVE CLOTHING AND NIOSH-APPROVED SELF-CONTAINED BREATHING APPARATUS OPERATED IN THE POSITIVE PRESSURE MODE.

===== Accidental Release Measures =====

Spill Release Procedures:WEAR PROTECTIVE EQUIPMENT. ELIMINATE SOURCES OF IGNITION. VENTILATE AREA. CONTAIN SPILL. PICK UP SPILL WITH NON-FLAMMABLE ABSORBENT MATERIAL. PLACE IN CONTAINER FOR DISPOSAL. PREVENT LIQUID FROM ENTERING SEWERS, WATERWAYS OR LOW AREAS.
Neutralizing Agent:NOT RELEVANT

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN COOL, VENTILATED AREA AWAY FROM HEAT, SPARKS, OTHER SOURCES OF IGNITION.

Other Precautions:AVOID BREATHING VAPOR

. AVOID CONTACT WITH EYES &

SKIN. STORE IN TIGHTLY CLOSED CONTAINERS. FOR INDUSTRIAL USE ONLY. VAPORS CAN BE IGNITED EASILY. UTILIZE PERSONAL PROTECTIVE EQUIPMENT WHEN HANDLING PRODUCT. KEEP OUT OF REACH OF CHILDREN.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:IF EXPOSURE MAY OR DOES EXCEED RECOMMENDED PERMISSIBLE EXPOSURE LIMITS (PEL), WEAR NIOSH-APPROVED RESPIRATORY PROTECTION.

Ventilation:MECHANICAL (GENERAL AND/OR LOCAL EXHAUST, EXPLOSION-PROOF)

VENTILATION TO MAINTAIN EXPOSURE BELOW TLV(S).

Protective Gloves:RUBBER IF EXCESSIVE CONTACT MAY OCCUR.

Eye Protection:CHEMICAL SAFETY GOGGLES (IF SPLASHING)

Other Protective Equipment:SAFETY SHOWER AND EYE WASH FOUNTAIN SHOULD BE LOCATED NEARBY.

Work Hygienic Practices:WASH THOROUGHLY WITH SOAP AND WATER AFTER HANDLING. DO NOT WEAR CONTAMINATED CLOTHING OR FOOTWEAR.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

=====

HCC:F2
NRC/State Lic Num:NOT RELEVANT
Boiling Pt:B.P. Text:180F,82C
Spec Gravity:0.9012
Solubility in Water:INSOLUBLE
Appearance and Odor:CLEAR LIQUID
Percent Volatiles by Volume:82

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
Stability Condition to Avoid:EXCESSIVE HEAT, SPARKS AND OTHER SOURCES
OF IGNITION
Hazardous Decomposition Products:CARBON MONOXIDE, CARBON DIOXIDE MAY BE
FORMED.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH ALL LOCAL, STATE
AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.