

INLAND VACUUM INDUSTRIES INC -- PRECISION B,LUB OIL/MIL-L-83767,VSS MP-43,405500 --  
9150-00-273-8664

===== Product Identification =====

Product ID:PRECISION B,LUB OIL/MIL-L-83767,VSS MP-43,405500

MSDS Date:01/12/1996

FSC:9150

NIIN:00-273-8664

MSDS Number: BSGDX

=== Responsible Party ===

Company Name:INLAND VACUUM INDUSTRIES INC

Address:35 HOWARD AVE

Box:373-T

City:CHURCHVILLE

State:NY

ZIP:14428

C

Country:US

Info Phone Num:716-293-3330

Emergency Phone Num:716-293-3330/800-644-4829 X6186;EVE

Preparer's Name:MARC C. TARPLEE

CAGE:59256

=== Contractor Identification ===

Company Name:EMULTEC INC

Address:1150 HAYDEN DR SUITE 100

Box:City:CARROLLTON

State:TX

ZIP:75006

Country:US

Phone:972-417-1288

CAGE:0HD15

Company Name:EMULTEC INDUSTRIAL PRODUCTS INC

Address:1150 HAYDEN DR SUITE 100

Box:City:CHARROLLTON

State:TX

ZIP:75006

Country:US

Phone:972-417-1288

CAGE:0WA27

Company Name:INLAND VACUUM INDUS

TRIES INC  
Address:35 HOWARD AVE  
Box:373  
City:CHURCHVILLE  
State:NY  
ZIP:14428  
Country:US  
Phone:716-293-3330  
CAGE:59256

=====  
Composition/Information on Ingredients  
=====

Ingred Name:SOLVENT REFINED NEUTRAL PARAFFINIC OIL/MINERAL OIL,  
PETROLEUM DISTILLATE, SOLVENT DEWAXED (SEVERE), HEAVY PARAFFINIC  
CAS:64742-65-0  
RTECS #:PY8038501  
Fraction by Wt: 100%  
Other REC Limits:NONE RECOMMENDED  
OSHA PEL:5 MG/M3 AS OIL MIST  
ACGIH TLV:5 MG/M3 AS OIL MIST

=====  
Hazards  
Identification  
=====

LD50 LC50 Mixture:TLV FOR OIL MIST IS 5 MG/M3.  
Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:TARGET ORGANS:EYE, SKIN, RESPIRATORY  
TRACT. ACUTE- MAY CAUSE EYE IRRITATION. PROLONGED/REPEATED SKIN  
CONTACT MAY CAUSE IRRITATION. INHALATION OF VAPORS/OIL MIST MAY  
CAUSE NAUSEA AND EYE IRRITATION. AC CIDENTAL INGESTION MAY CAUSE  
IRRITATIONOF DIGESTIVE TRAC  
T. CHRONIC- UNKNOWN.  
Explanation of Carcinogenicity:NONE  
Effects of Overexposure:IRRITATION, NAUSEA, TEARING

=====  
First Aid Measures  
=====

First Aid:GET MEDICAL HELP IF SYMPTOMS PERSIST. INHALED:MOVE TO FRESH  
AIR. EYES:FLUSH WITH PLENTY OF WATER, HOLDING EYELIDS OPEN.  
SKIN:WASH WITH SOAP & WATER. ORAL:IF CONSCIOUS, WASH OUT MOUTH WITH  
WATER. CALL PHYSICIAN.

=====  
Fire Fighting Measures  
=====

Flash Point Met

hod:COC

Flash Point:>446F,>230C

Extinguishing Media:USE CARBON DIOXIDE, FOAM/DRY CHEMICAL.

Fire Fighting Procedures:WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND NIOSH-APPROVED SELF CONTAINED BREATHING APPARATUS. COOL FIRE EXPOSED CONTAINERS WITH WATER SPRAY.

Unusual Fire/Explosion Hazard:NONE

===== Accidental Release Measures =====

Spill Release Procedures:WEAR PROTECTIVE EQUIPMENT. PROVIDE ADEQUATE VENTILATION. REMOVE SPILL WITH INERT ABSORBENT SUCH AS SAND, CLAY, EARTH. TRANSFER TO PROPER CONTAINERS FOR DISPOSAL. PREVENT RUN-OFF TO ENTER SEWERS OR WATERWAYS. REPORT SPILLS AS REQUIRED TO AUTHORITIES.

Neutralizing Agent:NOT RELEVANT

===== Handling and Storage =====

Handling and Storage Precautions:STORE AWAY FROM HIGH HEAT & STRONG OXIDANTS. KEEP CONTAINERS CLOSED WHEN NOT IN USE. KEEP OUT OF REACH OF CHILDREN.

Other Precautions:DO NOT GET IN EYES, ON SKIN OR ON CLOTHING. WASH THOROUGHLY AFTER HANDLING. AVOID BREATHING OIL MIST. DISCARD LUBRICANT-SOAKED SHOES. REMOVE LUBRICANT-SOAKED CLOTHING AND LAUNDRY BEFORE RE-USE.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE NORMALLY NEEDED. IF WORKING IN CONFINED AREAS, IF EXCESSIVE MISTING IS EXPECTED OR IF EXPOSURE MAY OR DOES EXCEED RECOMMENDED PERMISSIBLE EXPOSURE LIMITS, WEAR NIOSH-APPROVED ORGANIC VAPOR AND MIST RESPIRATOR (REFER TO 29 CFR 1910.134)

Ventilation:USE ADEQUATE VENTILATION TO KEEP OIL MISTS OF THIS MATERIAL BELOW APPLICABLE STANDARD(S).

Protective Gloves:NITRILE/NEOPRENE FOR REPEATED CONTACT

Eye Protection:SAFETY GLASSES, FACE SHIELD RECOMMENDED

Other Protective Equipment:EYE WASH STATION AND SAFETY SHOWER. INDUSTRIAL-TYPE WORK CLOTHING AND APRON AS REQUIRED.

Work Hygienic Practices:OBSERVE GOOD PERSONAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES.

Supplemental Safety and Health

===== Physical/Chemical Prop

erties =====

HCC:V6

NRC/State Lic Num:NOT RELEVANT

Boiling Pt:B.P. Text:>392F,>200C

Vapor Pres: