

CARGILL INC -- DYN-O-MELT -- 6850-01-377-8445

=====
Product Identification
=====

Product ID:DYN-O-MELT

MSDS Date:07/01/1993

FSC:6850

NIIN:01-377-8445

MSDS Number: BSGKF

=== Responsible Party ===

Company Name:CARGILL INC

Box:5621

City:MINNEAPOLIS

State:MN

ZIP:55440

Country:US

Info Phone Num:612-742-6581/332-8203

Emergency Phone Num:612-742-6581/476-1127/510-791-0775

CAGE:96162

=== Contractor Ident

ification ===

Company Name:CARGILL INC

Address:15407 MCGINTY RD

Box:9300

City:MINNEAPOLIS

State:MN

ZIP:55440

Country:US

Phone:612-332-8203

CAGE:96162

Company Name:HEROD SEEDS INC

Address:201 HULL STREET

Box:City:RICHMOND

State:VA

ZIP:23224-4241

Country:US

Phone:804-233-7683

CAGE:4S230

=====
Composition/Information on Ingredients
=====

Ingred Name:SODIUM CHLORIDE

CAS:7647-14-5

RTECS #:VZ4725000

Other REC Limits:NONE RECOMMENDED

Ingred Name:MAGNESIUM CHLORIDE, ANHYDROUS

CAS:77

86-30-3
RTECS #:OM2800000
Other REC Limits:NONE RECOMMENDED

Ingred Name:SODIUM PHOSPHATE, MONOBASIC
CAS:7558-80-7
RTECS #:WA1900000
Other REC Limits:NONE RECOMMENDED

Ingred Name:THE MANUFACTURER STATES THAT NO HAZARDOUS INGREDIENTS ARE
PRESENT IN THIS PRODUCT.
RTECS #:9999999ZZ
Other REC Limits:NONE RECOMMENDED

=====
===== Hazards Identification =====

Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health

Health Hazards Acute and Chronic:ACUTE: EXPOSURE MAY CAUSE EYE, SKIN,
GI & RESPIRATORY TRACT IRRITATION. CHRONIC: NO APPLICABLE
INFORMATION FOUND FOR CHRONIC SYSTEMIC EFFECTS.

Explanation of Carcinogenicity:NO INGREDIENT OF A CONCENTRATION OF 0.1%
OR GREATER IS LISTED AS A CARCINOGEN OR SUSPECTED CARCINOGEN.

Effects of Overexposure:INHALED: COUGHING, SNEEZING, WHEEZING. EYES:
REDNESS, TEARING, BURNING SENSATION. SKIN: REDNESS, DISCOMFORT.
INGESTION: NAUSEA, VOMITING.

Medical Cond

Aggravated by Exposure:IN CONFIRMED CASES OF HYPERTENSION;
INGESTION MAY RESULT IN ELEVATED BLOOD PRESSURE. THIS APPLIES ONLY
TO SALT-SENSITIVE INDIVIDUALS.

=====
===== First Aid Measures =====

First Aid:INHALED: REMOVE TO FRESH AIR. EYES: FLUSH WITH LOTS OF WATER
IMMEDIATELY, LIFTING EYELIDS OCCASIONALLY. SKIN: REMOVE CLOTHING.
WASH SKIN THOROUGHLY. RINSE CAREFULLY. INGESTED: FOR LARGE AMOUNTS
AND IF CONSCIOUS; DRINK LARGE AMOUNTS OF WATER
OR MILK.

=====
===== Fire Fighting Measures =====

Flash Point:NONE
Extinguishing Media:MEDIA APPROPRIATE FOR SURROUNDING FIRE.
Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS.
Unusual Fire/Explosion Hazard:NONE

=====
===== Accidental Release Measures =====

Spill Release Procedures:CONTAIN SPILLS TO PREVENT CONTAMINATION OF
WATER SUPPLY OR SANITARY SEWER SYSTEM. VACUUM OR SWEEP INTO
CONTAINERS FOR PROPER DISPOSAL.

Neu

tralizing Agent:NONE SPECIFIED BY MANUFACTURER.

=====
===== Handling and Storage =====

Handling and Storage Precautions:AVOID WET OR HUMID CONDITIONS AS
PRODUCT WILL CAKE AND BECOME HARD. STORE IN A COOL, DRY AREA AWAY
FROM STRONG MINERAL ACIDS.

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:IF ENGINEERING CONTROLS FAIL OR NON-ROUTINE USE
OR EMERGENCY OCCURS; USE NIOSH/MSHA APPROVED RESPIRATOR FOR DUST.

USE IN ACCORDANCE WITH 29 CFR 1910.134.

Ventilation:VENTILATE AS REQUIRED TO MAINTAIN AIRBORNE PARTICULATES
BELOW OCCUPATIONAL EXPOSURE LIMITS.

Protective Gloves:NORMAL WORK GLOVES ARE ADEQUATE.

Eye Protection:SAFETY GLASSES/GOGGLES IN DUSTY AREAS.

Other Protective Equipment:PROTECTIVE CLOTHING MAY BE WORN IN DUSTY
AREAS, BUT IS GENERALLY NOT REQUIRED.

Work Hygienic Practices:WARM WATER SHOWERING AND HANDWASHING IS
SUGGESTED AFTER WORKING IN EXTREMELY DUSTY AREAS.

Supplemental Safety
and Health

=====
===== Physical/Chemical Properties =====

HCC:N1

NRC/State Lic Num:NOT RELEVANT

Spec Gravity:1.25 (WATER=1)

Viscosity:NOT RELEVANT

Evaporation Rate & Reference:N/K (N-BUTYL ACETATE=1)

Solubility in Water:APPRECIABLE

Appearance and Odor:MIXTURE OF WHITE OR CLEAR SOLIDS.

=====
===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG MINERAL ACIDS

Stability Condition to Avoid:CONTACT WITH STRONG M

INERAL ACIDS.

Hazardous Decomposition Products:MAY EVOLVE CHLORINE GAS WHEN IN CONTACT WITH STRONG ACIDS. HYDROGEN CHLORIDE GAS AT TEMPERATURES ABOVE 1400F.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.