

INLAND TECHNOLOGY INC -- EP 921 PRODUCT NO:FE921 -- 6850-01-381-3300

===== Product Identification =====

Product ID:EP 921 PRODUCT NO:FE921
MSDS Date:09/29/1994
FSC:6850
NIIN:01-381-3300
MSDS Number: BSGMB
=== Responsible Party ===
Company Name:INLAND TECHNOLOGY INC
Address:401 E. 27TH ST
City:TACOMA
State:WA
ZIP:98424-1203
Country:US
Info Phone Num:206-922-8932/800-552-3100
Emergency Phone Num:800-255-3924/800-552-3100
Preparer's Name:MSDS 2151
CAGE:0K209
=== Contractor Identification ===
Address:401 E 27TH STREET
Box:City:TACOMA
State:WA
ZIP:98421-1203
Country:US
Phone:800-552-3100/253-383-1177
CAGE:0K209

===== Composition/Information on Ingredients =====

Ingred Name:PROPYLENE CARBONATE
CAS:108-32-7
RTECS #:FF9650000
Other REC Limits:NONE RECOMMENDED

Ingred Name:D-LIMONENE
CAS:5989-27-5
RTECS #:GW6360000
Other REC Limits:NONE RECOMMENDED

===== Haz

ards Identification =====

Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:ACUTE:PRODUCT CONTACTING EYES MAY CAUSE EYE IRRITATION. PROLONGED SKIN CONTACT MAY CAUSE REDNESS & IRRITATION. SWALLOWING LARGE AMTS CAN CAUSE GASTROINTESTINAL DISTURBANCES. CHRONIC:PROLONGE OR REPEATED SKIN EXPOSURE CAN LEAD TO MILD IRRITATION, DEFATTING, DERMATITIS.

Explanation of Carcinogenicity:PER MSDS:CARCINOGENIC INGREDIENTS:NONE KNOWN.

Effects of Overexposure:EYE IRRITATION. SKIN:REDNESS, IRRITATION, DEFATTING DERMATITIS. GASTROINTESTINAL DISTURBANCES.

Medical Cond Aggravated by Exposure:NONE KNOWN.

===== First Aid Measures =====

First Aid:EYE:FLUSH W/WATER FOR @LEAST 15MINS OR TIL IRRIT SUBSIDES. IF IRRIT PERSISTS CALL DOCTOR. SKIN:WASH THOROUGHLY W/SOAP & WATER. IF IRRIT DEVELOPS CONSULT PHYSICIAN. INHAL:IF OVERCOME BY VA
POR/MIST REMOVE TO FRESH AIR & ASSIST BREATHING AS NECESSARY.
INGEST:DO NOT INDUCE VOMITING. SEEK MED ATTN. IF CONDITIONS PERSIST GET MED ATTN.

===== Fire Fighting Measures =====

Flash Point Method:PMCC
Flash Point:146F,63C
Autoignition Temp:Autoignition Temp Text:460F
Lower Limits:0.7
Upper Limits:6.1
Extinguishing Media:REGULAR FOAM, DRY CHEMICAL, CARBON DIOXIDE
Fire Fighting Procedures:WEAR POSITIVE-PRESSURE SELF-CONTAINED BREATHING APPARATUS.
COOL CONTAINER WITH SPRAY IF POSSIBLE.
Unusual Fire/Explosion Hazard:AUTO IGNITION TEMPERATURE APPROXIMATELY 460F.

===== Accidental Release Measures =====

Spill Release Procedures:STOP LEAK AT ONCE. CONTAIN & COLLECT MATERIAL. ABSORB RESIDUE.
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:USE & STORE AWAY FROM HEAT, SPARKS, OPEN FLAMES. KEEP CONTAINED

R SEALED WHEN NOT IN USE.

Other Precautions:DO NOT HAVE FOOD OR DRINK IN THE VICINITY. MINIMIZE BREATHING VAPOR OR MIST. AVOID PROLONGED OR REPEATED CONTACT WITH SKIN.

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:APPROVED ORGANIC RESPIRATOR IF EXCESSIVE MIST/VAPORS ARE CREATED.

Ventilation:USE MECH VENTILATION WHENEVER PRODUCT IS USED IN CONFINED SPACE,ATOMIZED,HEATED,AGITATED.ENGINERRING CNTNRLS:LIMIT EXPO.

Protective Gloves:SOLVENT RESISTENT GLOVES

Eye Protection:SPLASH GOGGLES OR FACE SHIELDS

Other Protective Equipment:BOOTS,COVERALLS,APRONS AS NECESSARY TO PREVENT SKIN CONTACT.

Work Hygienic Practices:READ/UNDERSTAND ALL CAUTIONS/LABELS/MSDS BEF USING ANY CHEM PRODUCT.WASH CONTAMINATED CLOTHING BEF REUSE.

Supplemental Safety and Health

HMIS RECENTLY CONTACTED THE MANUFACTURER;THEY CAN SUPPLY THE USER WITH AN INFORMATION SHEET OF TIPS FOR IMPROVING THE EFFECTIVENESS OF THIS PRODUCT.

=====
===== P
===== Physical/Chemical Properties =====

HCC:V4

Boiling Pt:B.P. Text:340F,171C

Vapor Pres:4.7

Spec Gravity:0.98

Evaporation Rate & Reference: