

INLAND TECHNOLOGY INC -- SKYSOL 100, PN:FS100 -- 6850-01-381-4401
===== Product Identification =====

Product ID:SKYSOL 100, PN:FS100
MSDS Date:10/13/1994
FSC:6850
NIIN:01-381-4401
MSDS Number: BSGMJ
=== Responsible Party ===
Company Name:INLAND TECHNOLOGY INC
Address:2612 PACIFIC HWY E NO C
City:TACOMA
State:WA
ZIP:98424-1045
Country:US
Info Phone Num:206-922-8932
Emergency Phone Num:206-922-8932

CAGE:0K209
=== Contractor Identification ===
Address:401 E 27TH STREET
Box:City:TACOMA
State:WA
ZIP:98421-1203
Country:US
Phone:800-552-3100/253-383-1177
CAGE:0K209

===== Composition/Information on Ingredients =====

Ingred Name:MINERAL SPIRITS (C12-C13 PARAFFINIC HYDROCARBONS)
CAS:64475-85-0
RTECS #:PY8240000
Other REC Limits:NONE RECOMMENDED

Ingred Name:D-LIMONENE
CAS:5989-27-5
RTECS #:GW6360000
Other REC Limits:NONE RECOMMENDED

===== Hazards Identificati

on =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:ACUTE:PRODUCT CONTACTING THE EYES MAY CAUSE EYE IRRITATION. LOW ORDER ACUTE ORAL AND DERMAL TOXICITY. CHRONIC:PROLONGED OR REPEATED EXPOSURE CAN LEAD TO MILD IRRITATION, DEFATTING AND DERMATITIS.
Explanation of Carcinogenicity:PER MSDS:CARCINOGENIC INGREDIETNS:NONE.
Effects of Overexposure:EYE IRRITATION. LOW ORDER ACUTE ORAL & DERMAL TOXICITY. SKIN:MILD IRRIT, DEFATTING, DERMATITIS.
Medical Cond Aggravated by Exposure:SKIN CONTACT MAY AGGRAVATE EXISTING DERMATITIS.

===== First Aid Measures =====

First Aid:EYE:IF SPLASHED INTO EYES FLUSH W/WATER FOR @LEAST 15MINS OR TIL IRRIT SUBSIDES. IRRIT PERSISTS CALL DOCTOR. SKIN:IN CASE OF SKIN CONTACT REMOVE ANY COTNAMINATED CLOTHING & WASH SKIN THOROUGHLY W/SOAP & WATER. INHAL:IF OVERCOME BY VAPOR REMOVE FROM EXPO AREA & CALL PHYSICIAN IMMED. INGEST:DO NOT INDUCE VOMITING. CALL PHYSICIAN IMMED. IF CONDITIONS PERSIST GET MED ATTN.

===== Fire Fighting Measures =====

Flash Point Method:PMCC
Flash Point:146F,63C
Lower Limits:0.6
Upper Limits:7
Extinguishing Media:FOAM, WATER SPRAY, DRY CHEMICAL, CARBON DIOXIDE.
Fire Fighting Procedures:USE AIR SUPPLIED BREATHING EQUIPMENT FOR ENCLOSED AND CONFINED SPACES OR AS OTHERWISE NEEDED.
Unusual Fire/Explosion Hazard:NONE KNOWN.

===== Accidental Release Measures =====

Spill Release Procedures:SHUT OFF & ELIMINATE ALL IGNITABLE SOURCES. CONTAIN AND COLLECT MATERIAL. ABSORB RESIDUE.
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:USE & STORE AWAY FROM HEAT/SPARKS/OPEN FLAME. KEEP CONTAINER SEALED WHEN NOT IN USE. MIN BREATH VAP/MIST. AVOID PROL/REPEAT SKIN CONTACT

CT.

Other Precautions:KEEP ALL CHEMICALS OUT OF THE REACH OF CHILDREN. KEEP CNTNR CLSD. DO NOT STORE NEAR HEAT/FLAME. SPECIFICALLY DESIGNED FOR AIRCRAFT INDUSTRY AS HYDRAULIC FLUID REMOVER & GENERAL SOLVENT CLEANER.

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE NORMALLY REQUIRED.

Ventilation:USE MECHANICAL DILUTION VENTI WHENEVER PRODUCT IS USED IN CONFINED SPACE/HEATED ABOVE AMBIENT TEMP/AGITATED.

Protective Gloves:USE CHEMICAL
-RESISTANT GLOVES IF NEEDED

Eye Protection:SPLASH GOGG OR FACESHIELD IF CONTACT EYE

Other Protective Equipment:NONE NORMALLY REQUIRED. EYE WASH OR STERILE EYE RINSE.

Work Hygienic Practices:WASH HANDS AFT HANLDING. WASH CONTAMINATED CLOTHING BEF REUSE. READ/UNDERSTAND ALL CAUTION/LABELS/MSDS BEF USING.

Supplemental Safety and Health

MINIMIZE BREATHING VAPOR OR MIST. AVOID PROLONGED OR REPEATED CONTACT WITH SKIN.

=====
===== Physical/Chemical Properties =====

==

HCC:V4

Boiling Pt:B.P. Text:340F,171C

Vapor Pres:5

Spec Gravity:0.78

Evaporation Rate & Reference: