

CLIFTON ADHESIVE, INC -- FA1051 -- 8040-00-221-3811

=====
Product Identification
=====

Product ID:FA1051
MSDS Date:03/13/1990
FSC:8040
NIIN:00-221-3811
MSDS Number: BSHRZ
=== Responsible Party ===
Company Name:CLIFTON ADHESIVE, INC
Address:BURGESS PLACE
City:WAYNE
State:NJ
ZIP:07474
Country:US
Info Phone Num:201-694-0845
Emergency Phone Num:800-424-9300 CHEMTREC
Preparer's Name:MARILYN LEFELAR
CA
GE:79833
=== Contractor Identification ===
Company Name:CLIFTON ADHESIVE INC
Address:BURGESS PL
Box:City:WAYNE
State:NJ
ZIP:07470
Country:US
Phone:201-694-0845; 973-694-0845
CAGE:79833
Company Name:STEVEN INDUSTRIES
Address:39 AVENUE C
Box:8
City:BAYONNE
State:NJ
ZIP:07002-3417
Country:US
Phone:201-437-6501
CAGE:33150

=====
Composition/Information on Ingredients
=====

Ingred Name:TOLUENE (SARA III)
CAS:108-88-3
RTECS #:XS5250000
Fraction by Wt: 16%
Other REC Limits:NONE SPEC

IFIED
OSHA PEL:100 PPM
ACGIH TLV:100 PPM
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS

Ingred Name:HEXANE
CAS:110-54-3
RTECS #:MN9275000
Fraction by Wt: 25%
Other REC Limits:NONE SPECIFIED
OSHA PEL:50 PPM
ACGIH TLV:50 PPM
EPA Rpt Qty:1 LB
DOT Rpt Qty:1 LB

Ingred Name:METHYL ETHYL KETONE (MEK) (SARA III)
CAS:78-93-3
RTECS #:EL6475000
Fraction by Wt: 13%
Other REC Limits:NONE SPECIFIED
OSHA PEL:200 PPM
ACGIH TLV:200 PPM
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS

Ingred Name:ACETONE (SARA III)
CAS:
67-64-1
RTECS #:AL3150000
Fraction by Wt: 18%
Other REC Limits:NONE SPECIFIED
OSHA PEL:750 PPM
ACGIH TLV:750 PPM
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS

Ingred Name:POLYCHLOROPRENE
CAS:9010-98-4
RTECS #:EI9660000
Other REC Limits:NONE SPECIFIED
ACGIH TLV:NOT ESTALBISHED

Ingred Name:VOC: 5.25 LB/GAL; 0.627 KG/LITER
RTECS #:9999999VO
Other REC Limits:NONE SPECIFIED

===== Hazards Identification =====

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health

Hazards Acute and Chronic:ACUTE: NAUSEA AND/OR NARCOSIS.
CHRONIC: MAY CAUSE NERVE DAMAGE. MINOR EMBRYOTOXIC/FETOTOXIC EFFECTS HAVE BEEN OBSERVED IN LABORATORY RATS EXPOSED TO MEK BY INHALATION AT LEVELS GREATER THAN 1000 PPM (5 TIMES THE OSHA PEL) FOR MOST OF THE GESTATION PERIOD.

Effects of Overexposure:EYE & MUCOUS MEMBRANE IRRIT. DRY & CRACKED SKIN. LIQ INGEST MAY RESULT IN VOMITING. SEVERE EYE BURN. TINGLING & WEAKNESS OF ARMS & LEGS. TARGET ORGANS: (BASED O

N ANIMAL DATA) KIDNEY, L UNG, SPLEEN BRAIN DAMAGE. HUMAN LIVER ABNORMALITIES, CENTRAL NERVOUS SYSTEM EFFECTS, PERIPHERAL NERVE DAMAGE, TERATOGEN.

Medical Cond Aggravated by Exposure:RESPIRATORY AILMENTS

=====
===== First Aid Measures =====

First Aid:UTILIZE THE SUGGESTED METHODS LISTED BELOW. IN EMERGENCY SITUATIONS NOTIFY A PHYSICIAN IMMEDIATELY. SKIN: WASH WITH SOAP & WATER. REFER TO PHYSICIAN IF IRRITATION PERSISTS. EYES: FLUSH EYES AB
UNDANTLY WITH CLEAN WATER AND REFER TO PHYSICIAN. INGESTION: DO NOT INDUCE VOMITING. REFER TO PHYSICIAN. INHALATION: REMOVE PATIENT TO FRESH AIR OR GIVE OXYGEN. USE CPR IF PATIENT NOT BREATHING. REFER TO DR.

=====
===== Fire Fighting Measures =====

Flash Point Method:TCC
Flash Point: