Product ID:DBT MSDS Date:10/30/1992 FSC:8030 NIIN:00-800-6549 Kit Part:Y **MSDS Number: BSHTT** === Responsible Party === **Company Name: GE SILICONES** Address:260 HUDSON RIVER ROAD City:WATERFORD State:NY ZIP:12188 Country:US Info Phone Num:518-237-3330 Emergency Phone Num:518-237-3330 Preparer's Name: DA POLSINELLI CAGE:GESIL === Contractor Identification === **Company Name: GE SILICONES** Address:260 HUDSON RIVER ROAD City:WATERFORD State:NY ZIP:12188 Country:US Phone:518-237-3330 CAGE:GESIL Company Name: GENERAL ELECTRIC CO, SILICONE PRODUCTS BUSINESS DEPT Address:260 HUDSON RIVER RD Box:City:WATERFORD State:NY ZIP:12188 Country:US Phone:518-237-3330/800-332-3390 CAGE:01139 Company Name:XTO INC Address:110 WRENTHAM DR Box:City:LIVERPOOL State:NY ZIP:13088-4524 Country:US Phone:315-451-7807 CAGE:9S954

====== Composi

tion/Information on Ingredients =========

Ingred Name:DIBUTYLTIN DILAURATE CAS:77-58-7 RTECS #:WH7000000 Fraction by Wt: 80 - 99% Other REC Limits:NONE SPECIFIED OSHA PEL:0.1 MG/M3 ACGIH TLV:0.1 MG/M3

Ingred Name:VOC (EPA METHOD 24): 27 G/L RTECS #:9999999VO Other REC Limits:NONE SPECIFIED

LD50 LC50 Mixture:ORAL 1470 MG/KG; DERMAL >2000 MG/KG Routes of Entry: Inhalation:UNKNOWN Skin:YES Ingestion:YES Reports of Carci

nogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:INGESTION: HARMFUL IF SWALLOWED. SKIN CONTACT: CAUSES MODERATE SKIN IRRITATION. INHALATION: CAUSES SEVERE EYE IRRITATION. EYE CONTACT: CAUSES SEVERE EYE IRRITATION. SUBCHRONIC

(TARGET ORGAN) EFFECTS: CENTRAL NERVOUS SYSTEM DAMAGE, CUMULATIVE SYSTEMIC TOXICITY.

Explanation of Carcinogenicity: THIS PRODUCT OR ONE OF ITS INGREDIENTS PRESENT 0.1% OR MORE IS NOT LISTED AS A CARCINOGEN OR SUSPECTED CARCINOGEN.

Medical Cond Aggravated by Exposure: CENTRAL NERVOUS SYSTEM DISORDERS

First Aid:INGESTION: IF SWALLOWED, INDUCE VOMITING IMMED (2 GLASSES WATER/STICKING FINGERS DOWN THROAT). NEVER GIVE ANYTHING TO UNCONSCIOUS PERSON. GET MED AID. SKIN: REMOVE CONTAMINATED CLOTHING, LAUNDER BEFOR E REUSE. WASH WITH SOAP & WATER. GET MED AID IF IRRIT PERSISTS. EYES: IN CASE OF CONTACT/SUSPECTED CONTACT, IMMED

FLUSH WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES & GET MED AID IMMED AFTER FLUSHING.

Flash Point Method:COC Flash Point:455F,235C Extinguishing Media:ALL STANDARD FIREFIGHTING MEDIA Fire Fighting Procedures:WEAR RESPIRATORY PROTECTION IF IN A CONFINED AREA.

Spill Release Procedures:WIPE, SCRAPE, OR SOAK UP IN AN INERT MATERIAL AND PUT IN A CO

NTAINER FOR DISPOSAL. WEAR PROPER PROTECTIVE EQUIPMENT AS SPECIFIED IN THE PROTECTIVE EQUIPMENT SECTION. WARN OTHER WORKERS OF SPILL.

Handling and Storage Precautions: KEEP CONTAINER CLOSED WHEN NOT IN USE. AVOID CONTACT WITH SKIN AND EYES. WASH HANDS BEFORE EATING AND SMOKING.

======= Exposure Controls/Personal Protection ==========

Respiratory Protection:NONE KNOWN Ventilation:USE ONLY IN WELL VEN TILATED AREA. Protective Gloves:RUBBER GLOVES Eye Protection:SAFETY GLASSES, MONOGOGGLES Other Protective Equipment:SHOWERS, EYEWASH STATIONS. Supplemental Safety and Health

Boiling Pt:B.P. Text:400F,204C Melt/Freeze Pt:M.P/F.P Text:65.0F,18.3C Vapor Pres:NEGL Vapor Density:21.8 Spec Gravity:1.035 (WATER=1) Evaporation Rate & amp; Reference: