

LPS LABORATORIES,INC. -- LPS TAPMATIC DUAL ACTION PLUS #1 CUTTING FLUID  
(SUPPLEMENTA) -- 9150-00-175-9154

===== Product Identification =====

Product ID:LPS TAPMATIC DUAL ACTION PLUS #1 CUTTING FLUID (SUPPLEMENTA)

MSDS Date:10/01/1993

FSC:9150

NIIN:00-175-9154

MSDS Number: BSKTC

=== Responsible Party ===

Company Name:LPS LABORATORIES,INC.

Address:4647 HUGH HOWELL ROAD

City:TUCKER

State:GA

ZIP:3008

4-5096

Country:US

Info Phone Num:404-934-7800

Emergency Phone Num:800-424-9300(CHEMTREC)/202-483-7616

Preparer's Name:JOHN ROUDEBUSH

CAGE:66674

=== Contractor Identification ===

Company Name:JAMES MCGRAW INC

Address:2900 DEEPWATER TERMINAL ROAD

Box:C32036

City:RICHMOND

State:VA

ZIP:23261

Country:US

Phone:804-233-3071

CAGE:78344

Company Name:LPS LABORATORIES,INC.

Address:4647 HUGH HOWELL ROAD

Box:City:TUCKER

State:GA

ZIP:30084-5096

Country:US

Phone:404-934-7800

CAGE:66674

===== Composit

ion/Information on Ingredients =====

Ingred Name:METHYL CHLOROFORM (1,1,1-TRICHLOROETHANE) (SARA 313)  
(CERCLA)

CAS:71-55-6

RTECS #:KJ2975000

Fraction by Wt: 80-90%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:350 PPM

ACGIH TLV:350 PPM/450STEL;9596

EPA Rpt Qty:1000 LBS

DOT Rpt Qty:1000 LBS

Ozone Depleting Chemical:1

Ingred Name:1,3-DIOXOLANE

CAS:646-06-0

RTECS #:JH6760000

Fraction by Wt: