

ELDORADO CHEMICAL COMPANY, INC. -- GD-500,LOCKHEED-MARTIN FMS 1120 A --
6850-01-047-4267

===== Product Identification =====

Product ID:GD-500,LOCKHEED-MARTIN FMS 1120 A

MSDS Date:08/25/1998

FSC:6850

NIIN:01-047-4267

MSDS Number: BSKVC

=== Responsible Party ===

Company Name:ELDORADO CHEMICAL COMPANY, INC.

Address:14350 LOOKOUT ROAD

Box:34837

City:SAN ANTONIO

State:TX

ZIP:78265

Country:US

Info Phon

e Num:210-653-9323 FAX 210-653-0825

Emergency Phone Num:800-255-3924(CHEM-TEL)

Preparer's Name:BOB E. FLYNT

CAGE:55208

=== Contractor Identification ===

Company Name:ELDORADO CHEMICAL COMPANY, INC.

Address:14350 LOOKOUT ROAD

Box:34837

City:SAN ANTONIO

State:TX

ZIP:78265-4837

Country:US

Phone:800-531-1088/ 210-653-2060

Contract Num:SP0450-00-M-D404

CAGE:55208

Company Name:ELDORADO CHEMICAL COMPANY, INC.

Address:14350 LOOKOUT ROAD

Box:34837

City:SAN ANTONIO

State:TX

ZIP:78265-4837

Country:US

Phone

:800-531-1088/ 210-653-2060
Contract Num:SP0450-00-M-D643
CAGE:55208
Company Name:ELDORADO CHEMICAL COMPANY, INC.
Address:14350 LOOKOUT ROAD
Box:34837
City:SAN ANTONIO
State:TX
ZIP:78265-4837
Country:US

Phone:800-531-1088/ 210-653-2060
Contract Num:SP0450-01-M-ZF81
CAGE:55208
Company Name:ELDORADO CHEMICAL COMPANY, INC.
Address:14350 LOOKOUT ROAD
Box:34837
City:SAN ANTONIO
State:TX
ZIP:78265-4837
Country:US

Phone:800-531-1088/ 210-653-2060
Contract Num:SP0450-99-M-NF79
CAGE:55208
Company Name:EL
DORADO CHEMICAL COMPANY, INC.
Address:14350 LOOKOUT ROAD
Box:34837
City:SAN ANTONIO
State:TX
ZIP:78265-4837
Country:US
Phone:800-531-1088/ 210-653-2060
Contract Num:SP0450-99-M-NJ43
CAGE:55208

=====
Composition/Information on Ingredients
=====

Ingred Name:ETHYLENE GLYCOL BUTYL ETHER
CAS:111-76-2
RTECS #:KJ8575000
= Wt:5.
Other REC Limits:NONE RECOMMENDED
OSHA PEL:S, 50 PPM
ACGIH TLV:S, 25 PPM; 9596

=====
Hazards Identification
=====

LD50 LC

50 Mixture:NO DATA PROVIDED BY MANUFACTURER
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:ACUTE: INHALATION - VAPOR HAZARDOUS.
MAY CAUSE DIZZINESS, NAUSEA, HEAD ACHES. SKIN CONTACT - MAY CAUSE
SKIN IRRITATION OR DERMATITIS. SKIN ABSORPTION - NO EVIDENCE OF
SKIN ABSORPTION AT USE DILUTION. EYE CONTACT - CORROSIVE TO EYES.
CHRONIC: INHALATION/EYE CONTACT - NO CHRONIC EFFECTS EXPECTED.
SKIN CONTACT - DERMATITIS MAY RESULT FROM CHRONIC EXPOSURE. SKIN
ABSORPTION - NO EVIDENCE OF SKIN ABSORPTION AT USE DILUTION.
Explanation of Carcinogenicity:CANCER CAUSING AGENTS: NONE.
Effects of Overexposure:INHALATION: DIZZINESS, NAUSEA, HEADACHES. SKIN
CONTACT: IRRITATION OR DERMATITIS.
Medical Cond Aggravated by Exposure:NO DATA PROVIDED BY MANUFACTURER

===== First Aid Measures =====

First Aid:EYES: FLUSH WITH WATER FOR AT LEAST 15 MINUTES. SEEK
MEDICAL ATTENTION. SKIN: SLUSH
WITH WATER FOR 15 MINUTES. THEN
WASH WITH SOAP AND WATER. INHALATION: REMOVE TO FRESH AIR. GIVE
OXYGEN IF NEEDED. INGESTION: DO NOT INDUCE VOMITING, CONSULT
PHYSICIAN IMMEDIATELY.

===== Fire Fighting Measures =====

Flash Point:NONE
Autoignition Temp:Autoignition Temp Text:NONE
Extinguishing Media:WATER, CO2, FOAM, OR OTHER SUITABLE METHOD.
Fire Fighting Procedures:SCBA REQUIRED
Unusual Fire/Explosion Hazard:NO KNOWN HAZARDOUS.

===== Accidental Release Measures =====

Spill Release Procedures:CONTAIN AND CLEAN UP SPILL WITH ABSORBENT.
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:NONE SPECIFIED BY MANUFACTURER.
Other Precautions:NONE SPECIFIED BY MANUFACTURER.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:SCBA IF PEL'S ARE EXCEEDED.
Ventilation:100 FT/

MIN AIR FLOW.

Protective Gloves:RUBBER, CHEMICAL RESISTANT

Eye Protection:GOGGLES AND FACE SHIELD

Other Protective Equipment:RUBBER BOOTS AND APRON

Work Hygienic Practices:AVOID PROLONGED SKIN CONTACT.

Supplemental Safety and Health

NONE SPECIFIED BY MANUFACTURER.

===== Physical/Chemical Properties =====

HCC:B3

Boiling Pt:>115.6C, 240.F

Melt/Freeze Pt: