

HAZ-MAT RESPONSE TECHNOLOGIES -- RUBBERIZER (TM), BOOMS, PILLOWS, PARTICULATE --
9330-01-381-1567

=====
Product Identification
=====

Product ID:RUBBERIZER (TM), BOOMS, PILLOWS, PARTICULATE

MSDS Date:07/01/1990

FSC:9330

NIIN:01-381-1567

MSDS Number: BSKXD

=== Responsible Party ===

Company Name:HAZ-MAT RESPONSE TECHNOLOGIES

Address:5841 BOX CANYON ROAD

City:LA JOLLA

State:CA

ZIP:92037

Country:US

In

fo Phone Num:619-459-3383

Emergency Phone Num:619-459-3383

Preparer's Name:PHILIP W. STAGG

CAGE:0GFG5

=== Contractor Identification ===

Company Name:HAZ-MAT RESPONSE TECHNOLOGIES

Address:5841 BOX CANYON RD

Box:City:LA JOLLA

State:CA

ZIP:92037

Country:US

Phone:619-459-3383

CAGE:0GFG5

=====
Composition/Information on Ingredients
=====

Ingred Name:NON HAZARDOUS INGREDIENTS

Fraction by Wt: 100% %

Other REC Limits:NONE RECOMMENDED

=====
Hazards Identification
==

=====

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.

Routes of Entry: Inhalation:YES Skin:NO Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:NONE SPECIFIED BY MANUFACTURER.

Explanation of Carcinogenicity:THIS COMPOUND CONTAINS NO INGREDIENTS AT CONCENTRATIONS OF 0.1% OR GREATER THAT ARE CARCINOGENS OR SUSPECT CARCINOGENS.

Effects of Overexposure:RESPIRATORY CONDITIONS AND EYE IRRITATION ARE POSSIBLE AND SKIN IRRITATION AS WITH EXPOSURE TO ANY FINE OR GRAINY MATERIAL.

Medical Cond Aggravated by Exposure:RESPIRATORY CONDITIONS AND EYE IRRITATION AND SKIN CONDITIONS MAY BE AGGRAVATED BY EXPOSURE.

===== First Aid Measures =====

First Aid:FLUSH AFFECTED AREAS THOROUGHLY WITH WATER AND CONSULT A PHYSICIAN IF IRRITATION PERSISTS.

===== Fire Fighting Measures =====

Flash Point Method:COC

Flash Point:325F,163C

Lower Limits:NO

T GIVEN

Upper Limits:NOT GIVEN

Extinguishing Media:CARBON DIOXIDE, LOW PRESSURE WATER AND DRY CHEMICAL

Fire Fighting Procedures:USE OF LOW PRESSURE WATER IS ADVISED, HIGH PRESSURE WATER MAY GENERATE AIRBORNE DUST RESULTING IN A N EXPLOSION HAZARD.

Unusual Fire/Explosion Hazard:DUST AND AIR MIXTURES MAY BE EXPLOSIVE IN THE PRESENCE OF SPARKS OR ANY IGNITION SOURCE. THIS IS A SIMILAR HAZARD TO THAT OF ANY ORGANIC DUST.

===== Accidental Release Measures =====

=====

Spill Release Procedures:IF NOT CONTAMINATED, IT MAY BE SWEEPED UP AND RETURNED TO ITS CONTAINER. IF CONTAMINATED, DISPOSE OF PROPERLY.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:PRODUCT SHOULD BE STORED AWAY FROM EXCESSIVE HEAT AND/OR IGNITION SOURCES. PREFERRABLE LONG TERM STORAGE BELOW 125F.

Other Precautions:NONE SPECIFIED BY MANUFACTURER.

===== Exposure C

ontrols/Personal Protection =====

Respiratory Protection:RESPIRATOR FOR AIRBORNE PARTICLES.

Ventilation:LOCAL EXHAUST SHOULD BE SUFFICIENT

Protective Gloves:RUBBER OR PLASTIC

Eye Protection:GOGGLES FOR DUST PROTECTION

Other Protective Equipment:NONE SPECIFIED BY MANUFACTURER.

Work Hygienic Practices:WASH WITH SOAP AND WATER AFTER HANDLING PRODUCT
AND BEFORE EATING DRINKING OR SMOKING.

Supplemental Safety and Health

WORKING PROCEDURES SHOULD MINIMIZE FOGGING AFFECT.

=====

=== Physical/Chemical Properties =====

HCC:N1

Boiling Pt:B.P. Text:NOT GIVEN

Melt/Freeze Pt:M.P/F.P Text:NOT GIVEN

Vapor Pres:NOT GIVEN

Vapor Density:NOT GIVEN

Spec Gravity:0.89

Evaporation Rate & Reference:NOT GIVEN

Solubility in Water:INSOLUBLE

Appearance and Odor:WHITE, GRAINY MATERIAL, MILD, SWEET ODOR

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

DO NOT ALLOW CONTACT WITH STRONG OXIDIZING AGENTS, IE CONCE
NTRATED

NITRIC AND SULFURIC ACIDS, ETC.

Stability Condition to Avoid:IGNITION SOURCES, EXCESSIVE HEAT.

Hazardous Decomposition Products:THERMAL DECOMPOSITION MAY PRODUCE
OXIDES OF CARBON.

===== Disposal Considerations =====

Waste Disposal Methods:DISCARD ANY PRODUCT, RESIDUE, DISPOSAL CONTAINER
OR LINER IN ACCORDANCE WITH ALL FEDERAL, STATE AND LOCAL
REGULATIONS.

=====

Disclaimer

(provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.