

AAPER ALCOHOL AND CHEMICAL CO. -- ISOPROPANOL 99%,050483 -- 6505-00-299-8095

=====
Product Identification
=====

Product ID:ISOPROPANOL 99%,050483

MSDS Date:01/01/1996

FSC:6505

NIIN:00-299-8095

MSDS Number: BSRBB

=== Responsible Party ===

Company Name:AAPER ALCOHOL AND CHEMICAL CO.

Address:1101 ISAAC SHELBY DRIVE

Box:339

City:SHELBYVILLE

State:KY

ZIP:40065

Country:US

Info Phone Num:502-633-0650

Em

ergency Phone Num:502-633-0650/800-424-9300(CHEMTREC)

CAGE:61305

=== Contractor Identification ===

Company Name:AAPER ALCOHOL AND CHEMICAL CO

Address:1101 ISAAC SHELBY DR

Box:339

City:SHELBYVILLE

State:KY

ZIP:40066-0339

Country:US

Phone:502-633-0650

CAGE:61305

Company Name:ELITE MEDICAL PRODUCTS (908-417-5955)

Box:UNKNOW

CAGE:0HJP1

Company Name:PHARMCO PRODUCTS INC.

Address:58 VALE ROAD

Box:City:BROOKFIELD

State:CT

ZIP:06804-3967

Country:US

Phone:203-740-3471

CAGE:69267

=====
Compositi

on/Information on Ingredients =====

Ingred Name:ISOPROPYL ALCOHOL (SARA 313)
CAS:67-63-0
RTECS #:NT8050000
Fraction by Wt: >99%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:400 PPM
ACGIH TLV:400 PPM/500STEL;9596

===== Hazards Identification =====

LD50 LC50 Mixture:TLV 400 PPM
Routes of Entry: Inhalation:YES Skin:NO Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:TARGET ORGANS:EYE, SKIN, CNS,
RES
PIRATORY & GASTROINTESTINAL TRACTS. ACUTE- HARMFUL IF
INHALED/INGESTED. MAY CAUSE CNS DEPRESSION, HEADACHE. MAY CAUSE EYE
IRRITATION. MAY INJURE EYE TISSUE IF NOT REMOVED PROMPTLY.
PROLONGED/REPEATED SKIN CONTACT MAY CAUSE DRYNESS & MILD
IRRITATION. CHRONIC- UNKNOWN.

Explanation of Carcinogenicity:NONE
Effects of Overexposure:IRRITATION, HEADACHE, DIZZINESS, NAUSEA,
VOMITING, TEARING, DEFATTING OF SKIN, UNCONSCIOUSNESS, RESPIRATORY
DEPRESSION, LOSS OF APPETITE

Medical Co
nd Aggravated by Exposure:PERSONS WITH PRE-EXISTING SKIN
DISORDERS, EYE PROBLEMS OR IMPAIRED RESPIRATORY FUNCTION MAY BE
MORE SUSCEPTIBLE TO THE EFFECTS OF THIS PRODUCT.

===== First Aid Measures =====

First Aid:GET MEDICAL ATTENTION IF SYMPTOMS PERSIST. EYES:IMMEDIATELY
FLUSH WITH WATER FOR 15 MINUTES. HOLD EYELIDS OPEN. SKIN:WASH WITH
SOAP & WATER. INHALED:REMOVE TO FRESH AIR. PROVIDE CPR/OXYGEN IF
NECESSARY. ORAL:DO NOT INDUCE VOMITING EXCEPT ON ADVICE OF
COMPETENT MEDICAL PERSONNEL. IF CONSCIOUS, DRINK WATER OR MILK.
NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.

===== Fire Fighting Measures =====

Flash Point Method:TCC
Flash Point:53.0F,11.7C
Autoignition Temp:Autoignition Temp Text:685F
Lower Limits:2.5
Upper Limits:12
Extinguishing Media:USE WATER FOG, CARBON DIOXIDE, "ALCOHOL" FOAM, OR
DRY CHEMICAL. COOL FIRE EXPOSED CONTAINERS WITH WATER SPRAY.
Fire Fighting Proc

edures:DO NOT ENTER ANY ENCLOSED OR CONFINED AREA
WITHOUT PROPER PROTECTIVE EQUIPMENT AND NIOSH-APPROVED
SELF-CONTAINED BREATHING APPARATUS.

Unusual Fire/Explosion Hazard:VAPOR IS HEAVIER THAN AIR AND CAN TRAVEL
CONSIDERABLE DISTANCE TO A SOURCE OF IGNITION AND FLASH BACK.
CONTAINERS MAY RUPTURE DUE TO VAPOR PRESSURE BUILDUP.

===== Accidental Release Measures =====

Spill Release Procedures:WEAR PROTECTIVE EQUIPMENT. ELIMINATE SOURCES
OF IGNITION.

VENTILATE AREA. PICK UP SPILL WITH NON-FLAMMABLE
ABSORBENT SUCH AS SAND, EARTH, VERMICULITE. PLACE IN A SUITABLE
CONTAINER FOR DISPOSAL OR RECYCLING. PREVENT LIQUID FROM ENTERING
SEWERS.

Neutralizing Agent:DILUTE WITH WATER

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN TIGHTLY CLOSED CONTAINERS IN
FLAMMABLE LIQUID STORAGE ROOM/CABINET. AVOID EXCESSIVE HEAT. KEEP
AWAY FROM STRONG OXIDIZING AGENTS.

Other Precau

tions:AVOID BREATHING VAPORS. DO NOT GET IN EYES, ON SKIN
OR ON CLOTHING. WASH THOROUGHLY AFTER HANDLING AND BEFORE EATING OR
DRINKING. KEEP OUT OF REACH OF CHILDREN. DO NOT INGEST.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:IF TLV IS EXCEEDED OR FOR SYMPTOMS OF OVER
EXPOSURE, WEAR NIOSH-APPROVED ORGANIC VAPOR RESPIRATOR OR SUPPLIED
AIR RESPIRATOR. IN EMERGENCY, WEAR A NIOSH-APPROVED
POSITIVE-PRESSURE SELF-CONTAINED BREATHING
APPARATUS.

Ventilation:MECHANICAL (GENERAL AND/OR LOCAL EXHAUST, EXPLOSION-PROOF)
VENTILATION TO MAINTAIN EXPOSURE BELOW TLV(S).

Protective Gloves:RUBBER, NEOPRENE FOR REPEATED CONTACT

Eye Protection:SAFETY GLASSES/CHEMICAL SPLASH GOGGLES

Other Protective Equipment:EYE WASH STATION & SAFETY SHOWERS SHOULD BE
AVAILABLE IN THE IMMEDIATE VICINITY OF ANY POTENTIAL EXPOSURE.

Work Hygienic Practices:OBSERVE GOOD INDUSTRIAL HYGIENE PRACTICES AND
RECOMMENDED PROCEDURES.

Supplemental Safety

and Health

FORMULA CHANGED. FOR PREVIOUS FORMULATION, SEE PNI A, SAME NSN.

===== Physical/Chemical Properties =====

HCC:F3

NRC/State Lic Num:NOT RELEVANT

Boiling Pt:B.P. Text:180F,82C

Melt/Freeze Pt:M.P/F.P Text:-173F,-114C

Vapor Pres:33 @ 68F

Vapor Density:2.0

Spec Gravity:0.787

Solubility in Water:COMPLETE

Appearance and Odor:CLEAR, COLORLESS, MOBILE LIQUID - MILD ODOR

Percent Volatiles by Volume:>99

===== Stability and Reactivity Data =====

=====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS

Stability Condition to Avoid:HIGH HEAT, SPARKS, OPEN FLAMES AND OTHER SOURCES OF IGNITION

Hazardous Decomposition Products:CARBON MONOXIDE, CARBON DIOXIDE

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE IN AN APPROVED INCINERATOR OR CONTRACT WITH LICENSED CHEMICAL WASTE DISPOSAL SERVICE. DISCHARGE, TREATMENT OR DISPOSAL IS SUBJECT TO FEDERAL, STATE OR LOCAL LAWS. WHEN EMPTY, THOROUGHLY RINSE CONTAINER WITH WATER BEFORE DISPOSAL.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume respons

ibility for the suitability of this information to their particular situation.