View NSN Online: https://aerobasegroup.com/nsn/6850-01-383-0366

BG PRODUCTS INC -- COOL'R CLEAN'R HEAVY DUTY COMPLETE'R A;P/N-570A -- 6850-01-383-0366

Product ID:COOL'R CLEAN'R HEAVY DUTY COMPLETE'R A;P/N-570A

MSDS Date:05/12/1994

FSC:6850

NIIN:01-383-0366

MSDS Number: BSRHF === Responsible Party ===

Company Name: BG PRODUCTS INC

Address:701 S WICHITA

Box:1282 City:WICHITA State:KS

ZIP:67201 Country:US

Info Phone Num:316-265-

2686

Emergency Phone Num:316-265-2686 Preparer's Name:GARY E.CURMODE

CAGE:58579

=== Contractor Identification ===

Company Name:BG PRODUCTS INC

Address:701 S WICHITA

Box:1282 City:WICHITA State:KS

State:KS ZIP:67201 Country:US

Phone:316-265-2686

CAGE:58579

Company Name: EMULTEC INDUSTRIAL PRODUCTS INC

Address:1150 HAYDEN DR SUITE 100

Box:City:CHARROLLTON

State:TX ZIP:75006 Country:US

Phone:972-417-1288

CAGE:0WA27

Company Name: FAWLEY ENTERPRISES, LLC; DBA K FAWLEY MFG

Address:11890 OLD BALTIMORE PIKE SUITE

Ρ

Box:City:BELTSVILLE

State:MD ZIP:20705 Country:US

Phone:301-931-1300

Contract Num:SP0450-98-M-CC31

CAGE:1B8P5

Company Name:KASCO INC Address:4481 BEECH ROAD Box:City:TEMPLE HILLS

State:MD

ZIP:20748-6703 Country:US

Phone:301-423-5888

CAGE:1U435

======= Composition/Information on Ingredients ========

Ingred Name: COMPLEX MIXTURE

Other REC Limits: NONE RECOMMENDED

Ingred Name:PHOSPHORIC ACID (SARA III)

CAS:7664-38-2

RTECS #:TB6300000

Other REC Limits: NONE RECOMMENDED

OSHA PEL:1 MG/

М3

ACGIH TLV:1 MG/M3/3 STEL; 9394

EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS

Ingred Name: SODIUM PHOSPHATE, DIBASIC (SARA III)

CAS:7558-79-4

RTECS #:WC4500000

Other REC Limits: NONE RECOMMENDED

EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS

========= Hazards Identification ================

LD50 LC50 Mixture:LD50 ORAL RAT=1530MG/KG H*3PO*4 Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:I

NHAL:MISTS MAY IRRITATE RESPIRATORY PASSAGES.INGEST:MAY BE HARMFUL IF SWALLOWED.SKIN:PROLONGED CONTACT MAY CAUSE IRRITATION. EYES: MAY CAUSE IRRITATION. Explanation of Carcinogenicity: THERE ARE NO INGREDIENTS ABOVE 0.1% WHICH ARE IDENTIFIED AS CARCINOGENS BY NTP, IARC OR OSHA. Effects of Overexposure: EYE, SKIN AND RESPIRATORY IRRITATION. Medical Cond Aggravated by Exposure: NONE SPECIFIED BY MANUFACTURER. First Aid:EYE :FLUSH WITH WATER FOR 15 MINUTES.IF IRRITATION OCCURS, CALL PHYSICIAN.INHAL:REMOVE TO FRESH AIR.IF UNCONSCIOUS, GIVE ARTIFICIAL RESPIRATION.GET PROMPT MEDICAL ATTENTION.INGEST:DO NOT INDUCE VOMITING. GET PROMPT QUALIFIED MEDICAL ATTENTION. GIVE WATER IF CONSCIOUS.SKIN:WASH WITH SOAP AND WATER.IF IRRITATION PERSISTS, CALL PHYSICIAN. ============= Fire Fighting Measures ======================== Flash Point:NONE Extinguishing Media: CARBON DIOXIDE, DRY CHEMICAL, FOAM. Fire Fig hting Procedures: USE A SELF-CONTAINED BREATHING APPARATUS AND FULL PROTECTIVE EQUIPMENT. Unusual Fire/Explosion Hazard:NONE ======== Accidental Release Measures ============ Spill Release Procedures: ISOLATE SPILL. SOAK UP WITH AN INERT ABSORBANT.PLACE IN AN APPROPRIATE CONTAINER FOR DISPOSAL.DO NOT ALLOW TO ENTER SEWER OR WATERWAY. Neutralizing Agent: SODIUM BICARBONATE ============= Handling and Storage ========================== Handling and Storage Precau tions:STORE IN A COOL, DRY WELL VENTILATED

AREA.AVOID BREATHING FUMES.KEEP AWAY FROM HEAT AND SOURCES OF IGNITION.

Other Precautions: NONE

====== Exposure Controls/Personal Protection ========

Respiratory Protection: USE A NIOSH RESPIRATOR FOR ACID FUMES IF TLV IS EXCEEDED OR WHEN WORKING IN AN ENCLOSED SPACE.

Ventilation: GENERAL MECHANICAL (DILUTION) VENTILATION.

Protective Gloves: IMPERVIOUS

Eye Protection: CHEMICAL GOGGLES.

Other Protective Equipment: LONG SLEEVED WORK SH

IRT AND PANTS.
Work Hygienic Practices:WASH HANDS.SEPERATE WORK CLOTHES FROM STREET
CLOTHES.LAUNDER WORK CLOTHES BEFORE REUSE.KEEP FOOD OUT OF THE WORK
AREA.
Supplemental Safety and Health
RQ(CERCLA):PHOSPHORIC ACID=5000LBS;DISODIUM PHOSPHATE=5000LBS.

======== Physical/Chemical Properties ==========

HCC:C1

Boiling Pt:B.P. Text: