View NSN Online: https://aerobasegroup.com/nsn/8040-00-225-4548

POLYMERIC SYSTEMS, INC. -- PSI-690 PRIMER -- 8040-00-225-4548

=========== Product Identification =============

Product ID:PSI-690 PRIMER MSDS Date:08/26/1993

FSC:8040

NIIN:00-225-4548

Kit Part:Y

MSDS Number: BSRXF === Responsible Party ===

Company Name: POLYMERIC SYSTEMS, INC.

Address:723 WHEATLAND STREET

City:PHOENIXVILLE

State:PA ZIP:19460 Country:US

Info Phone Num:215-935-1170

Emergency Phone Num:215-935-117

0

Preparer's Name: ED CLUFF

CAGE:0KND3

=== Contractor Identification ===

Company Name: POLYMERIC SYSTEMS, INC.

Address:723 WHEATLAND STREET

Box:City:PHOENIXVILLE

State:PA ZIP:19460 Country:US

Phone:610-935-1170

CAGE:0KND3

======= Composition/Information on Ingredients ========

Ingred Name: METHYL ISOBUTYL CARBINOL

CAS:108-11-2

RTECS #:SA7350000 Fraction by Wt: 94%

Other REC Limits: NONE SPECIFIED

OSHA PEL:25 PPM ACGIH TLV:25 PPM

Ingred Name: ETHYL POLYSILICATE

CAS:68412-37-3

Fraction

by Wt: 5% Other REC Limits: NONE SPECIFIED Ingred Name: BUTYL POLYTITANATE CAS:9022-96-2 Fraction by Wt: 1% Other REC Limits: NONE SPECIFIED Ingred Name: VOC: 6.5 LBS/GAL; 780 GRAMS/LITER RTECS #:9999999VO Other REC Limits: NONE SPECIFIED =========== Hazards Identification ========================== Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic: ACUTE: IRRITATION AND ANESTHESIA. CHRONIC: NONE Effects of Overexposure: IRRITATION OF EYES, SKIN AND UPPER RESPIRATORY TRACT. Medical Cond Aggravated by Exposure: EYE, SKIN AND RESPIRATORY DISORDERS MAY BE AGGRAVATED BY EXPOSURE TO THIS PRODUCT. First Aid:EYES: FLUSH WITH WATER FOR 15 MINUTES. SKIN: WASH WITH SOAP AND WATER. INHALATION: REMOVE TO FRESH AIR. GIVE OXYGEN IF BREATHING DIFFICULT. INGESTION: WASH OUT MOUTH WITH WATER. CALL A PHYSICIAN. 

Flash Point Method:TCC Flash Point:103F,39C

Lower Limits:1 Upper Limits:5.5

Extinguishing Media:CARBON DIOXIDE, DRY CHEMICAL POWDER, ALCOHOL FOAM Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS AND PROTECTIVE CLOTHING TO PREVENT CONTACT WITH SKIN AND EYES.

Unusual Fire/Explosion Hazard: VAPOR MAY TRAVEL CONSIDERABLE DISTANCE TO IGNITION SOURCES AND FLASH BACK.

====== Accidental Release Me

asures ==========
Spill Release Procedures:TAKE UP WITH ABSORBENT MATERIAL. STORE IN APPROPRIATE CONTAINER. AVOID PROLONGED INHALATION OF VAPOR OR CONTACT WITH LIQUID. WASH RESIDUES WITH LARGE AMOUNTS OF WATER. Neutralizing Agent:WATER.
============ Handling and Storage ==============
Handling and Storage Precautions: AVOID IGNITION SOURCES: FLAME, SPARKS, EXTREME HEAT.
Other Precautions:KEEP CONTAINERS TIGHTLY CLOSED.
====== Exposure Controls/P ersonal Protection =========
Respiratory Protection:IF LARGE AMOUNTS ARE USED IN A POORLY VENTILATED SPACE, USE A CHEMICAL CARTRIDGE RESPIRATOR WITH ORGANIC VAPOR CARTRIDGE(S) (MSHA AND NIOSH APPROVED) TO PROTECT AGAINST METHYL ISOBUTYL CARBINOL VAPORS.
Ventilation:LOCAL EXHAUST MAY BE REQUIRED IN CLOSED SPACES. RECOMMENI 10 CHANGES PER HOUR.
Protective Gloves:DISPOSAL PLASTICCONTINUED/EXTENDED USE

Eye Protection:SAFETY GLASSES Supplemental Safety and Health

KEY1:F4. KIT

CONSISTS OF TWO PARTS. SEE PNI F FOR OTHER PART.

======== Physical/Chemical Properties ===========

HCC:F4

Boiling Pt:B.P. Text:270F,132C

Melt/Freeze Pt:M.P/F.P Text:-130F,-90C

Vapor Pres:3.7 @ 20C Vapor Density:3.5

Spec Gravity:0.80 (WATER=1)

pH:7

Viscosity:2 CPS @ 25C

Evaporation Rate & Deference:>1

Solubility in Water:98%

Appearance and Odor:COLORLESS LIQUID; PLEASANT, SWEET ODOR

Percent Volatiles by Volume:96

====== Stability and Reactivity Data ======

========

Stability Indicator/Materials to Avoid:YES
ACID CHLORIDES AND OXIDIZING AGENTS
Stability Condition to Avoid:OPEN FLAMES, SPARKS AND EXTREME HEAT
Hazardous Decomposition Products:CARBON MONOXIDE, CARBON DIOXIDE,
SILICA AND TITANIA FROM COMBUSTION

======= Disposal Considerations ===========

Waste Disposal Methods:INCINERATE IN ACCORDANCE WITH LOCAL, STATE, AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.