

OCTAGON PROCESS INC. -- VV-C-846 A TYPE I -- 9150-00-265-9405

=====  
Product Identification  
=====

Product ID:VV-C-846 A TYPE I

MSDS Date:09/24/1991

FSC:9150

NIIN:00-265-9405

MSDS Number: BSTXN

=== Responsible Party ===

Company Name:OCTAGON PROCESS INC.

Address:596 RIVER ROAD

City:EDGEWATER

State:NJ

ZIP:07020

Country:US

Info Phone Num:201-313-1187

Emergency Phone Num:201-945-9400/800-424-9300(CHEMT  
REC)

Preparer's Name:J. J. BURGARD

CAGE:82925

=== Contractor Identification ===

Company Name:OCTAGON PROCESS INC.

Address:596 RIVER ROAD

Box:City:EDGEWATER

State:NJ

ZIP:07020

Country:US

Phone:201-945-9400

CAGE:82925

=====  
Composition/Information on Ingredients  
=====

Ingred Name:REFINED HEAVY PARAFFINIC DISTILLATES/PETROLEUM DISTILLATES  
(NAPHTHA)

CAS:64741-88-4

Other REC Limits:NONE RECOMMENDED

OSHA PEL:5 MG/M3 (OIL MIST).

ACGIH TLV:5 MG/M3 (OIL MIST).

=====

== Hazards Identification ==

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:ACUTE- EYES:MAY CAUSE IRRITATION &  
REDNESS. SKIN:MAY CAUSE DRYING, IRRITATION & CONTACT DERMATITIS.  
INHALE:VAPORS/MIST MAY IRRITATE RESPIRATORY TRACT. ORAL:MAY CAUSE  
IRRITATION OF GI TRACT. MINUTE AMO UNTS ASPIRATED INTO LUNGS MAY  
CAUSE LUNG INJURY. CHRONIC- DERMATITIS. TARGET ORGANS:EYES, S  
KIN,  
RESPIRATORY & GI TRACTS.  
Explanation of Carcinogenicity:NONE  
Effects of Overexposure:EYES, SKIN, RESPIRATORY AND GASTROINTESTINAL  
TRACTS IRRITATION, SKIN DRYING, DERMATITIS  
Medical Cond Aggravated by Exposure:NO MEDICAL DATA AVAILABLE.

==== First Aid Measures =====

First Aid:GET MEDICAL ATTENTION IF SYMPTOMS PERSIST. INHALATION:REMOVE  
TO FRESH AIR. PROVIDE CPR/OXYGEN IF NEEDED. EYE:FLUSH WITH WATER  
FOR 15 MINUTES, HOLDING EYELIDS OPEN  
. SKIN:WASH WITH SOAP AND  
WATER. INGES TION:DO NOT INDUCE VOMITING. GET IMMEDIATE MEDICAL  
HELP.

==== Fire Fighting Measures =====

Flash Point Method:COC  
Flash Point:380F,193C  
Extinguishing Media:CARBON DIOXIDE, FOAM, OR DRY CHEMICAL.  
Fire Fighting Procedures:WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND A  
FULL FACED SELF CONTAINED BREATHING APPARATUS. COOL FIRE EXPOSED  
CONTAINERS WITH WATER SPRAY.  
Unusual Fire/Explosion Hazard:NONE

====  
===== Accidental Release Measures =====

Spill Release Procedures:DIKE & CONTAIN SPILL. RECOVER FREE LIQUIDS IF  
POSSIBLE. ABSORB REMAINING PRODUCT WITH INERT MATERIAL & PLACE IN  
PROPER CONTAINERS FOR DISPOSAL. DO NOT ALLOW MATERIAL TO ENTER  
DRAINS, SEWERS OR WATERWA YS. COMPLY WITH HAZWOPER (29 CFR  
1910.120).  
Neutralizing Agent:NOT RELEVANT

==== Handling and Storage =====

Handling and Storage Precautions:STORE IN A COOL, DRY P

LACE, AWAY FROM

HEAT, FLAMES AND STRONG OXIDIZING AGENTS. KEEP CONTAINER TIGHTLY CLOSED.

Other Precautions:EMPTY CONTAINERS MAY CONTAIN PRODUCT RESIDUE. DO NOT CUT, WELD ON/OR NEAR CONTAINER. ALL LABEL WARNING AND PRECAUTIONS MUST BE OBSERVED UNTIL THE CONTAINER HAS BEEN THOROUGHLY CLEANED. KEEP OUT OF REA CH OF CHILDREN.

=====  
===== Exposure Controls/Personal Protection =====

Respiratory Protection:NO SPECIAL REQUIREMENTS UNDER ORDINARY CONDITIONS OF USE AN D WITH ADEQUATE VENTILATION. IF EXCESSIVE MISTING (>5 MG/M3), USE NIOSH APPROVED RESPIRATOR (REFER TO 29 CFR 1910.134).

Ventilation:WHEN USE CONDITIONS ARE LIKELY TO RESULT IN EXCESSIVE MISTING (>5 MG/M3), PROVIDE ADEQUATE LOCAL VENTILATION.

Protective Gloves:PVC, NEOPRENE, BUTYL RUBBER, PVA, RUBBER

Eye Protection:SAFETY GLASSES - GOGGLES - FACE SHIELD

Other Protective Equipment:EYE WASH STATION & SAFETY SHOWER

Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING. LAUNDER CONTA

MINATED CLOTHING BEFORE REUSE. DISCARD OIL SOAKED SHOES.

Supplemental Safety and Health

FORMULA CHANGED. FOR PREVIOUS FORMULATION, SEE PNI A UNDER THE SAME NSN.

=====  
===== Physical/Chemical Properties =====

HCC:T6

NRC/State Lic Num:NOT RELEVANT

Boiling Pt:B.P. Text:680F,360C

Spec Gravity:0.92

Evaporation Rate & Reference: