View NSN Online: https://aerobasegroup.com/nsn/6850-00-281-1837

Product ID: INDICATING DRIERITE

MSDS Date:03/01/1993

FSC:6850

NIIN:00-281-1837

MSDS Number: BSTXP === Responsible Party ===

Company Name: W.A. HAMMOND DRIERITE CO.

Address:138 DAYTON AVE.

Box:460 City:XENIA State:OH ZIP:45385 Country:US

Info Phone Num:513-376-2927

Emergency Phone Num:513-376-2927

Р

reparer's Name:NONE

CAGE:70000

=== Contractor Identification ===

Company Name: W.A. HAMMOND DRIERITE CO.

Address:138 DAYTON AVE.

Box:460 City:XENIA State:OH

ZIP:45385-2830

Country:US

Phone:937-376-2927

CAGE:70000

======= Composition/Information on Ingredients ========

Ingred Name: CALCIUM SULFATE

CAS:7778-18-9

RTECS #:WS6920000 Fraction by Wt: 97%

Other REC Limits: NONE RECOMMENDED

OSHA PEL:15 MG/M3 TDUST

ACGIH TLV:10 MG/M3 TDUST; 9394

Ingred Name: COBALT CHLORIDE

CAS:7646-79-9

RTECS

#:GF9800000
Fraction by Wt: 3%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:0.05 MG/M3 (AS CO).
ACGIH TLV:0.05 MG/M3 (AS CO).
Llogordo Idontification
======================================
LD50 LC50 Mixture:ORAL LD50 (RAT) IS 80 MG/KG (COBALT CHL)
Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:ACUTE AND CHRONIC- MAY CAUSE EYE, SKIN
& RESPIRATORY TRACT IRRITATION. MAY CAUSE AN ALLERGIC SKIN RAS
H. IF
INGESTED, MAY CAUSE VOMITING, DIARRHEA & A SENSATION OF HOTNESS.
EXCESSIVE INHALATION/INGESTI ON MAY AFFECT KIDNEYS, LUNGS &
THYROID.TARGET ORGANS:EYES, SKIN, RESPIRATORY & GI TRACTS, LUNGS,
KIDNEYS, THYROIDS.
Explanation of Carcinogenicity:NONE
Effects of Overexposure:EYES, SKIN, RESPIRATORY AND GASTROINTESTINAL
TRACTS IRRITATION, ALLERGIC SKIN REACTION, NAUSEA, VOMITING,
DIARRHEA, HOTNESS
Medical Cond Aggravated by Exposure:INDIVIDUAL WITH SKIN DISORDERS OR
RE
SPIRATORY DISEASES MAY BE MORE SUSCEPTIBLE TO THIS MATERIAL.
OF INVITORY DIOLAGES WAY BE MORE COOCET TIBLE TO THIS WAY TERNAL.
======================================
5'
First Aid:CALL A DOCTOR IF SYMPTOMS PERSIST. EYE:IMMEDIATELY FLUSH WITH
WATER FOR 15 MINUTES, HOLDING EYELIDS OPEN. SKIN:WASH WITH SOAP &
WATER. INHALED:REMOVE TO FRESH AIR. PROVIDE CPR/OXYGEN IF NEEDED.
ORAL: I F CONSCIOUS, DRINK TWO GLASSES OF WATERAND INDUCE VOMITING
CALL A PHYSICIAN IMMEDIATELY.
======================================
Flash Point:NONE
Extinguishing Media:WATER
Fire Fighting Procedures:WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND
NIOSH APPROVED SELF CONTAINED BREATHING APPARATUS. COOL FIRE
EXPOSED CONTAINERS WITH WATER SPRAY
Unusual Fire/Explosion Hazard:WHEN EXPOSED TO WATER, THE UNUSED PRODUCT
CAN GET QUITE HOT. WHEN FIRST WETTED, THEY CAN HEAT TO THE BOILING
OF WATER. FLOODING WILL REDUCE TEMPERATURE.
C. W. LIVI LOODING WILL NEDOOL TEIN LIVITONE.

======== Accidental Release Measures ==========



AGENTS Stability Condition to Avoid:MOISTURE Hazardous Decomposition Products:MAY PRODUCE CHLORINE.

======= Disposal Considerations ===========

Waste Disposal Methods:DISCARD ANY PRODUCT, RESIDUE, DISPOSABLE CONTAINER OR LINER IN AN ENVIRONMENTALLY ACCEPTABLE MANNER, IN FULL COMPLIANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS. COVER PROMPTLY TO AVOID BLOWING DUST.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.