View NSN Online: https://aerobasegroup.com/nsn/6750-01-047-9108

EASTMAN KODAK COMPANY -- 818-4038 FLEXICOLOR BLEACH III REPLENISHER(WORKING SOLUTION) -- 6750-01-047-9108

Product ID:818-4038 FLEXICOLOR BLEACH III REPLENISHER(WORKING SOLUTION) MSDS Date:03/28/1991 FSC:6750 NIIN:01-047-9108 MSDS Number: BSTYL === Responsible Party === Company Name: EASTMAN KODAK COMPANY Address:343 STATE STREET City:ROCHESTER State:NY ZIP:14650 Country:US Info Phone Num:716-722-5151 Emergency Phone Num:716-722-5151 CAGE:19139 === Contractor Identification === Company Name: EASTMAN KODAK CO GOVERNMENT MARKETS CONTRACTS Address:343 STATE ST Box:City:ROCHESTER State:NY ZIP:14650-1115 Country:US Phone:716-722-5151/(800) 242-2424 CAGE:19139 Company Name: EASTMAN KODAK CO US CUSTOMER SERVICE/GOVERNMENT SALES Address:800 LEE RD Box:City:ROCHESTER State:NY ZIP:14650-3129 Country:US Phone:800-828-6203 CAGE:5K871

======= Composition/Inform

ation on Ingredients =========

Ingred Name:WATER CAS:7732-18-5 RTECS #:ZC0110000 Fraction by Wt: 70-75% Other REC Limits:NONE RECOMMENDED

Ingred Name:AMMONIUM ACETATE (SARA III) CAS:631-61-8 RTECS #:AF3675000 Fraction by Wt: 5-10% Other REC Limits:NONE RECOMMENDED EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS

Ingred Name:ACETIC ACID (SARA III) CAS:64-19-7 RTECS #:AF1225000 Fraction by Wt: 5-10% Other REC Limits:NONE RECOMMENDED OSHA PEL:10 PPM ACGIH TLV:10 PPM/15 STEL; 9394 EPA Rpt Qty:500 0 LBS DOT Rpt Qty:5000 LBS

Ingred Name:AMMONIUM FERRIC PROPYLENEDIAMINETETRAACETIC ACID CAS:111687-36-6 Fraction by Wt: 1-5% Other REC Limits:NONE RECOMMENDED

Ingred Name:AMMONIUM BROMIDE CAS:12124-97-9 RTECS #:BO9170000 Fraction by Wt: 1-5% Other REC Limits:NONE RECOMMENDED

Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:ACUTE: LOW H

AZARD FOR RECOMMENDED

HANDLING FOR INHALATION AND SKIN CONTACT. CONTACT WITH EYES MAY CAUSE TRANSIENT IRRITATION. EXPECTED TO BE LOW HEALTH HAZARD IF SWALLOWED. CHRONIC: NONE SPECIFIED BY MANUFACTURER.
Explanation of Carcinogenicity:NO INGREDIENT OF A CONCENTRATION OF 0.1% OR GREATER IS LISTED AS A CARCINOGEN OR SUSPECTED CARCINOGEN.
Effects of Overexposure:EYES: REDNESS, TEARING, DISCOMFORT.
Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

First Aid:INHALED: IF SYMPTOMATIC, REMOVE TO FRESH AIR. GET MEDICAL ATTENTION IF SYMPTOMS PERSIST. EYES: IMMEDIATELY FLUSH WITH WATER FOR 15 MINUTES, HOLD LIDS OPEN. GET MEDICAL ATTENTION IF SYMPTOMS OCCUR. SKI N: WASH WITH SOAP AND WATER. GET MEDICAL ATTENTION IF SYMPTOMS OCCUR. INGESTED: IF CONSCIOUS, GIVE 1-2 GLASSES OF WATER. SEEK MEDICAL ATTENTION.

F

lash Point:NONE

Extinguishing Media:WATER SPRAY, DRY CHEMICAL, CARBON DIOXIDE, "ALCOHOL" FOAM.

Fire Fighting Procedures: WEAR SELF-CONTAINED BREATHING APPARATUS AND PROTECTIVE CLOTHING.

Unusual Fire/Explosion Hazard: FIRE OR EXCESSIVE HEAT MAY CAUSE PRODUCTION OF HAZARDOUS DECOMPOSITION PRODUCTS.

Spill Release Procedures:FLUSH TO SEWER WITH LARGE AMOUNTS OF WATER. DISCHARGE, TREATMENT, OR DISPOSAL MAY BE SUBJECT TO LOCAL, STATE AND FEDERAL REGULATIONS. Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER. HMIS: SODIUM

BICARBONATE SOLUTION.

Handling and Storage Precautions:STORE IN A COOL, DRY PLACE AWAY FROM STRONG OXIDIZING AGENTS. Other Precautions:NONE SPECIFIED BY MANUFACTURER.

Respiratory Protection:SUPPLEMENTARY RESPIRATORY PROTECTION MAY BE NEEDE

D IN SPECIAL CIRCUMSTANCES; USE NIOSH/MSHA APPROVED RESPIRATOR. IF RESPIRATOR USED, A PROGRAM IAW 29 CFR 1910.134 MUST BE IMPLEMENTED. Ventilation: GOOD VENTILATION SHOULD BE SUFFICIENT; 10 ROOM VOLUMES PER HOUR IS CONSIDERED GOOD GENERAL VENTILATION. Protective Gloves: RUBBER, PVC IF PROLONGED/REPEATED CONTACT Eye Protection: SAFETY GLASSES W/SIDE SHIELDS Other Protective Equipment: NONE SPECIFIED BY MANUFACTURER. HMIS: EYE WASH AVAILABLE. Work Hygienic Practices: WASH HANDS AFTER USE AND BEFORE EATING, DRINKING, OR SMOKING. LAUNDER CONTAMINATED CLOTHES BEFORE REUSE. Supplemental Safety and Health THIS MSDS DESCRIBES THE FRESHLY MADE WORKING SOLUTION WHEN PREPARED ACCORDING TO THE PRODUCTS MIXING INSTRUCTIONS. MADE FROM MIXING PART NUMBERS A & B THIS NSN TOGETHER. HCC:C3 Boiling Pt:B.P. Text:>212F,>100C Vapor Pres:18MMHG@68F Vapor Density:0.6 Spec Gravity:1.12 (WATER=1) pH:4.5 **Evaporation Rate** & Reference:N/K (N-BUTYL ACETATE=1) Solubility in Water:COMPLETE Appearance and Odor: CLEAR SOLUTION; SLIGHT ACETIC ACID SOLUTION Percent Volatiles by Volume:73

Stability Indicator/Materials to Avoid:YES
STRONG OXIDIZING AGENTS
Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER. HMIS: AVOID CONTACT WITH STRONG OXIDIZING AGENTS.
Hazardous Decomposition Products:COMBUSTION WILL PRODUCE CARBON MONOXIDE AND CA
RBON DIOXIDE, AMMONIA, AND OXIDES OF NITROGEN.

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaim s all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.