View NSN Online: https://aerobasegroup.com/nsn/9330-01-103-3145

BUEHLER LTD -- PHENOLIC POWDER 20-3200 RED -- 9330-01-103-3145

Product ID: PHENOLIC POWDER 20-3200 RED MSDS Date:10/11/1990 FSC:9330 NIIN:01-103-3145 MSDS Number: BSYLY === Responsible Party === Company Name: BUEHLER LTD Address:41 WAUKEGAN RD Box:1 City:LAKE BLUFF State:IL ZIP:60044-1687 Country:US Info Phone Num:708-295-6500 / FAX 708-295-7979 **Emergency Phone Nu** m:708-295-6500 Preparer's Name: TOM DERAM CAGE:09410 === Contractor Identification === Company Name: BUEHLER LTD. Address:41 WAUKEGAN RD. Box:City:LAKE BLUFF State:IL ZIP:60044-1687 Country:US Phone:847-295-8500 CAGE:09410

Ingred Name:PARTICULATES NOT OTHERWISE REGULATED (NUISANCE DUST) Fraction by Wt: 5-15% % Other REC Limits:NONE RECOMMENDED OSHA PEL:15 MG/M3 TDUST ACGIH TLV:10 MG/M3 TDUST; 8990

Ingred Name:NON HAZARDOUS ING

REDIENTS Fraction by Wt: BALANCE Other REC Limits:NONE RECOMMENDED Ingred Name: PHENOL (SARA III) (EVOLVED DURING POLYMERIZATION OR DECOMPOSITION OF PRODUCT) CAS:108-95-2 RTECS #:SJ3327000 Other REC Limits:NONE RECOMMENDED OSHA PEL:S, 5 PPM ACGIH TLV:S, 5 PPM; 9394 EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS Ingred Name: FORMALDEHYDE (SARA III) (EVOLVED DURING POLYMERIZATION OR DECOMPOSITION OF PRODUCT) CAS:50-00-0 RTECS #:LP8925000 Other REC Limits:NONE RECOMMENDED **OSHA PEL:SEE 1910.10** 48 ACGIH TLV:C 0.3 PPM; A2; 9394 EPA Rpt Qty:100 LBS DOT Rpt Qty:100 LBS Ingred Name: AMMONIA (SARA III) (EVOLVED DURING POLYMERIZATION OR DECOMPOSITION OF PRODUCT)

CAS:7664-41-7 RTECS #:BO0875000 Other REC Limits:NONE RECOMMENDED OSHA PEL:50 PPM ACGIH TLV:25 PPM/35 STEL; 9394 EPA Rpt Qty:100 LBS DOT Rpt Qty:100 LBS

LD50 LC50 Mixture:TLV 5 MG/M3 RESPIRABLE DUST Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO Repo rts of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic: VAPOR MAY BE IRRITATING TO SKIN EYES OR RESPIRATORY TRACT. VAPORS EVOLVED DURING POLYMERIZATION OR DECOMPOSITION MAY CAUSE IRRITATION TO EYES, LUNGS AND SKIN. PHENOL IS HIGHLY TOXIC AND MAY CAUSE KIDN EY, LIVER OR HEART DAMAGE. FORMALDEHYDEIS IRRITATING TO EYES, LUNGS AND SKIN AND MAY CAUSE CANCER. AMMONIA-IRRITANT. Explanation of Carcinogenicity: AS SHIPPED/STORED PRODUCT IS NOT CARCINOGENIC . VAPORS RELEASED UPON POLYMERIZATION/DECOMPOSITION CONTAIN FORMALDEHYDE. Effects of Overexposure: EYE IRRITATION, SKIN IRRITATION, RESPIRATORY TRACT IRRITATION, KIDNEY DAMAGE, LIVER DAMAGE, HEART DAMAGE, MUCOUS MEMBRANE IRRITATION. Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER. First Aid:INHALATION: REMOVE FROM EXPOSURE. RESTORE BREATHING. KEEP WARM AND QUIET. GET MEDICAL ATTENTION. SKIN: WASH AFFECTED AREA THOROUGHLY WITH SOAP AND WATER. IF IRRITATION PERSISTS, GET MEDICAL ATTENTION. EYES: FLUSH WITH LARGE AMOUNTS OF WATER FOR 15 MINUTES. GET MEDICAL ATTENTION. INGESTION: DO NOT INDUCE VOMITING. DILUTE BY DRINKING LARGE QUANTITIES OF WATER. GET MEDICAL ATTENTION. Flash Point:NONFLAMMABLE Lower Limits:.03 OZ/FT3 Upper Limits:NOT GIVEN Extinguishing Media:WATER, FOAM, DRY CHEMICAL, CARBON DIOXID F Fire Fighting Procedures: WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND FULL FACE-PIECE SELF-CONTAINED BREATHING APPARATUS. AVOID INHALATION OF VAPORS. Unusual Fire/Explosion Hazard: ORGANIC DUST/AIR MIXTURES ARE HIGHLY FLAMMABLE (EXPLOSIVE). AVOID DUST ACCUMULATIONS OR DUST LADEN ATMOSPHERES AND SOURCES OF IGNITION.

Spill Release Procedures: VACUUM OR SWEEP WITH SWEEPING COMPOUND, SWADUST OR SAND. AVOID GENER ATING DUST. VACUUMS WITH EXPLOSION PROOF MOTORS ARE RECOMMENDED. Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

 Handling and Storage Precautions:STORE IN COOL, DRY PLACE. KEEP CONTAINERS CLOSED TO AVOID CONTAMINATION.
 Other Precautions:PREVENT ACCUMULATIONS OF DUST RAISED DURING PROCESSING, USE WITH ADEQUATE VENTILATION.

======= Exposure Controls/Personal Protection ==========

Respiratory Protectio

n:IF VENTILATION DOES NOT MAINTAIN INHALATION

EXOSURES BELOW PEL (TLV), USE NIOSH/MSHA APPROVED RESPIRATOR AS PER CURRENT 29 CFR 1910.134, INSTRUCTIONS/WARNINGS AND NIOSH RESPIRATOR SELECTION.

Ventilation:LOCAL EXHAUST RO REMOVE DUST AND VAPORS EVOLVED DURING USE. POINT SOURCES EXHAUST RECOMMENDED. USE EXPLOSION PROOF MOTOR Protective Gloves:RECOMMENDED

Eye Protection: SAFETY GLASSES WITH SIDE SHIELDS

Other Protective Equipment: EYE WASH FACILITY

Work Hygienic Practices:WASH WITH S

OAP AND WATER AFTER HANDLING PRODUCT

AND BEFORE EATING DRINKING OR SMOKING.

Supplemental Safety and Health

MANUFACTURER STATES DOT HAZARD CLASS "NON-HAZARDOUS".

HCC:N1 Boiling Pt:B.P. Text:NOT GIVEN Melt/Freeze Pt:M.P/F.P Text:NOT GIVEN Vapor Pres:NOT GIVEN Vapor Density:NOT GIVEN Spec Gravity:1.32-2.20 Evaporation Rate & amp; Reference:NOT GIVEN Solubility in Water:NEGLIGIBLE Appearance and Odor:GRANULAR, NODULAR, PELLET

OR BRIQUET WITH SLIGHT PHENOL ODOR-RED.

Stability Indicator/Materials to Avoid:YES
NONE SPECIFIED BY MANUFACTURER.
Stability Condition to Avoid:AVOID DUST BUILD UP IN STORAGE AND MANUFACTURING AREAS.
Hazardous Decomposition Products:PHENOL, FORMALDEHYDE, AMMONIA, CARBON MONOXIDE, CARBON DIOXIDE

Waste Disposal Methods:PREVENT WASTE FROM CONTAMINAT ING SURROUNDING ENVIRONMENT. DISCARD ANY PRODUCT, RESIDUE, DISPOSAL CONTAINER OR LINER IN ACCORDANCE WITH ALL FEDERAL, STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.