

MCGEAN-ROHCO INC,CEE-BEE CHEMICAL DIV -- CEE-BEE STRIPPER A-458 -- 8010-01-270-3637
===== Product Identification =====

Product ID:CEE-BEE STRIPPER A-458

MSDS Date:09/26/1991

FSC:8010

NIIN:01-270-3637

MSDS Number: BSYZZ

=== Responsible Party ===

Company Name:MCGEAN-ROHCO INC,CEE-BEE CHEMICAL DIV

Address:9520 E CEE BEE DR

City:DOWNEY

State:CA

ZIP:90241-5501

Country:US

Info Phone Num:216-441-4900

Em

ergency Phone Num:216-441-4900

CAGE:71361

=== Contractor Identification ===

Company Name:MCGEAN-ROHCO INC

Address:9520 E CEE BEE DR

Box:City:DOWNEY

State:CA

ZIP:90241-5501

Country:US

Phone:562-803-4311/FAX: 562-803-6701

CAGE:71361

===== Composition/Information on Ingredients =====

Ingred Name:METHYLENE CHLORIDE (SARA III) (SUSPECTED CARCINOGEN)

CAS:75-09-2

RTECS #:PA8050000

Fraction by Wt: 70-90%

Other REC Limits:TWA: 500 PPM

EPA Rpt Qty:1000 LBS

DOT Rpt Qty:1000 LBS

Ingred

Name:ETHANOL
CAS:64-17-5
RTECS #:KQ6300000
Fraction by Wt: 10-15%
Other REC Limits:TWA: 1900 MG/M3

Ingred Name:TRIETHYL PHOSPHITE
CAS:122-52-1
RTECS #:TH1130000
Fraction by Wt: 2-5%
Other REC Limits:NONE RECOMMENDED

===== Hazards Identification =====

Health Hazards Acute and Chronic:SUMMARY OF RISKS: SARA HAZARD, ACUTE & CHRONIC. TARGET ORGANS: LIVER, KIDNEY, BLOOD, SKIN, EYES, CVS, CNS. ACUTE EFFECTS: IRRITATION. CHRONIC EFFECTS: AFFECT ALL TARGET

ORGANS.

Explanation of Carcinogenicity:METHYLENE CHLORIDE SUSPECTED CARCINOGEN. Effects of Overexposure:EYE CONTACT: IRRITATION, PAIN. SKIN CONTACT: PROLONGED CONTACT COULD CAUSE IRRITATION, INFLAMMATION OR BURNS. INHALATION: DIZZINESS, DRUNKENNESS, FATIGUE, HEADACHE. INGESTION: NAUSEA, VOMITING.

Medical Cond Aggravated by Exposure:DERMATITIS, LIVER, AND KIDNEY DISEASES.

===== First Aid Measures =====

First Aid:EYE CONTACT: FLUSH WITH WATER FOR AT LEAST 15 MINUTES. GET MEDICAL ATTENTION. SKIN CONTACT: WASH OFF IN FLOWING WATER. THEN WASH WITH SOAP AND WATER. INHALATION: REMOVE TO FRESH AIR. CALL A PHYSICIAN. INGESTION: GIVE A LARGE QUANTITY OF WATER. DO NOT INDUCE VOMITING. CALL AND/OR TAKE TO EMERGENCY MEDICAL FACILITY.

===== Fire Fighting Measures =====

Flash Point:NONE
Extinguishing Media:IF INVOLVED IN FIRE-WATER FOG.
Fire Fighting Procedures:POSITIVE PRESSURE SELF-CONTAINED

D BREATHING

APPARATUS AND FULL PROTECTIVE GEAR SHOULD BE WORN.

Unusual Fire/Explosion Hazard:FLAMMABLE VAPOR-AIR MIXTURES POSSIBLE

===== Accidental Release Measures =====

Spill Release Procedures:MOP, WIPE UP, OR SOAK UP IMMEDIATELY WITH ABSORBENTS. WEAR PROPER PROTECTIVE EQUIPMENT. SEE CONTROL MEASURES.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN A COOL, DRY, WELL VENTILATED AREA AT 32 TO 90 F. OPEN CONTAINERS SLOWLY AND WITH CAUTION TO VENT IN CASE THERE WAS PRESSURE BUILD UP.

===== Exposure Controls/Personal Protection =====

Ventilation:SUFFICIENT TO KEEP BELOW TWA LIMITS.

Protective Gloves:NEOPRENE

Eye Protection:CHEMICAL GOGGLES AND FACE SHIELD

Other Protective Equipment:SUFFICIENT TO PREVENT SKIN CONTACT. EYE WASH STATION & SAFETY SHOWERS.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:

T4

Boiling Pt:B.P. Text:110F,43C

Vapor Density:2.9

Spec Gravity:1.2

Evaporation Rate & Reference:> BUTYL ACETATE

Solubility in Water:SLIGHT

Appearance and Odor:HAZY, LIGHT COLORED LIQUID. ODOR: SOLVENT

Percent Volatiles by Volume:90

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZERS

Hazardous Decomposition Products:OPEN FLAMES CAN CAUSE THERMAL DEGRADATION GIVING OFF HYDROGEN CHLORIDE AND CHLORINE.

=====

===== Disposal Considerations =====

Waste Disposal Methods:SEND TO AN APPROVED WASTE DISPOSAL FACILITY.
FOLLOW ALL LOCAL, STATE, AND FEDERAL REGULATIONS. RCRA# (IF
DISPOSED AS RECEIVED): F002.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate a
nd
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.