

KERR -- PUMICE -- 6505-00-550-6650

=====  
Product Identification  
=====

Product ID:PUMICE  
MSDS Date:05/06/1993  
FSC:6505  
NIIN:00-550-6650  
MSDS Number: BTCJF  
=== Responsible Party ===  
Company Name:KERR  
Address:28200 WICK RD  
City:ROMULUS  
State:MI  
ZIP:48174-0908  
Country:US  
Info Phone Num:313-946-7800  
Emergency Phone Num:313-946-7800  
CAGE:GO270

==== Contractor Identification ===

Company Name:KERR  
Address  
:28200 WICK RD  
Box:455  
City:ROMULUS  
State:MI  
ZIP:48174-2623  
Country:US  
Phone:313-946-7800  
CAGE:GO270  
Company Name:KERR CORP  
Address:1717 W COLLINS AVENUE  
Box:City:ORANGE  
State:CA  
ZIP:92867-5422  
Country:US  
Phone:800-537-7187  
CAGE:33339

=====  
Composition/Information on Ingredients  
=====

Ingred Name:SILICA DIOXIDE, CRYSTALLINE QUARTZ, SAND (SUSPECTED HUMAN  
CARCINOGEN BY IARC, NTP)  
CAS:14808-60-7  
RTECS #:VV7330000  
Fraction by Wt: 2%  
Other REC Limits:0.05 MG/CUM NIOSH  
ACGIH TL

V:0.1 MG/CUM RESP DUST

=====  
===== Hazards Identification =====  
=====

Routes of Entry: Inhalation:YES Skin:NO Ingestion:YES  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:INHALATION: MAY CAUSE CHRONIC LUNG  
INJURY (SILICOSIS), CAN BE PROGRESSIVE & MAY LEAD TO DEATH. SKIN:  
DRY FEELING. EYES: TEMPORARY IRRITATION & INFLAMMATION.  
Explanation of Carcinogenicity:NONE

=====  
===== First Aid Measures =====  
=====

First Aid:EYES: FLUSH W/COPIOUS AMOUNTS OF WATER. SKIN: WASH W/SOAP &  
WATER. USE HAND LOTION. INHALATION: MOVE EXPOSED PERSON TO FRESH  
AIR. OBTAIN MEDICAL ATTENTION IN ALL CASES.

=====  
===== Accidental Release Measures =====  
=====

Spill Release Procedures:VACUUM/SWEEP UP-AVOID UNNECESSARY  
STIRRING/HANDLING IN ORDRE TO PREVENT FORMATION OF DUST.

=====  
===== Handling and Storage =====  
=====

Handling and Storage Precautions:KEEP CONTAIN  
ER CLOSED. USE ACCORDING  
TO DIRECTION.  
Other Precautions:DON'T BREATH DUST.

=====  
===== Exposure Controls/Personal Protection =====  
=====

Respiratory Protection:NIOSH-APPROVED EQUIPMENT. ALSO SEE ANSI STANDARD  
Z88.2-1980, PRACTICES FOR RESPIRATORY PROTECTION.  
Ventilation:USE SUFFICIENT LOCAL EXHAUST TO REDUCE THE LEVEL OF  
RESPIRABLE CRYSTALLINE SILICA TO THE PEL.  
Protective Gloves:REQUIRED  
Eye Protection:GOGGLES  
Work Hygienic Practices:HANDLE IN ACCORDANCE W/GOOD PERSONAL HYG  
IENE &  
SAFETY PRACTICES. THESE PRACTICES INCLUDE AVOIDING UNNECESSARY,  
EXPOSURE.  
Supplemental Safety and Health

=====  
===== Physical/Chemical Properties =====  
=====

Spec Gravity:2.35  
Solubility in Water:INSOLUBLE  
Appearance and Odor:GREY POWDER W/NO ODOR.

=====  
===== Stability and Reactivity Data =====  
=====

Stability Indicator/Materials to Avoid:YES  
HYDROFLUORIC ACID  
Hazardous Decomposition Products:MAY REACT W/HYDROFLUORIC ACID TO FORM  
TOXIC SILICO

N TETRAFLUORIDE GAS.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE W/LOCAL, STATE, & FEDERAL REGULATIONS. LANDFILL.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.