View NSN Online: https://aerobasegroup.com/nsn/8030-00-286-5453

JET-LUBE, INC -- GSA MIL-A-907E ANTI-SEIZE LUBRICANT -- 8030-00-286-5453

Product ID:GSA MIL-A-907E ANTI-SEIZE LUBRICANT

MSDS Date:02/23/1994

FSC:8030

NIIN:00-286-5453

MSDS Number: BTGDY
=== Responsible Party ===
Company Name:JET-LUBE, INC
Address:4849 HOMESTEAD RD

Box:21258 City:HOUSTON

State:TX ZIP:77226 Country:US

Info Phone Num:713-674-7617

Emergency Phone Nu

m:713-674-7617/ CHEMTREC 800-424-9300 Preparer's Name:DONALD A OLDIGES

CAGE:DO391

=== Contractor Identification === Company Name:JET-LUBE INC Address:4849 HOMESTEAD RD

Box:21258 City:HOUSTON

State:TX ZIP:77026 Country:US

Phone:713-674-7617

CAGE:07431

Company Name: JET-LUBE, INC

Address:4849 HOMESTEAD ROAD/PO BOX 21258

Box:21258 City:HOUSTON

State:TX ZIP:77226

Phone:713-674-7617/713-370-6206

CAGE:DO391

======= Composition/Information on Ingredients ========

Ingred Name:THIS PRODUCT

IS NOT HAZARDOUS BY OSHA HAZARD COMM STD 29 CFR 1910.1200. CONTAINS COPPER WHICH IS SUBJECT TO SARA III. Other REC Limits:NONE RECOMME
========= Hazards Identification ===========
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:REPEATED SKIN CONTACT FOR PERSONS WITH HYPERSENSITIVE SKIN CAN CAUSE REDNESS AND IRRITATION. Effects of Overexposure:REDNESS AND IRRITATION OF SKIN, MINOR EYE AND RESPIRATORY IRRITATION.
======================================
First Aid:INHALATION: CLEAR AIR PASSAGE, CALL PHYSICIAN. INGESTION: IF INGESTED, DO NOT INDUCE VOMITING. CALL PHYSICIAN. SKIN: REMOVE BY WIPING, OR WATERLESS HAND CLEANER, FOLLOW BY WASHING.
======================================
Flash Point Method:COC Flash Point:>430F,>221C Autoignition Temp:Autoignition Temp Text:>500F Lower Limits:0.9 Upper Limits:7.0 Extinguishing Media:USE FOAM, DRY CHEMIC AL, WATER SPRAY (FOG), CARBON DIOXIDE OR VAPORIZING LIQUID TYPE EXTINGUISHING AGENTS. Fire Fighting Procedures:USE SUPPLIED-AIR BREATHING EQUIPMENT FOR ENCLOSED OR CONFINED SPACES. Unusual Fire/Explosion Hazard:NONE ==================================
Spill Release Procedures:SCOOP UP EXCESS, WIPE UP WITH RAGS, PICK UP RESIDUE WITH DIATOMACEOUS EARTH TO AVOID WALKING HAZARD.
========== Handling and Storage ============
Handli

Boiling Pt:B.P. Text:>624F,>329C

Vapor Pres:5
Spec Gravity:1.19 (H2O=1)
pH:NEUTRL
Viscosity:N/R (PASTE)
Evaporation Rate & Description of the content of the co