

JET-LUBE, INC -- GSA MIL-A-907E ANTI-SEIZE LUBRICANT -- 8030-00-597-5367

=====
Product Identification
=====

Product ID:GSA MIL-A-907E ANTI-SEIZE LUBRICANT

MSDS Date:02/23/1994

FSC:8030

NIIN:00-597-5367

MSDS Number: BTGFD

=== Responsible Party ===

Company Name:JET-LUBE, INC

Address:4849 HOMESTEAD RD

Box:21258

City:HOUSTON

State:TX

ZIP:77226

Country:US

Info Phone Num:713-674-7617

Emergency Phone Nu

m:713-674-7617/ CHEMTREC 800-424-9300

Preparer's Name:DONALD A OLDIGES

CAGE:DO391

=== Contractor Identification ===

Company Name:JET-LUBE INC

Address:4849 HOMESTEAD RD

Box:21258

City:HOUSTON

State:TX

ZIP:77026

Country:US

Phone:713-674-7617

CAGE:07431

Company Name:JET-LUBE, INC

Address:4849 HOMESTEAD ROAD/PO BOX 21258

Box:21258

City:HOUSTON

State:TX

ZIP:77226

Phone:713-674-7617/713-370-6206

CAGE:DO391

=====
Composition/Information on Ingredients
=====

Ingred Name:THIS PRODUCT

IS NOT HAZARDOUS BY OSHA HAZARD COMM STD 29
CFR 1910.1200. CONTAINS COPPER WHICH IS SUBJECT TO SARA III.
Other REC Limits:NONE RECOMME

===== Hazards Identification =====

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:REPEATED SKIN CONTACT FOR PERSONS WITH
HYPERSENSITIVE SKIN CAN CAUSE REDNESS AND IRRITATION.
Effects of Overexposure:REDNESS AND IRRITATION OF SKIN, MINOR EYE AND
RESPIRATORY IRRITATION.

===== First Aid Measures =====

First Aid:INHALATION: CLEAR AIR PASSAGE, CALL PHYSICIAN. INGESTION: IF
INGESTED, DO NOT INDUCE VOMITING. CALL PHYSICIAN. SKIN: REMOVE BY
WIPING, OR WATERLESS HAND CLEANER, FOLLOW BY WASHING.

===== Fire Fighting Measures =====

Flash Point Method:COC
Flash Point:>430F,>221C
Autoignition Temp:Autoignition Temp Text:>500F
Lower Limits:0.9
Upper Limits:7.0
Extinguishing Media:USE FOAM, DRY CHEMIC
AL, WATER SPRAY (FOG), CARBON
DIOXIDE OR VAPORIZING LIQUID TYPE EXTINGUISHING AGENTS.
Fire Fighting Procedures:USE SUPPLIED-AIR BREATHING EQUIPMENT FOR
ENCLOSED OR CONFINED SPACES.
Unusual Fire/Explosion Hazard:NONE

===== Accidental Release Measures =====

Spill Release Procedures:SCOOP UP EXCESS, WIPE UP WITH RAGS, PICK UP
RESIDUE WITH DIATOMACEOUS EARTH TO AVOID WALKING HAZARD.

===== Handling and Storage =====

Handli

ng and Storage Precautions:NORMAL PRECAUTIONS AS WITH ANY
PETROLEUM PRODUCT.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NOT REQUIRED. FOR CONFINED, POORLY VENTILATED
AREAS USE NIOSH ORGANIC VAPOR CARTRIDGE OR CANISTER RESPIRATOR.

Ventilation:NOT REQUIRED

Protective Gloves:NONPERMEABLE

Eye Protection:SAFETY GLASS

Other Protective Equipment:PERSONS WITH HYPERSENSITIVE SKIN SHOULD USE
GLOVES.

Work Hygienic Practices:WASH HANDS BEFORE EAT
ING.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:N1

Boiling Pt:B.P. Text:>624F,>329C

Vapor Pres:6

Spec Gravity:1.19 (H2O=1)

pH:NEUTRL

Viscosity:N/R (PASTE)

Evaporation Rate & Reference: