View NSN Online: https://aerobasegroup.com/nsn/6810-00-682-6867

NATIONAL INDUSTRIAL PRODUCTS CORP. -- WATER REAGENT -- 6810-00-682-6867

============= Product Identification ========================

Product ID:WATER REAGENT

MSDS Date:06/17/1992

FSC:6810

NIIN:00-682-6867

MSDS Number: BTGFJ === Responsible Party ===

Company Name: NATIONAL INDUSTRIAL PRODUCTS CORP.

Address:726 FITZWATERTOWN RD UNIT NO. 9

City:WILLOW GROVE

State:PA ZIP:19090 Country:US

Info Phone Num:215-657-5008

Emergency P

hone Num:215-657-5008

CAGE:0P668

=== Contractor Identification ===

Company Name: NATIONAL INDUSTRIAL PRODUCTS CORP

Address:1400 TAYLORS LN

City:RIVERTON

State:NJ ZIP:08077 Country:US

Phone:609-786-7300

CAGE:0P668

======= Composition/Information on Ingredients ========

Ingred Name:WATER

CAS:7732-18-5

RTECS #:ZC0110000 Fraction by Wt: 100% %

Other REC Limits: NONE SPECIFI

========= Hazards Identification ==============

LD50 LC50 Mixture: NONE SPECIFIED BY MANUFAC

Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:NO HEALTH HAZARDS.
Explanation of Carcinogenicity:THIS COMPOUND CONTAINS NO INGREDIENTS AT CONCENTRATIONS OF 0.1% OR GREATER THAT ARE CARCINOGENS OR SUSPECT
CARCINOGENS.
Effects of Overexposure:NO HEALTH HAZARDS. Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.
======================================
First Aid:NO FIRST AID IS EXPECTED TO BE NEEDED.
======================================
Flash Point:NONFLAMMABLE
Extinguishing Media:NONFLAMMABLE. USE MEDIA SUITABLE FOR SURROUNDING FIRE.
Fire Fighting Procedures:NONFLAMMABLE. USE PROCEDURES SUITABLE FOR SURROUNDING FIRE.
Unusual Fire/Explosion Hazard:NONE SPECIFIED BY MANUFACTURER.
======== Accidental Release Measures ==========
Spill Release Procedures:NO SPECIAL REQUIREMENTS.
======================================
Handling and Storage Precautions:NO SPECIAL REQUIREMENTS. Other Precautions:NONE
====== Exposure Controls/Personal Protection ========
Respiratory Protection:NOT NEEDED IN NORMAL SERVICE. Ventilation:NO SPECIAL REQUIREMENTS.
Protective Gloves:NOT NEEDED IN NORMAL SERVICE. Eye Protection:NOT NEEDED IN NORMAL SERVICE.
Other Protective Equipment:NONE
Work Hygienic Practices: USE REASONABLE CARE IN HANDLING THIS

TURER.

PRODUCT.WASH HANDS AFTER USE AND BEFORE EATING.
Supplemental Safety and Health
TOTAL SOLIDS 100 PPM PER TOTAL ITEM RECORD. DO NOT USE AS DRINKING WATER.

======== Physical/Chemical Properties ============

HCC:N1

Boiling Pt:B.P. Text:212F,100C

Melt/Freeze Pt:M.P/F.P Text:32.0F,0.0C

Vapor Pres:17 Vapor Density:0.62 Spec Gravity:1

pH:7

Evaporation Rate & Properties | Evaporation Rate & Properties | Reference: 0.36 (BUTYL ACETATE = 1)

Solubility in Water: COMPLETE

Appearance and Odor: CLEAR, ODORLESS LIQUID.

======

====== Stability and Reactivity Data =========

Stability Indicator/Materials to Avoid:YES
NONE SPECIFIED BY MANUFACTURER.
Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER.
Hazardous Decomposition Products:NONE SPECIFIED BY MANUFACTURER.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warr ants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.