View NSN Online: https://aerobasegroup.com/nsn/5330-00-753-5110

Product ID: PACKING, PREFORMED MSDS Date:05/05/1994 FSC:5330 NIIN:00-753-5110 **MSDS Number: BTHHS** === Responsible Party === Company Name: UNKNOWN/PROCURED BY DEFENSE INDUSTRIAL SUPPLY CENT Country:US Preparer's Name:DGSC-SHH CAGE:KO419 === Contractor Identification === Compan y Name: UNKNOWN/PROCURED BY AIR FORCE Address:NOT RELEVANT Box:City:NOT RELEVANT Country:US CAGE:KO419

Ingred Name:ASBESTOS, CHRYSOTILE CAS:12001-29-5 RTECS #:CI6478500 Other REC Limits:NONE RECOMMENDED OSHA PEL:0.2 FIBERS/CC ACGIH TLV:2 FIBERS/CC; A1;9293

Ingred Name:ELASTOMER Other REC Limits:NONE RECOMMENDED

Ingred Name:RUBBER Other REC Limits:NONE RECOMMENDED

Ingred Name:FLUOROCARBON Other REC Limits:NONE RECOMMENDED

I

ngred Name:FLUORINATED HYDROCARBON Other REC Limits:NONE RECOMMENDED

LD50 LC50 Mixture:TLV FOR ASBESTOS IS 2 FIBERS/CC. Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:YES IARC:YES OSHA:YES Health Hazards Acute and Chronic:NONE UNDER NORMAL CONDITIONS OF USE. HOWEVER, IF DUST IS GENERATED:TARGET ORGANS:EYES, SKIN, LUNGS. ACUTE- MAY IRRITATE EYES, SKIN AND RESPIRATORY TRACT. C HRONIC-REPEATED EXPOSURE TO ASBESTOS FIBERS COULD CAUSE ASBESTOSIS AND LUNG CANCER. Explanation of Carcinogenicity:CONTAINS A [1332-21-4] WHICH IS LISTED BY NTP AND IARC AND REGULATED BY OSHA AS A CARCINOGEN.

Effects of Overexposure:NONE UNDER NORMAL CONDITIONS OF USE. HOWEVER, EXPOSURE TO NUISANCE DUST/FIBERS AND TEFLON FUMES FROM MACHINING OR HEATING CAN PRODUCE FLU-LIKE SYMPTOMS WITH FEVER & CHILLS, WHICH USUALLY DISAPPER WITH IN 36 TO 48 HOURS WITH NO TREATMENT. PO SSIBLE

IRRITATION TO EYES, NOSE, THROAT, UPPER RESPIRATORY TRACT AND SKIN. Medical Cond Aggravated by Exposure:CAN ENHANCE PROBLEMS SUCH AS ASTHMA AND OTHER ALLERGIC REACTIONS, SKIN AND EYE SENSITIVITY AND PRE-EXISTING LUNG CONDITIONS IF DUST OR FIBER PRESENT.

First Aid:MOVE VICTIM TO FRESH AIR. GIVE ARTIFICIAL RESPIRATION IF NOT BREATHING. IF BREATHING IS HARD, GIVE OXYGEN. SEEK MEDICAL ATTENTION. EYE: FL

USH WITH PLENTY OF WATER FOR AT LEAST 15 MIN. IF

IRRITATION OC CURS, GET MEDICAL ATTENTION. SKIN: WASHWITH MILD SOAP & WATER. IF IRRITATION DEVELOPS, GET MEDICAL ATTENTION. WASH CLOTHING BEFORE REUSE. INGESTION UNLIKELY.

Flash Point:NONE

Extinguishing Media:CARBON DIOXIDE, DRY CHEMICAL, WATER SPRAY OR FOAM. Fire Fighting Procedures:EVACUATE ALL NON-ESSENTIAL PERSONAL FROM AREA. WEAR SELF-CONTAINED BREATHING AP

PARATUS AND FULL PROTECTIVE EQUIPMENT. Unusual Fire/Explosion Hazard: FLUOROCARBONS AND VARIOUS OTHER TOXIC DECOMPOSITION FUMES AND ASBESTOS FIBERS MAY BE FORMED IN A FIRE. Spill Release Procedures: SWEEP OR SHOVEL SOLID MATERIAL. WET SWEEPING OR VACUUMING IS RECOMMENDED TO AVOID CREATION OF DUST OR FIBERS. Neutralizing Agent:NOT RELEVANT Handling and Storage Precautions: AVOID CREATION OF DUSTS OR FUMES. Other Precautions: THIS PRODUCT IS CONSIDERED AN "ARTICLE" AS DEFINED BY OSHA HAZARD COMMUNICATION STANDARD 29 CFR 1910.1200 AND THERBY DOES NOT REQUIRE AN MSDS. ALSO, THIS PRODUCT IS NOT CONSIDERED HAZARDOUS IN THE FOR M SHIPPED OR IN ITS END USE APPLICATION. Respiratory Protection:NOT REQUIRED UNDER NORMAL OPERATING CONDITIONS. **USE NIOSH-APPROVED RESPIR** ATOR FOR DUST/FIBERS WHEN NEEDED. Ventilation: USE LOCAL EXHAUST TO REMOVE DUST OR FUMES IF GENERATED. Protective Gloves: LEATHER, COTTON IF DUST OR FUMES PRESENT Eye Protection: DUST-RESISTANT GOGGLES IF FRIABLE Other Protective Equipment: USE CLOTHING SUFFICIENT TO PREVENT SKIN CONTACT FROM DUST/FUMES WHEN NEEDED. Work Hygienic Practices: FOLLOW GOOD INDUSTRIAL HOUSEKEEPING & PERSONAL HYGIENE PRACTICES. WASH HANDS AFTER HANDLING & BEFORE EATING OR DRINKING. Supplemental Safety and Healt h NO MSDS WAS AVAILABLE FROM MANUFACTURER. THIS MSDS WAS PREPARED BY THE PROFESSIONALS OF DGSC-SHH WITHOUT ANY WARRANTY. IT IS THE USER'S RESPONSIBILITY TO GATHER INFORMATION AND USE THE MATERIAL PROPER LY TO PROTECT EMPLOYEES AND ENVIRONMENT. HCC:T6 NRC/State Lic Num:NOT RELEVANT

Evaporation Rate & amp; Reference:NOT RELEVANT Solubility in Water:INSOLUBLE Appearance and Odor:SOLID WITH NO ODOR

Stability Indicator/Materials to Avoid:YES Stability Condition to Avoid:EXCESSIVE HEAT Hazardous Decomposition Products:VARIOUS FLUOROCARBONS FUMES, ASBESTOS FIBERS, CARBON MONOXIDE & CARBON DIOXIDE MAY BE FORMED.

Waste Disposal Methods: DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agenc ies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.