View NSN Online: https://aerobasegroup.com/nsn/9150-01-197-7688

SOUTHWEST PETRO-CHEM DIV, WITCO CHEMICAL CORP. -- SA 826 4122 -- 9150-01-197-7688

Product ID:SA 826 4122 MSDS Date:07/06/1993

FSC:9150

NIIN:01-197-7688

MSDS Number: BTHJW === Responsible Party ===

Company Name: SOUTHWEST PETRO-CHEM DIV, WITCO CHEMICAL CORP.

Address:1400 S HARRISON

Box:1974 City:OLATHE State:KS ZIP:66061

Country:US

Info Phone Num:913-782-5800 FAX

: 913-782-8091

Emergency Phone Num:913-782-5800(CHEMTREC 800-424-9300)

Preparer's Name: RAY LAWSON

CAGE:70878

=== Contractor Identification ===

Company Name: EXXON CO USA-SOUTHWEST GREASE BUSINESS UNIT

Address:1400 S HARRISON

Box:1974 City:OLATHE State:KS ZIP:66061

Phone:913-656-3701/800-424-9300(CHEMTREC)

CAGE:70878

Country:US

Company Name: INLAND PACKAGING INC

Address: 209 PETERSON DR

Box:644

City:ELIZABETHTOWN

State:KY

ZIP:42701-9804

Country:US

Phone:502-737-6757

CAGE:66172

====== Compos

FULL PROTECTIVE CLOTHING. COOL FIRE EXPOSED CONTAINERS WITH WATER. Unusual Fire/Explosion Hazard:DENSE SMOKE.

======== Accidental Release Measures ============

Spill Release Procedures:TRANSFER BULK OF MATERIAL TO ANOTHER CONTAINER. ABSORB RESIDUE WITH AN INERT MATERIAL SUCH AS EARTH, SAND, OR VERMICULITE. SWEEP UP AN

D DISPOSE OF. Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.
======================================
Handling and Storage Precautions:KEEP CONTAINER CLOSED UNTIL READY FOR USE.
Other Precautions:NONE SPECIFIED BY MANUFACTURER.
====== Exposure Controls/Personal Protection ========
Respiratory Protection:NONE NORMALLY REQUIRED. Ventilation:NONE NORMALLY REQUIRED. Protective Gloves:NONE NORMALLY REQUIRED. Eye Protection:SAFETY GOGGLES Other Prot ective Equipment:NONE Work Hygienic Practices:WASH HANDS AFTER USE AND BEFORE EATING, DRINKING, OR SMOKING. LAUNDER CONTAMINATED CLOTHES BEFORE REUSE.
Supplemental Safety and Health
========= Physical/Chemical Properties ==========
HCC:V6 Spec Gravity:0.879 Viscosity:>100 SUS@100F Solubility in Water:NEGLIGIBLE Appearance and Odor:AMBER GREASE; MINERAL OIL ODOR
========= Stability and Reactivity Data =========
Stability Indicator/Materials to Avoid:YE
STRONG OXIDIZING AGENTS Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER. HMIS: AVOID TEMPERATURES ABOVE 410F (210C) OR OPEN FLAMES; AVOID STRONG OXIDIZING AGENTS Hazardous Decomposition Products:OXIDES OF CARBON/SULFUR/PHOSPHORUS/NITROGEN/CALCIUM/ZINC, HYDROGEN SULFIDE ALKYL SULFIDES, MERCAPTANS.
======= Disposal Considerations ==========
Wasta Dispasal Mathads: DISPASE OF IN ACCORDANCE WITH LOCAL STATE AND

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS FOR SOL

ID WASTE.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.